

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/2	996-4292			15	260	B22d	ST-28	Clear	Any	95	1000	Any		56	Pygmy Sign
5L/13	995-6704			350	14	P40s	G-75	Clear	C-2	4,150 @12V	200@12V	Horiz.	43	120	Projector
5L/15	995-6706			350	26	P40s	G-75	Clear	CC-6	7050	200	Horiz.	43	120	Projector
5L/16	996-5732			140	100/260	B22d	T-50	Clear	N/A	9,000	3000	Horiz.		518	SO/H Sodium Vapour
5L/18	996-9701			250	230	Special x2	T-57	Clear	Carbon		800	Any		270	Radar Indicator
5L/21	996-4582			60	100/260	B22d	T-50	Clear	N/A	3,400	3000	Horiz.		300	SO/H Sodium Vapour
5L/23	995-1109			0.24	3	E10s	G-11	Clear	C-2R or V	0	2@6v	Any		23	Indicator
5L/25	995-9101	AP 9	YA. 3155	0.24	6	GPO Grey	T-6.5	Clear	Any	0.7	1000	Any		44.5	Telephone Indicator
5L/27	995-1233			2.8	24	Ba9s	T-10	Clear	C-2R or V	12.3	500	Any		29	Indicator
5L/29	996-4831	AP 16298		500	230	P28s	T-64	Clear	C-13	11500	50	VBD	55.5	133	Projector, Class A1
5L/30	996-4813	AP 7605	JC. 0032	500	110	B22d-3	T-37	Clear	C-13D Off	12500	25	Pendant	95	142	Projector, Class A1
5L/31	996-4811		JD. 6088	500	110	P28s	T-32	Clear	C-13D	12500	2	VBD	55.5	133	Projector, Class A1
5L/34	995-2602		JC. 0273	75	10	B15s	T-25	Clear	C-6	1762	100	VBD	41	75	Exciter lamp
5L/35	996-5724		JC. 10273	300	110	P28s	T-32	Clear	C-13	7200	25	VBD	55.5	133	Projector, Class A1
5L/36	995-1245	AP 7606	JC. 21364	3	16	E10s	G-15	Clear	C-2R or V	19 1/3	1000	Any		27.5	General Service
5L/37	996-4832	AP 16329		500	230	P28s	G-100	Clear	C-13	11000	100	VBD	60	135	Epidiascope
5L/40	995-2901														
5L/41	995-2504		ZC. 14035	50	10	B15s	T-25	Clear	C-6	1100	100	VBD	41	75	Exciter lamp
5L/42	996-4828	AP 16314	JD. 8209	500	230	E27s	G-100	Silver Backed	C-13		100	VBD	85	135	Epidiascope
5L/48	995-1218			1.86	6.2	E10s	T-10	Clear	C-2R or V	17.9	50	Any		28.5	Indicator
5L/49	995-2603			80	12	B15d	P-38	Pearl	Special	1030	50	Pendant	38	58	Aircraft Identification
5L/50	995-2604			80	24	B15d	P-38	Pearl	Special	1,090	50	Pendant	38	58	Aircraft Identification
5L/54	995-1239			3	6	S7/8	T-7.5	Clear	C-8	19	400	Any		35.5	Trafficator / Indicator
5L/55	996-4588			60	230	E27s	PS-65	White externa	C-9		1000	Any		125	Photographic lamp
5L/56	996-5723			300	100	P28s	T-32	Clear	C-13D	7200	25	VBD	55.5	133	Projector, Class A1
5L/58	995-9220	AP 16251		5	50	GPO White	T-6.5	Clear	Carbon	6.5	300	Any		44.5	Telephone Indicator
5L/70	995-4407		XB/5L/70	36	24	B22d	G-38	Clear	C-8 or 2V	340	1000	Any	28.5	56	M.T. Headlamp
5L/71	995-2267	AP 8093		9	12	B15d	G-22	Clear	C-2R or V	74	100	Any	19.5	37	General Service
5L/73	995-1148	AP 16120		32	8	B15s	T-25	Clear	C-6	640	100	VBD	44	75	Exciter lamp
5L/87	995-4211			15	50	B22d	ST-28	Ruby Glass	Any		1000	Any		56	Indicator
5L/88	995-4209	AP 16191		15	50	B22d	ST-28	Clear	Any	87	1000	Any		56	Indicator
5L/89	995-4705			144/144	12	P28d	P-60	Clear				Horiz.	41	95	Aircraft Landing lamp
5L/91	996-4690	AP 16317		100	230	B22d	PS-75	Amber externa	C-9		1000	Any		137.5	Photographic lamp
5L/93	995-4207		ZC/5L/93	15	24	B22d	P-38	Clear	Any		1000	Any		53	General Service
5L/94	996-4266		X2/ZC/14414	15	230	B22d	ST-28	White externa	Any		1000	Any		56	Pygmy Sign
5L/100	995-2241	AP 16192	V6.MT3/2133	6	6	P30s	T-16.5	Clear	C-8	72	100	VBD	28.5	56	Exciter lamp
5L/104	995-1155			1.5	2	E10s	G-15	Red Laquer	Any		100	Any		27.5	Glim lamp
5L/105	995-1220			2.2	12	E10s	G-15	Red Laquer	C-2R or V		200	Any		27.5	General Service
5L/106	995-4717			240	26	P28s	P-60	Clear	CC-6	5,800	50	Horiz.	44.5	95	Aircraft Landing lamp
5L/107	995-1232		WB/5L/107	2.8	24	E10s	T-10	Clear	C-2R or V	12 1/3	500	Any		28.5	Indicator
5L/108	996-4779			200	100	B22d-3	T-32	Clear	C-13 Offset	4600	25	Pendant	P50	82	Projector, Class A1
5L/109	996-6878		JD. 8427	1000	230	E40s	T-64	Clear	C-13	25000	50	VBD	120	230	Projector, Class A1
5L/110	996-2507			60	250	S15s	T-25	Clear	C-8	510	1000	Any		284	General Service
5L/111	995-2265			8.5	6	B15d	G-18	Clear	C-2R or V	38	1000	Any		32.5	Marine Identification
5L/112	995-1231			2.8	24	E10s	G-15	Red Laquer	C-2R or V		200	Any		27.5	Indicator
5L/113	995-1141			1	12	E10s	G-11	Red Laquer	C-6 or 2R		200	Any		23	Instrument Lighting

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/114	995-4404														
5L/115	996-4463			40	200	B22d	PS-60	Blue external	C-9		1000	Any		110	General Service
5L/116	996-4468			40	210	B22d	PS-60	Blue external	C-9		1000	Any		110	General Service
5L/117	996-4477			40	220	B22d	PS-60	Blue external	C-9		1000	Any		110	General Service
5L/118	996-4486			40	230	B22d	PS-60	Blue external	C-9		1000	Any		110	General Service
5L/119	996-4495			40	240	B22d	PS-60	Blue external	C-9		1000	Any		110	General Service
5L/120	996-5406			40	250	B22d	PS-60	Blue external	C-9		1000	Any		110	General Service
5L/121	996-4542			60	200	B22d	PS-65	Blue external	C-9		1000	Any		117.5	General Service
5L/122	996-4547			60	210	B22d	PS-65	Blue external	C-9		1000	Any		117.5	General Service
5L/123	996-4553			60	220	B22d	PS-65	Blue external	C-9		1000	Any		117.5	General Service
5L/124	996-4562			60	230	B22d	PS-65	Blue external	C-9		1000	Any		117.5	General Service
5L/125	996-4571			60	240	B22d	PS-65	Blue external	C-9		1000	Any		117.5	General Service
5L/126	996-4576			60	250	B22d	PS-65	Blue external	C-9		1000	Any		117.5	General Service
5L/127	996-4217														
5L/128	996-4360			25	200	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/129	996-4320			25	100	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/130	996-4250			15	200	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/131	996-4231			15	110	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/132	996-4331			25	110	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/133	996-4243			15	120	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/134	996-4350			25	120	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/135	996-4245			15	130	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/136	996-4354			25	130	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/137	996-4255			15	210	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/138	996-4364			25	210	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/139	996-4262			15	220	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/140	996-4371			25	220	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/141	996-4270			15	230	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/142	996-4379		XB. 10633	25	230	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/143	996-4281			15	240	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/144	996-4390			25	240	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/145	996-4290			15	250	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/146	996-4398			25	250	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/147	996-4294			15	260	B22d	PS-55	Blue external	C-9		1000	Any		92.5	General Service
5L/148	996-5303			25	260	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/150	996-4215		XB. 4913	15	100	B22d	PS-55	Clear	C-9	140	1000	Any	65	92.5	General Lighting Service
5L/153	996-4214														
5L/158	996-4242														
5L/159	996-4201	AP 16116		10	100/130	B22d	ST-28	Clear	Any		1000	Any		56	Indicator
5L/161	996-4241			15	120	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/163	996-4249			15	200	B22d	PS-55	Clear	Any	120	1000	Any	65	92.5	General Lighting Service
5L/166	996-4254			15	210	B22d	PS-55	Clear	Any	120	1000	Any	65	92.5	General Lighting Service
5L/167	996-4229			15	110	B22d	PS-55	Clear	Any	140	1000	Any	65	92.5	General Lighting Service
5L/170	996-4260		F. 2255	15	220	B22d	PS-55	Clear	Any	120	1000	Any	65	92.5	General Lighting Service
5L/173	996-4268		XB. 10190	15	230	B22d	PS-55	Clear	Any	120	1000	Any	65	92.5	General Lighting Service
5L/174	996-4264	AP 16088		15	230	B22d	ST-28	Clear	C-22	95	1000	Any	Special	56	Airfield Lighting

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/175	996-4279			15	240	B22d	PS-55	Clear	Any	115	1000	Any	65	92.5	General Lighting Service
5L/179	996-4288			15	250	B22d	PS-55	Clear	Any	115	1000	Any	65	92.5	General Lighting Service
5L/181	996-4359			25	200	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/182	996-4363			25	210	B22d	PS-60	Blue external	C-9		1000	Any		100	General Service
5L/183	996-4369		XB. 13522	25	220	B22d	PS-60	Clear	C-9	225	1000	Any	70	100	General Lighting Service
5L/184	996-4377		XB. 10191	25	230	B22d	PS-60	Clear	C-9	220	1000	Any	70	100	General Lighting Service
5L/185	996-4388			25	240	B22d	PS-60	Clear	C-9	220	1000	Any	70	100	General Lighting Service
5L/186	996-4396			25	250	B22d	PS-60	Clear	C-9	220	1000	Any	70	100	General Lighting Service
5L/187	995-4305			25	40	B22d	PS-60	Clear	C-9	290	1000	Any	70	100	General Lighting Service
5L/188	995-4306			25	50	B22d	PS-60	Pearl	C-9	270	1000	Any	70	100	General Lighting Service
5L/189	996-4319	AP 16152	XB. 4928	25	100	B22d	PS-60	Pearl	C-9	245	1000	Any	70	100	General Lighting Service
5L/190	996-4349			25	120	B22d	PS-60	Pearl	C-9	235	1000	Any	75	100	General Lighting Service
5L/191	995-3229		LV6/MT3/4410	24	12	B15d	P-38	Clear	C-2V	360	100	Any	P28.5	56	M.T. Headlamp
5L/192	995-4212			15	50	B22d	PS-55	Pearl	C-2V	140	1000	Any	65	92.5	General Service
5L/193	995-4409			40	50	B22d	PS-60	Clear	C-2V	480	1000	Any	80	110	General Lighting Service
5L/194	995-4410			40	50	B22d	PS-60	Pearl	C-2V	480	1000	Any	80	110	General Lighting Service
5L/195	996-4424			40	100	B22d	PS-60	Clear	C-2V	475	1000	Any	80	110	General Lighting Service
5L/196	996-4425	AP 16153	XB. 4915	40	100	B22d	PS-60	Pearl	C-9	475	1000	Any	80	110	General Lighting Service
5L/197	996-4434	AP 16158	XB. 10060	40	110	B22d	PS-60	Pearl	C-9	470	1000	Any	80	110	General Lighting Service
5L/199	996-4453			40	120	B22d	PS-60	Pearl	C-9	455	1000	Any	80	110	General Lighting Service
5L/201	996-4462			40	200	B22d	PS-60	Pearl	CC-9	440	1000	Any	80	110	General Lighting Service
5L/205	996-4467			40	210	B22d	PS-60	Pearl	CC-9	435	1000	Any	80	110	General Lighting Service
5L/207	996-4475	AP 16162	XB. 0825	40	220	B22d	PS-60	Pearl	CC-9	435	1000	Any	80	110	General Lighting Service
5L/209	996-4485			40	230	B22d	PS-60	Pearl	CC-9	430	1000	Any	80	110	General Lighting Service
5L/211	996-4494			40	240	B22d	PS-60	Pearl	CC-9	425	1000	Any	80	110	General Lighting Service
5L/213	996-5405	AP 16210		40	250	B22d	PS-60	Pearl	CC-9	425	1000	Any	80	110	General Lighting Service
5L/215	995-4503			60	50	B22d	PS-60	Clear	C-9	770	1000	Any	80	110	General Lighting Service
5L/216	995-4504			60	50	B22d	PS-60	Pearl	C-9	770	1000	Any	80	110	General Lighting Service
5L/217	995-4403		XB/5L/217	36	12	B22d	G-38	Clear	C-6 or 8	425	1000	Any	P28.5	56	M.T. Headlamp
5L/218	996-4513	AP 16154	XB. 4932	60	100	B22d	PS-65	Pearl	C-9	810	1000	Any	85	117.5	General Lighting Service
5L/220	996-4532			60	120	B22d	PS-65	Pearl	C-9	780	1000	Any	85	117.5	General Lighting Service
5L/221	996-4541			60	200	B22d	PS-65	Pearl	CC-9	740	1000	Any	85	117.5	General Lighting Service
5L/224	996-4546			60	210	B22d	PS-65	Pearl	CC-9	735	1000	Any	85	117.5	General Lighting Service
5L/229	996-4575	AP 16211		60	250	B22d	PS-65	Pearl	CC-9	710	1000	Any	85	117.5	General Lighting Service
5L/231	995-4607		JD. 18458	100	30	P28s	T-25	Clear	C-13 Offset	2250	50	VBD	55.5	133	Projector, Class A1
5L/232	996-4318			25	100	B22d	PS-60	Clear	C-9	245	1000	Any	70	100	General Lighting Service
5L/236	995-1260			12	22	BA9s	G-18	Clear	C-2R or V	167	100	Any	P16	31	Gunsight
5L/237	995-1206			1.8	6	BA9s	G-11	Amber external	C-2R or V		500	Any		23.5	Indicator
5L/238	996-4407			8 CP	230	B22d	PS-60	Clear	Carbon		800	Any		110	General Service
5L/239	996-4687			100	230	E27s	T-25	Clear	C-13	1600	50	VBD	75	128	Projector, Class A1
5L/240	996-5606			100	250	B22d	PS-75	White external	CC-9		1000	Any		137.5	Photographic lamp
5L/241	995-9105			0.82	17	GPO Orange	T-6.5	Clear	Any		1000	Any		44.5	Telephone Indicator
5L/243	995-2102	AP 1039A		1	2	B15d	G-18	Clear	C-2R	6.7	50	Any		32.5	General Service
5L/244	995-2276			10	24	B15d	S-25	Clear	Special	57	200	Any	P30	46	Aircraft Tail Navigation
5L/247	996-4402			8 CP	110	B22d	PS-60	Clear	Carbon		800	Any		110	General Service
5L/250	996-4517			60	110	E27s	PS-65	Pearl	CC-9	790	1000	Any	85	117.5	General Lighting Service

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/252	996-4432			40	110	E27s	PS-60	Pearl	CC-9	470	1000	Any	80	110	General Lighting Service
5L/254	996-4328			25	110	E27s	PS-60	Pearl	CC-9	240	1000	Any	70	100	General Lighting Service
5L/256	996-4225			15	110	E27s	PS-55	Pearl	CC-9	140	1000	Any	65	92.5	General Lighting Service
5L/257	996-4224			15	110	E27s	PS-55	Clear	CC-9	140	1000	Any	65	92.5	General Lighting Service
5L/258				21	500	Harley	G-75	Clear	C-2Z	12000	50		65	137	Aircraft Landing lamp
5L/259	996-2105	AP 16118	WB. 0087	0.5	230/240	B15d	T-18	Clear	Neon			Any		54	Neon Indicator
5L/260	995-2257			6	24	B15d	G-22	Red Laquer	C-2R or V		200	Any	P19.5	37	General Service
5L/261	995-2206														
5L/262	995-2234			24	B15d	Gunsight
5L/263	995-2248			6	12	B15d	G-18	Clear	C-2R	36	100	Any	P16	32.5	General Service
5L/264	995-2254		LV6/MT3/1198	6	24	B15d	G-18	Clear	C-2R or V	33	200	Any	P16	32.5	General Service
5L/265	995-2251			6	12	B15d	G-18	External frost	C-2R	34	100	Any		32.5	General Service
5L/266	995-2258			6	24	B15d	G-18	External frost	C-2R or V	30	200	Any		32.5	General Service
5L/267	995-2272			10	12	B15d	S-25	Clear	C-6	100	200	Any	P30	46	Aircraft Tail Navigation
5L/268	995-2291			12	12	B15d	S-25	Clear	C-2R or V	146	200	Any	P28.5	46	General Service
5L/269	995-2295			12	24	B15d	S-25	Clear	C-2R or V	140	200	Any	P28.5	46	General Service
5L/270	995-3201	AP 16310		16	12	B15d	S-25	Pearl	C-2R or V	202	200	Any	P28.5	46	General Service
5L/271	995-3202			16	24	B15d	S-25	Pearl	C-2R or V	195	200	Any	P28.5	46	General Service
5L/272	995-1123		WB. 0069	0.525	3.5	E10s	G-11	Clear	C-2R or V	3	25	Any		23	Indicator
5L/273	996-6865			1000	110	E40s	T-64	Clear	C-13	26500	50	VBD	120	230	Projector, Class A1
5L/274	996-2216	AP 16312	XB. 17102	15	230	B15s	ST-28	Clear	Any	95	1000	Any		62	Pygmy Sign
5L/275	995-4710			200	24	P28s	P-60	Clear	Special	1810	200	Horiz.	44.5	95	Aircraft Signalling
5L/276	995-1224	AP 16111	ZC. 1814	2.36	6.5	E10s	T-10	Clear	C-6 or 2R	13	1000	Any		28.5	Indicator
5L/277	996-2506			60	240	S15s	T-25	Clear	C-8	510	100	Any		284	General Service
5L/278	995-1243		LV6/MT3/2762	3	12	S7/8	T-7.5	Clear	C-8	19	400	Any		35.5	Trafficator
5L/279	995-2243	AP 7503	JC. 20700	6	6	B15s	T-18	Clear	C-8	72	100	VBD	P21.5	40	Exciter lamp
5L/281	996-4842		JD. 8236	750	110	P28s	T-38	Clear	C-13D	19,500	25	VBD	55.5	133	Projector, Class A1
5L/282	996-4499			40	240	B22d	PS-60	Daylight Glass	C-9		1000	Any	80	110	General Service
5L/283	996-2501			50	250	B15s	T-25	Clear	C-13	700	50	VBD	34.5	70	Projector, Class A1
5L/284	995-1124			0.6	2	E10s	G-11	Red external	C-6 or 2R		10	Any		23	Indicator
5L/285	996-6879			1000	230	E40s	T-90	Clear	C-8	24000	200	Horiz.		390	Horizon lamp
5L/287	995-4709			200	12	P28s	P-60	Clear	Special	1810	200	Horiz.	44.5	95	Signalling lamp
5L/288	996-4685			100	230	E27s	PS-75	Amber external	C-9		1000	Any		137.5	Photographic lamp
5L/289	996-4683			100	230	E27s	PS-75	Clear	C-9	1380	1000	Any	100	137.5	General Lighting Service
5L/297	996-4401														
5L/301	996-6827			500	230	E40s	G-130	Clear	C-5	7250	800	Not BU	115	180	Floodlighting
5L/302	995-2261			7	12	B15s	G-18	Clear	C-2R or V	56	200	Any	P17.5	32.5	UV Cockpit lamp
5L/305	995-4213			18	6	BA20s	PS-38	Clear	C-6 or 2V	243	100	Any	P30	67	M.T. Headlamp
5L/306	995-4205		LV6/MT3/4496	12	12	B22d	G-38	Clear	Any	123	1000	Any		53	Bus lamp
5L/307	995-1204			1.8	6	BA9s	G-11	Clear	C-2R or V	11.2	1000	Any		23.5	Indicator
5L/311	995-1201		WB. 3185	1.6	8	E10s	G-15	Clear	Any	9.9	1000	Any		27.5	Indicator
5L/316	995-3203	AP 3924	LV6/MT3/7716	18	6	B15d	P-38	Clear	C-6 or 2V	260	100	Any	P28.5	56	M.T. Headlamp
5L/317	995-3221		LV6/MT3/2468	24	6	B15d	P-38	Clear	C-2V	360	100	Any	P28.5	56	M.T. Headlamp
5L/318	995-2408		LV6/MT3/1261	36	6	B15d	P-38	Clear	C-6 or 2V	580	100	Any	P28.5	56	M.T. Headlamp
5L/320	995-2422		LV6/MT3/1198	36	24	B15d	P-38	Clear	C-6 or 2V	370	1000	Any	P28.5	56	General Service
5L/321	995-2214		LV6/MT3/4717	3	6	B15s	G-18	Clear	C-6 or 2R	15.9	100	Any		32.5	General Service

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/322	995-2242		LV6/MT3/4618	6	6	B15s	G-18	Clear	C-2R	370	100	Any	P21.5	32.5	M.T. & General Service
5L/324	995-3205			18	6	B15s	P-38	Clear	C-8	260	100	Any	P28.5	56	M.T. Headlamp
5L/326	995-3223			24	6	B15s	P-38	Clear	C-2V	260	100	Any	P28.5	56	M.T. Headlamp
5L/327	995-2409		LV6/MT3/1212	36	6	B15s	P-38	Clear	C-6 or 2R	580	100	Any	P28.5	56	M.T. Headlamp
5L/328	995-2218			4	8	B15s	G-18	Clear	C-2R or V	28	100	Any		32.5	General Service
5L/329	995-2245		WB. 1933	6	12	B15s	G-18	Clear	C-2R	36	100	Any		32.5	M.T. & General Service
5L/331	995-3226		LV6/MT3/3762	24	12	B15s	P-38	Clear	C-6 or 2R	360	100	Any	P28.5	56	M.T. Headlamp
5L/332	995-2414	AP 16019	JC. 10145	36	12	B15s	P-38	Clear	C-2V	600	100	Any	P28.5	56	M.T. Headlamp
5L/333	995-2508			60	12	B15s	P-50	Clear	C-8	1090	100	Any	P28.5	63	M.T. Headlamp
5L/336	995-4406		LV6/MT3/1704	36/36	12	BA20d	P-38	Clear	C-6 & C-2V	530 & 530	100	Any	P30	67	M.T. Headlamp
5L/337	995-3206			18 & 3	6	B15d	P-38	Clear	C-6 & C-8	243 & 14.3	100	Any	P28.5	56	M.T. Headlamp
5L/341	995-3225		LV6/MT3/1253	24/24	6	B15d	P-38	Clear	C-6 & C-2V	340 & 340	100	Any	P28.5	56	M.T. Headlamp
5L/345	995-3232	AP 16132		24 & 6	12	B15d	P-38	Clear	C-8 & Any	360 & 32.6	100	Any	P28.5	56	M.T. Headlamp
5L/347	995-2419		LV6/MT3/1245	36/36	12	B15d	P-38	Clear	C-6 & C-2V	560 & 560	100	Any	P28.5	56	M.T. Headlamp
5L/349	995-3224		LV6/MT3/1663	24/24	6	P30d	P-38	Clear	Bi-focal	340 & 340	100	Any	28.5	58	M.T. Headlamp
5L/350	995-2420			36/36	12	P30d	P-38	Clear	2C-2V	560 & 560	100	Any	28.5	58	M.T. Headlamp
5L/351				24/24	12	P30d	P-38	Clear	2C-2V			Any			
5L/359	995-1108			0.23	2	S7/8	T-7.5	Clear	C-8	0.6	100	Any		27	Instrument Lighting
5L/360	995-1156			0.75	2.5	E10s	G-11	Clear	Special	6.3	10	Any		23	Focusing Flashlamp
5L/361	995-1143		WB. 3233	1.05	3.5	E10s	G-11	Clear	C-6 or 2R	10.1	10	Any		23	Flashlamp
5L/363	995-2212			3	4	B15d	G-18	Clear	C-2R	16	100	Any		32.5	General Service
5L/366	995-1253	AP 16033	V6/MT3/2223	6	6	S7/8	T-11	Clear	C-8	48	400	Any		38	Indicator
5L/367	995-9401	AP 5111		36	12	Aldis	P-50	Clear	C-2	615	50	Horiz.	Special	85	Aldis Signalling lamp
5L/381	996-4512		XB. 4948	60	100	B22d	PS-65	Pearl	C-9	810	1000	Any	85	117.5	General Lighting Service
5L/383	996-4502		X2/XB/10060	16 CP	110	B22d	PS-60	Clear	Carbon		800	Any		110	General Service
5L/385	996-4771		LV6/MT3/1254	32 CP	110	B22d	PS-65	Clear	Carbon		800	Any		117.5	General Service
5L/395	995-2284			12	6	B15d	S-25	Clear	C-6	192	100	Any	P36	49	Exciter lamp
5L/398	995-2221			4	12	B15d	G-18	Clear	C-2R or V	Special	500	Any	P18	32.5	Aircraft Recognition & Radar
5L/399	995-2230			4	24	B15d									
5L/400	996-4357														
5L/404	995-2411			36/36	6	P30d	P-38	Clear	Bi-focal	540 & 540	100	Any	28.5	58	M.T. Headlamp
5L/406	995-1248			4	8	Ba9s	G-15	Clear	C-2R or V	29 1/2	1000	Any		28	Indicator
5L/411	995-1227			24	4	B15s	T-18	Clear	C-8		100	VBD	P30	60	Exciter lamp
5L/414	995-1244			3	16	Ba9s	G-15	Clear	C-2R or V	19.3	1000	Any		28	General Service
5L/416	995-2418														
5L/420	995-4718		F. 2054	250	12	E27s	T-38	Clear	CC-6	4515	100	VBD	75	145	Projector, Class A1
5L/422	995-3212														
5L/424	995-2253			6	24	B15s	G-18	Clear	C-2R or V	33	200	Any		32.5	General Service
5L/426	995-2298			15	24	B15d	P-38	Clear	C-2R or V	120	1000	Any		56	General Service
5L/427	995-4720			250	24	E27s	T-38	Clear	CC-6	6160	100	VBD	75	145	Projector, Class A1
5L/428	995-6801			900	24	E40s	T-64	Clear	C-13	25000	50	VBD	120	230	Projector, Class A1
5L/429	995-6802			900	30	E40s	T-64	Clear	C-13	25000	50	VBD	120	230	Projector, Class A1
5L/431	995-2299			15	35	B15d	P-38	Pearl	C-2R or V	116	1000	Any		56	General Service
5L/435	996-4908			3000	230	G38	T-150	Clear	C-8	54000	800	Horiz.		375	Airfield Floodlight
5L/436	996-4803														
5L/437	996-5622			80	230	P28s	T-48	Clear	Mercury	2400.0	1500	Pendant	115	185	Special Mercury Projector

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/438	995-1139	AP 16242	WB. 4099	1	6	B9s	G-11	Clear	C-2R or V	5	1000	Any		23.5	Indicator
5L/439	995-2294			12	24	B15d	S-25	Pearl	C-2R or V	135	200	Any	P28.5	46	General Service
5L/443	996-5614	AP 16271		80		B22d x2	T-38	Daylight Glass	Fluorescent	3000	5000	Any		1800	Fluorescent General Service
5L/444	996-9702			250	250/230	Special x2	T-57	Clear	ZigZag Carbon		800	Any		272	Power Indicator High vacuum
5L/447	996-4221		JC. 18437	15	110	E27s	ST-28	Clear	Any	105	1000	Any		58	Pygmy Sign
5L/448	996-4642														
5L/449	996-2405			30	230	S15s x2	T-25	Clear	C-8	230	1000	Any		221	General Service
5L/450	996-9803	AP 16261	JC. 0232	750	110	B&H	T-38	Black top	C-13		25	VBD	59	128	Projector, Class A1
5L/454	996-4844														
5L/457	996-9816			500	200/250	P40s	T-65	Clear	ME Mercury		500	Horiz.	120	260	Bombing Teacher
5L/460	996-9807														
5L/463	996-4557			60	230	E27s	PS-65	Pearl	CC-9	725	1000	Any	85	117.5	General Lighting Service
5L/464	996-9204														
5L/465	996-9404														
5L/466	996-9502														
5L/467	996-9501														
5L/468	996-4470			40	220	B22d	PS-60	Clear	CC-9	435	1000	Any	80	110	General Lighting Service
5L/469	996-4366			25	220	E27s	PS-60	Clear	C-9	225	1000	Any	70	100	General Lighting Service
5L/470	996-4549			60	220	E27s	PS-65	Clear	CC-9	730	1000	Any	85	117.5	General Lighting Service
5L/471	996-4256			15	220	E27s	PS-55	Clear	C-9	120	1000	Any	65	92.5	General Lighting Service
5L/473	996-4481			40	230	E27s	PS-60	Clear	CC-9	430	1000	Any	80	110	General Lighting Service
5L/474	995-2250			6	12	B15s	G-22	Red laquer	C-2R or V		200	Any	P19.5	37	Cockpit Lighting
5L/475	995-4214			20	24	B22d	P-38	Clear	Any	155	1000	Any		53	General Service
5L/478	996-4646			100	110	B22d	PS-75	White externa	C-9		1000	Any		137.5	Photographic lamp
5L/479	996-4518			60	110	E27s	PS-65	Daylight Glass	C-9		1000	Any	85	117.5	General Service
5L/480	996-4521			60	110	B22d	PS-65	Daylight Glass	C-9		1000	Any	85	117.5	General Service
5L/481	996-6806			500	110	P40s	T-64	Clear	C-13	12500	50	VBD	50	140	Projector, Class A1
5L/483	996-4640		JC. 15064	100	100	P28s	T-25	Clear	C-13	1850	50	VBD	55.5	133	Projector, Class A1
5L/484	996-5710			250	220	E27s	G-95	Clear	C-5	3130	800	Not BU	75	125	Floodlighting
5L/486	995-4724			288	12	P28s	P-60	Clear				Horiz.		95	Aircraft Landing lamp
5L/487	996-7802			3000	80	E40s	TG-240	Clear	Cruciform	52500	800	VBD	305	470	Aerial Lighthouse
5L/488	996-7804			5000	100	E40s	TG-295	Clear	C-13	130000	100	VBD	333	488	Aerodrome Floodlight
5L/489	996-7801			2000	230	P40s	T-90	Clear	C-8	45000	200	Horiz.		425	Horizon lamp
5L/490	995-1114			0.36	6	E10s	T-10	Clear	C-2R or V	1	300	Any		28.5	Indicator
5L/491	995-1118														
5L/492	996-9814			3000	230	G38	T-150	Clear	C-8	54000	800	Horiz.		375	Airfield Floodlight
5L/497	996-9811			2000	110	G38	G-152.5	Clear	C-13	52000	100	VBD	127	232	Studio Spotlight
5L/499	996-7803			3000	220	E40s	T-150	Clear	C-8	75000	200	Horiz.		365	Horizon lamp
5L/500	995-1229	AP 16230	Y3/5L/500	2.5	50	E10s	T-11	Clear	Any	10.9	1000	Any		33	Instrument Lighting
5L/501	996-4211			. . .	85	Resistance lamp
5L/502	996-4534		XB. 14403	. . .	125	Resistance lamp
5L/503	996-4689	AP 16168	XB. 0043	100	230	B22d	PS-65	Pearl	CC-9	1380	1000	Any	100	137.5	General Lighting Service
5L/504	996-4617	AP 16094		75	230	B22d	PS-70	Pearl	CC-9	960	1000	Any	90	125	General Lighting Service
5L/505	996-4752			150	230	E27s	PS-80	Pearl	C-9	2150	1000	Any	120	160	General Lighting Service
5L/506	996-4794			200	230	E27s	A-90	Pearl	C-9	2960	1000	Any	133	178	General Lighting Service
5L/509	995-9223			10	6	Sleeve C	T-16.5	Clear	Loop			Any		40	Introscope

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/510	996-4694			100	230	P28s	T-25	Clear	C-13	1600.0	50	VBD	55.5	133	Projector, Class A1
5L/511	995-2277			10	50	B15d	G-33	Blue external	Any		1000	Any		50	Post Office Lamp No. 8
5L/512	995-2278														
5L/513	995-2279														
5L/514	996-2324			25	230	B15d	T-25	Clear	Any	180	1000	Any		92	General Service
5L/517	996-4450			40	120	E27s	PS-60	Clear	C-9	455	1000	Any	80	110	General Lighting Service
5L/518	996-4530		JD. 6177	60	120	E27s	PS-65	Pearl	C-9	780	1000	Any	85	117.5	General Lighting Service
5L/520	996-9703			300	110	B&H	T-32	Clear	C-13D	7200.0	25	VBD	59	128	Projector, Class A1
5L/521	996-4784		JD. 4163	200	110	P28s	T-32	Clear	C-13	4400	50	VBD	55.5	133	Projector, Class A1
5L/522	996-4657	P16328 & 777	JD. 9319	100	115	P28s	T-25	Clear	C-13	1850	50	VBD	55.5	133	Projector, Class A1
5L/523	995-9115														
5L/524	995-9210			2.4	24	GPO	T-6.5	Clear	Any	6	1000	Any		35	Telephone Indicator
5L/525	996-2101			0.5	100/110	B15d	T-18	Clear	Neon			Any		54	Ext. Resistor for 5mA
5L/526	995-9108			1.1	3	Kollsman	T-0.2"	Yellow Laquer	Any		10	Any		.575"	Instrument Lighting
5L/527	995-9212			2.4	24	GPO Yellow	T-6.5	Clear	Any		1000	Any		38	Telephone Indicator
5L/528	996-4645	AP 16160		100	110	B22d	PS-75	Pearl	C-9	1,500	1000	Any	100	137.5	General Lighting Service
5L/529	996-4845	AP 7663	JC. 15065	750	120	P28s	T-38	Black Top	C-13D		25	VBD	55.5	133	Projector, Class A1
5L/530	996-5407			40	250	B22d	PS-60	Red external	C-9		1000	Any		110	General Service
5L/531	996-4537	AP 16218		60	150	E27s	PS-65	Pearl	C-9	685	1000	Any	85	117.5	General Lighting Service
5L/533	995-4217		F. 2294	24	12	B15d	G-38	Pearl	Any	306	1000	Any		53	Bus lamp
5L/534	995-4206			12	12	B22d	G-38	Red Laquer	Any		1000	Any		53	General Service
5L/536	996-5721		JD. 7980	275	240/250	E27s	PS-65	Pearl	Any	9,600	2 to 3	Any		117.5	Photoflood
5L/537	995-9403			3	40	GPO Blue	T-6.5	Clear	Carbon	4	300	Any		44.5	Telephone Indicator
5L/540	996-4491														
5L/541	996-4567			60	240	E27s	PS-60	Clear	CC-9	715	1000	Any	85	117.5	General Lighting Service
5L/542	996-2503			60	110	S15s x2	T-25	Clear	C-9	525	1000	Any		284	General Service
5L/544	995-4502			48	12	E27s	P-50	Clear	C-2	925.0	100	VBD	38	70	Projector, Class F
5L/545	995-1101			0.06	2.5	E10s	G-11	Clear				Any		23	Indicator or Fuse lamp
5L/549	995-9211			2.4	24	GPO Yellow	T-6.5	Clear	Any	6.0	1000	Any		38	Telephone Indicator
5L/551	995-2229			4	24	B15d	T-11	Blue Glass	C-2R or V		500	Any	P18	32.5	Aircraft Recognition
5L/552	996-4458	AP 16217		40	150	E27s	PS-60	Pearl	C-9	400	1000	Any	80	110	General Lighting Service
5L/553	995-1130			0.75	2.5	E10s	G-11	Amber Laquer	C-6 or 2V		10	Any		23	Cockpit Lighting
5L/554	995-9112			1.2	12	GPO Red	T-6.5	Clear	Any	2.7	1000	Any		38	Telephone Indicator
5L/555	995-9218			4	6	Sleeve B	T-12.5	Clear	Loop			Any		30	Introsopes
5L/556	995-9216			3	6	Sleeve A	T-7.5	Clear	C-6			Any		17.5	Introsopes
5L/557	996-4814														
5L/558	996-9401														
5L/559	996-9301														
5L/560	995-4210			15	50	B22d	ST-28	Clear	Any	87	1000	Any		56	Indicator
5L/561	996-9403														
5L/562	996-9205														
5L/563	996-9202														
5L/564	996-9203														
5L/567	995-9104			.28A	2.5	Special	T-0.18"	Yellow external	Any		10	Any		.705"	Instruments
5L/569	996-4457														
5L/570	995-2238	AP 7666	ZC. 24430	6	6	P30s	T-16.5	Clear	C-8	72	100	VBD	28.5	56	Exciter lamp

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/571	995-4711		JC. 11547	200	50	P28s	T-32	Clear	C-13 Offset	4750	50	VBD	55.5	133	Projector, Class A1
5L/572	995-1105			0.2	2	E10s	G-11	Clear	Any	2	1000	Any		23	Indicator
5L/575	995-9213	AP 8096M		2.4	24	GPO Yellow	T-6.5	Clear	3 supports	5 1/2	1000	Any		44.5	Telephone Indicator
5L/576	995-9109			1.1	3	Kollsman	T-0.2"	Red Laquer	Any		10	Any		0.65"	Instrument Lighting
5L/577	995-1138	AP 16143	ZC/AP/16143	0.95	6.3	E10s	T-10	Clear	C-2R or V	7	10	Any		28.5	Indicator
5L/579	996-4825		JD. 6975	50	220/230	E27s	PS-80	Pearl	Any	15000	6 to 8	Any		160	Photoflood lamp
5L/580	996-5719		JD. 7905	275	220/230	E27s	PS-65	Pearl	Any	9600	2 to 3	Any		117.5	Photoflood lamp
5L/581	996-5720			275	220/230	B22d	PS-65	Pearl	Any	9600.0	2 to 3	Any		117.5	Photoflood lamp
5L/584	996-4843		JC. 15745	750	110	P28s	T-38	Black Nose	C-13D		25	VBD	55.5	133	Projector, Class A1
5L/588	995-2511			60	24	B15d	P-38	Clear	CC-8 or 6		100	Horiz.	P28.5	56	Aircraft Taxying lamp
5L/590	996-2201			10	100/130	E12s	S-19	Clear	Any	65.0	1000	Any		46	General Service
5L/591	995-2232	AP 629M		4.8	22	B15d	T-11	Clear	C-2R or V	16.7	1000	Any	P17	30.5	Indicator
5L/594	996-5713		JD. 9115	250	230	P28s	T-32	Clear	C-13	5250	50	VBD	55.5	133	Projector, Class A1
5L/595	995-2201	AP 16013M		1.6	20	B15d	T-11	Clear	C-2R or V	2.6	1000	Any		30.5	Indicator
5L/596	995-3236			10	22	B15d	G-33	Red external	Any		1000	Any		50	General Service
5L/597	995-1261			10	22	S8.5/8	T-12	Green externa	C-8		1000	Any		46	Indicator
5L/598	995-1262			10	22	S8.5/8	T-12	Red external	C-8		1000	Any		46	Indicator
5L/599	996-6901			500CP	200/250	E40d	S-100	Clear	Pointolite	500CP		VBD		173	Pointolite' Tungsten Arc
5L/600	995-4722			350	22	P28d	P-75	Clear	C-8 & 6	8400	50	Horiz.	57	125	Aircraft Landing lamp
5L/601	995-1263			2.8	24	E10s	G-15	Red Glass	C-2R or V		500	Any		27.5	Cockpit Lighting
5L/602	996-4216	AP 16151		15	100	B22d	PS-55	Pearl	C-9	140	1000	Any	65	92.5	General Lighting Service
5L/603	996-4297		X2/XB/14880	15	120	B22d	PS-55	Pearl	C-9	140	1000	Any	65	92.5	General Lighting Service
5L/604	996-4230	AP 16156	XB. 0820	15	110	B22d	PS-55	Pearl	C-9	140	1000	Any	65	92.5	General Lighting Service
5L/605	996-4370	AP 16161	XB. 0842	25	220	B22d	PS-60	Pearl	C-9	225	1000	Any	70	100	General Lighting Service
5L/606	996-4378	AP 16165		25	230	B22d	PS-60	Pearl	C-9	220	1000	Any	70	100	General Lighting Service
5L/607	996-4389	AP 16169		25	240	B22d	PS-60	Pearl	C-9	220	1000	Any	70	100	General Lighting Service
5L/608	996-4397	AP 16209		25	250	B22d	PS-60	Pearl	C-9	220	1000	Any	70	100	General Lighting Service
5L/609	996-4684		JD. 6112	100	230	E27s	PS-75	Pearl	CC-9	1380.0	1000	Any	100	137.5	General Lighting Service
5L/610	996-4643		XB. 14092	100	110	E27s	PS-75	Pearl	CC-9	1500	1000	Any	100	137.5	General Lighting Service
5L/611	996-4471			40	220	E27s	PS-60	Pearl	CC-9	435	1000	Any	80	110	General Lighting Service
5L/612	996-4367	AP 16189		25	220	E27s	PS-60	Pearl	C-9	225	1000	Any	70	100	General Lighting Service
5L/613	996-4550														
5L/614	996-4482			40	230	E27s	PS-60	Pearl	C-9	430	1000	Any	80	110	General Lighting Service
5L/615	996-4492														
5L/616	996-4568			60	240	E27s	PS-65	Pearl	CC-9	715	1000	Any	85	117.5	General Lighting Service
5L/618	995-3234			20	6	B15d	S-25	Clear	48	Sewing Machine lamp
5L/619	996-9817			400	200/250	2x 5A Plug	T-38/65	Clear	Neon		1500	Horiz.		1180	Airfield Beacon
5L/620	996-9206	AP 7922	WB. 3911	5	220	Festoon	T-26	Clear	Neon			Any		79	Neon, Internal Resistor
5L/621	996-2103	AP 16085		0.5	200/220	B15d	T-18	Clear	Neon			Any		54	Neon, Internal Resistor
5L/622	995-3247			2.2	12	E10s	G-11	Clear	C-2R or V	10 1/2	500	Any		23	Instrument Lighting
5L/624	995-4414			36	12	P22s	ST-28	Clear	C-8	610	50	Horiz.	21.5	62	M.T. Headlamp
5L/625	995-3248			6	12	B9s	G-15	Clear	C-2R	36.0	100	Any		28	M.T. Side & Tail
5L/626	995-4415			36/36	12	P22d	ST-28	Clear	C-6	555 & 555	50	Horiz.	21.5	62	M.T. Headlamp RH Drive
5L/627	995-4416			36/36	12	P22d	ST-28	Clear	C-6	555 & 555	50	Horiz.	21.5	62	M.T. Headlamp
5L/628	995-2425			24	12	B15s	S-25	Clear	C-6 or 2V	360	100	Horiz.		46	M.T. Stop lamp
5L/632	995-4505			60	12	BA20s	P-50	Clear	C-8	1020	100	Any	P30	74	Fog lamp

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/634	996-9406			40		G13 x2	T-38	Warm White	Fluorescent	1700	5000	Any		1200	Fluorescent General Service
5L/635	996-5415			30		G13 x2	T-26	Natural	Fluorescent	1080	5000	Any		900	Fluorescent General Service
5L/636	996-5416			30		G13 x2	T-26	Warm White	Fluorescent	1200	5000	Any		900	Fluorescent General Service
5L/641	995-9701			240/280	28	Special	G-60	Clear	CC-6 & 8	5,750 & 6,700	50	Horiz.	60	120	Aircraft Landing lamp
5L/642	996-9605			75	230	2 Pegs	T-30	Opal	C-8		1000	Any		610	Architectural lamp
5L/644	995-3260														
5L/646	996-9818			380	230	Terminals	Mercury	Special Horizontal Enlarger
5L/647	996-4104			0.5	200/260	B22d	ST-28	Clear	Neon			Any		56	Neon, External Resistor
5L/648	996-2106			0.2	200/260	E14s	T-12	White externa	Neon			Any		28	Neon, External Resistor
5L/649	995-1226		WB. 3456	2.36	6.5	B9s	G-11	Clear	C-6 or 2V	12 3/5	1000	Any		23.5	Indicator
5L/651	995-4609			100	24	P28s	P-60	Clear	A	2030	100	Horiz.	44.5	95	Aircraft Taxiing lamp
5L/652	996-5419			15		G13 x2	T-26	Warm White	Fluorescent	420	500	Any		450	Fluorescent General Service
5L/700	996-4755			150	230	B22d	PS-80	Pearl	C-9	2150	1000	Any	120	160	General Lighting Service
5L/701	996-6717	AP 8693	JD. 9581	300	230	E40s	PS-110	Clear	C-9	4680	1000	Any	178	233	General Lighting Service
5L/702	996-6829	AP 8694	JD. 9580	500	230	E40s	PS-130	Clear	C-9	8400	1000	Any	202	267	General Lighting Service
5L/703	996-6851			750	230	E40s	PS-150	Clear	C-7A	13500	1000	Any	225	300	General Lighting Service
5L/704	996-6881	AP 8695	XB. 0860	1000	230	E40s	PS-150	Clear	C-7A	8900	1000	Any	225	300	General Lighting Service
5L/705	996-6729		XB. 16305												
5L/706	996-7806														
5L/707	996-5617														
5L/708	996-5727	AP 16176	XB. 16303												
5L/709	996-6726														
5L/710	996-7809														
5L/711	996-9405			40		G13 x2	T-38	Daylight	Fluorescent	1,700	5000	Any		1200	Fluorescent General Service
5L/712	996-7812			500	230	E40s	TG-100	Clear	Mercury	10,500	2000	Pendant	195/330	380	MAT/V Mercury Tungsetn
5L/716	996-4793	AP 8692		200	230	E27s	A-90	Clear	C-9	2960	1000	Any	133	178	General Lighting Service
5L/718	996-5601	AP 16172	XB. 13463	100	240	B22d	PS-75	Pearl	CC-9	1,370	1000	Any	100	137.5	General Lighting Service
5L/720	996-4760			150	240	B22d	PS-80	Pearl	C-9	2,130	1000	Any	120	160	General Lighting Service
5L/722	996-5734			200	240	B22d	A-90	Clear	C-9	2,940	1000	Any	133	178	General Lighting Service
5L/725	996-4669		JD. 9997	100	200	B22d	PS-75	Pearl	CC-9	1,410	1000	Any	100	137.5	General Lighting Service
5L/726	996-4847			500	230	E27s	PS-130	Clear	C-9			Any		270	General Lighting Service
5L/727	995-1264			5	50	B9s	T-11	33	. . .
5L/728	996-5605	AP 16212		100	250	B22d	PS-75	Pearl	CC-9	1,355	1000	Any	100	137.5	General Lighting Service
5L/730	996-6895	AP 8696		1500	230	E40s	PS-170	Clear	C-7A	30,000	1000	Any	250	335	General Lighting Service
5L/1173	996-4330			25	110	B22d	PS-60	Pearl	C-9	240	1000	Any	70	100	General Lighting Service
5L/1117	995-1119			0.4	2	E10s	G-11	Clear	C-6 or 2V	3	10	Any		23	Flashlamp
5L/1118	995-1117														
5L/1121	995-4408			40	12	B22d-3	P-50	Clear	C-6	565	100	Horiz.	P42	68.5	Aircraft Navigation Light
5L/1141	995-9111		XB/5L/1141	1.2	12	GPO Red	T-6.5	Clear	Any	1	300	Any		44.5	Telephone Indicator
5L/1149	995-2401			30	12	B15d	T-27	Pearl	2C-8	450	50	Pendant	P38	58	Aircraft Identification
5L/1169	996-4720			150	100	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1170	996-4802			500	100	E27s	T-64	Clear	C-13	12,500	50	VBD	75	128	Projector, Class A1
5L/1173	996-4330	AP 16157	X2/XA/4945	25	110	E27s	PS-60	Pearl	C-9	240	1000	Any	70	100	General Lighting Service
5L/1175	996-4520	AP 16159	XB. 0821	60	110	B22d	PS-65	Pearl	C-9	790	1000	Any	85	117.5	General Lighting Service
5L/1176	996-4725			150	110	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1177	996-4808		JD. 5922	500	110	E27s	T-64	Clear	C-13	12500	50	VBD	75	128	Projector, Class A1

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/1186	996-4731			150	120	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1187	996-4816														
5L/1188	996-4404														
5L/1189	996-4601														
5L/1196	996-4738			150	200	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1197	996-4817			500	200	E27s	T-64	Clear	C-13	11,500	50	VBD	75	128	Projector, Class A1
5L/1199	996-4602			16CP	210	B22d	PS-60	Clear	Carbon		800	Any		110	General Service
5L/1206	996-4743			150	210	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1207	996-4820			500	210	E27s	T-64	Clear	C-13	11500	50	VBD	75	128	Projector, Class A1
5L/1210	996-4706														
5L/1215	996-4552	AP 16163	XB. 0826	60	220	B22d	PS-65	Pearl	CC-9	730	1000	Any	85	117.5	General Lighting Service
5L/1216	996-4748			150	220	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1217	996-4822			500	220	E27s	T-64	Clear	C-13	11500	50	VBD	75	128	Projector, Class A1
5L/1219	996-4604			16 CP	230	B22d	PS-60	Clear	Carbon	16CP	800	Any		100	General Service
5L/1220	996-4707		XB. 12488	32 CP	230	B22d	PS-65	Clear	Carbon	32 CP	800	Any		117.5	General Service
5L/1226	996-4753		XB. 17123	150	230	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1227	996-4826		JD. 6978	500	230	E27s	T-64	Clear	C-13	115000	50	VBD	75	128	Projector, Class A1
5L/1229	996-4605			16 CP	240	B22d	PS-60	Clear	Carbon	16CP	800	Any		110	General Service
5L/1235	996-4570	AP 16171		60	240	B22d	PS-65	Pearl	CC-9	715	1000	Any	85	117.5	General Lighting Service
5L/1236	996-4758			150	240	E27s	PS-80	White externa	C-9		26-Sep	Any		160	Photographic lamp
5L/1237	996-4833			500	240	E27s	T-64	Clear	C-13	115000	50	VBD	75	128	Projector, Class A1
5L/1239	996-4606			16CP	250	B22d	PS-75	Clear	Carbon	16CP	800	Any		110	General Service
5L/1240	996-4709			32 CP	250	B22d	PS-65	Clear	Carbon	32 CP	800	Any		117.5	General Service
5L/1246	996-4763			150	250	E27s	PS-80	White externa	C-9		1000	Any		160	Photographic lamp
5L/1247	996-4838														
5L/1255	996-4561	AP 16167	XB. 0042	60	230	B22d	PS-65	Pearl	CC-9	725	1000	Any	85	117.5	General Lighting Service
5L/1319	995-1219		WB. 1490	2.2	12	E10s	G-15	Clear	C-2R or V	10 1/2	500	Any		27.5	General Service
5L/1330	995-3217			20	12	B15d	P-38	Clear	C-6	280	200	Any	P33	57	Aircraft Side Navigation
5L/1339	996-6801			500	100	E40s	PS-150	White external			1000	Any		300	Photographic
5L/1340	996-6805	AP 16315	JD. 9706	500	110	E40s	PS-150	White externa	C-9		1000	Pendant		300	Photo Enlarger
5L/1341	996-6812														
5L/1342	996-6817			500	200	E40s	PS-150	White externa	C-9		1000	Any		300	Photographic lamp
5L/1343	996-6820														
5L/1344	996-6826		JD. 9708	500	220	E40s	PS-150	White externa	Any		1000	Any		300	Photo Enlarger
5L/1345	996-6828	AP 16316		500	230	E40s	PS-150	White externa	Any		1000	Any		300	Photo Enlarger
5L/1346	996-6832		JD. 9709	500	240	E40s	PS-150	White externa	Any		1000	Any		300	Photo Enlarger
5L/1347	996-6835			32 CP	250	B22d	PS-65	Clear	Carbon		800	Any		117.5	General Service
5L/1385	995-1146	AP 56A	WB. 0067	1.2	4	E10s	G-11	Clear	C-6 or 2R	12 1/5	10	Any		23	Flashlamp
5L/1426	995-2217			3	16	B15d	G-15	Clear	C-2R or V	16	1000	Any		26	General Service
5L/1428	995-1110			0.24	6	E10s	G-11	Clear	C-2R or V	0.4	2@12V	Any		23	Indicator
5L/1484				250	240	E27s	G-95	Clear	C-5			BDTH			Class B1 Floodlighting
5L/1535	995-1153		WB. 0062	1.5	2	Wootton	G-18	Clear	C-6	8 1/2	300	Any	P8	28	Police lamp
5L/1539	995-2417	AP 8064	WB. 2467	36	12	B15d	P-38	Clear	C-2V	600	100	Any	P28.5	56	M.T. Headlamp
5L/1656	996-4102			0.5	200/220	B22d	ST-28	Clear	Neon			Any		56	Neon, Internal Resistor
5L/1660	996-4103		XB. 11312	0.5	230/240	B22d	ST-28	Clear	Neon			Any		56	Neon, Internal Resistor
5L/1661	996-4105		WB. 3231	0.5	250/260	B22d	ST-28	Clear	Neon			Any		56	Neon, Internal Resistor

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/1677	996-4227			15	110	B22d	ST-28	White externa	Any		1000	Any		56	Pygmy Sign
5L/1678	996-4247														
5L/1679	996-4252														
5L/1680	996-4258			15	220	B22d	ST-28	White externa	Any		1000	Any		56	Pygmy Sign
5L/1682	996-4277			15	240	B22d	ST-28	White externa	Any		1000	Any		56	Pygmy Sign
5L/1683	996-4286			15	250	B22d	ST-28	White externa	Any		1000	Any		56	Pygmy Sign
5L/1684	996-4228	AP 16301		15	110	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/1685	996-4248														
5L/1686	996-4253			15	210	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/1687	996-4259			15	220	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/1688	996-4267	AP 16302		15	230	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/1689	996-4278			15	240	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/1690	996-4287			15	250	B22d	ST-44	Ruby Glass	Any		1000	Any		90	Photographic lamp
5L/1698	995-2404			30	24	B15d	ST-27	Pearl	C-2V	500	50	Pendent	P38	58	Aircraft Identification
5L/1702	995-9215			2.4	24	GPO Yellow	T-6.5	Clear	Any	6	1000	Any		44.5	Telephone Indicator
5L/1783	995-4723														
5L/1813	995-3219			20	24	B15d	P-38	Clear	C-6	275	200	Any	P33	57	Aircraft Navigation Light
5L/1862	996-4298			5	200/220	B22d	PS-60	Clear	Beehive			Any		125	Neon General Service
5L/1863	996-4299		ZB. 0313	5	230/240	B22d	PS-60	Clear	Beehive			Any		125	Neon General Service
5L/1864	996-5201			5	250/260	B22d	PS-60	Clear	Beehive			Any		125	Neon General Service
5L/1871	995-1125			0.6	2	E10s	G-11	Clear	C-6 or 2V	4	10	Any		23	Flashlamp
5L/1872	995-1122		WB. 0066	0.5	2.5	E10s	G-11	Clear	C-6 or 2V	3 7/10	10	Any		23	Flashlamp
5L/1876	995-1254		LV6/MT3/2244	6	12	S7/8	T-11	Clear	C-6	48	400	Any		38	Indicator
5L/1877	995-1256			6	24	S7/8	T-11	Clear	C-6	45	400	Any		38	Indicator
5L/1900	995-9402	AP 16018	F. 2269	36	24	Aldis	P-50	Clear	C-2	615	50	Horiz.	Special	99	Aldis Signalling lamp
5L/1920	996-4809	AP 16300		500	110	E27s	A-90	Pearl	Any	11000	100	Any	125	178	Photographic lamp
5L/1921	996-4818														
5L/1922	996-4821			500	210	E27s	A-90	Pearl	Any	11750	100	Any	125	178	Photographic lamp
5L/1923	996-4823			500	220	E27s	A-90	Pearl	Any	11750	100	Any	125	178	Photographic lamp
5L/1924	996-4830	AP 16299		500	230	E27s	A-90	Pearl	Any	11,750	100	Any	125	178	Photo Enlarger
5L/1925	996-4834			500	240	E27s	A-90	Pearl	Any	11,750	100	Any	125	178	Photo Enlarger
5L/1926	996-4840			500	240	E27s	A-90	Pearl	Any	11750	100	Any	125	178	Photo Enlarger
5L/1928	995-1230		WB. 3230	2.8	24	E10s	G-15	Clear	C-2R or V	12.3	500	Any		27.5	Instruments or Indicator
5L/1929	995-1236		LV6/MT3/1254	3	6	E10s	G-11	Clear	C-6 or 2R	18.6	1000	Any		27.5	Indicator
5L/1944	995-2290			12	12	B15d	P/G-38	Blue external	C-2R or 6		1000	Any		56	General Service
5L/1949	995-1131			0.75	2.5	E10s	G-11	Blue external	C-6 or 2R		10	Any		23	Indicator
5L/1950	995-1132			0.75	2.5	E10s	G-11	White externa	C-6 or 2R		10	Any		23	Indicator
5L/1951	995-1133			0.75	2.5	E10s	G-11	Green externa	C-6 or 2R		10	Any		23	Indicator
5L/1952	995-1134			0.75	2.5	E10s	G-11	Red external	C-6 or 2R		10	Any		23	Indicator
5L/1953	995-1135			0.75	2.5	E10s	G-11	Yellow externa	C-6 or 2R		10	Any		23	Indicator
5L/1954	995-4708		WB. 3816	198	11	P28s	P-60	Clear	C-6	4900	50	Horiz.	41	95	Aircraft Landing lamp
5L/1955	995-4702			132/132	11	P28d	P-60	Clear	C-8 & 6	3,150 & 3,150	50	Horiz.	41	95	Aircraft Landing lamp
5L/2012	995-2215	AP 16024	LV6/MT3/7695	3	6	B15d	G-18	Clear	C-2R	15.9	100	Any		32.5	General Service
5L/2013	995-3211			. . .	12	B15d	Gunsight
5L/2014	995-3216			. . .	24	B15d	Gunsight
5L/2068	995-1214			1.86	6.2	E10s	G-15	White externa	C-6 or 2R		25	Any		27.5	Indicator

British Military Lamps - Air Ministry Codes

Air Ministry	NATO	Admiralty	War Office	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application
5L/2069	995-1215			1.86	6.2	E10s	G-15	Blue external	C-6 or 2R		25	Any		27.5	Indicator
5L/2070	995-1216			1.86	6.2	E10s	G-15	Green external	C-6 or 2R		25	Any		27.5	Indicator
5L/2071	995-1213			1.86	6.2	E10s	G-15	Red external	C-6 or 2R		25	Any		27.5	Indicator
5L/2072	995-1217			1.86	6.2	E10s	G-15	Yellow external	C-6 or 2R		25	Any		27.5	Indicator
5L/2080	995-1142			1	12	E10s	G-11	External Fros	C-6 or 2R	4	500	Any		23	General Service
5L/2083	995-1208		WB. 2764	1.8	6	E10s	G-11	Clear	C-6 or 2R	11 1/5	1000	Any		23	Indicator
5L/2092	995-2507	AP 16038	WB. 2250	60	12	B15d	P-50	Clear	C-6	1090	1000	Any	P28.5	63	M.T. Headlamp
5L/2097	995-1154		WB. 3353	1.5	2	E10s	G-15	Clear	Any	9.2	100	Any		27.5	General Service
5L/2130	995-1225	AP 16130	WB. 2629	2.36	6.5	E10s	G-11	Clear	C-6 or 2R	12.6	1000	Any		23	Indicator
5L/2165	995-4703			144	12	P28s	ST-60	Clear	C-2	3460		Horiz.	37	95	Aircraft Landing lamp
5L/2183	995-1234														
5L/2190	996-4563		XB. 4956	60	230	B22d	PS-65	Clear	C-9	505	1000	Any		117.5	Rough Service GLS
5L/2202	996-2403	AP 16215		30	220	S15s x2	T-25	Clear	C-8	230	1000	Any		221	General Service
5L/2213	995-2293			12	12	B15d	P/G-38	Clear	C-2R or 6	135	1000	Any		56	General Service
5L/2238	995-1102			.06A	2.5	E10s	G-11	Clear				Any		23	Indicator or Fuse lamp
5L/2239	995-9106			1	4	GPO Green	T-6.5	Clear	Any	4	1000	Any		44.5	Telephone Indicator
5L/2256	995-1128			0.75	2.5	E5s	T-5.5	Clear	C-2R	2	200	Any		17.5	General Service
5L/2259	996-4285		XB. 12468	15	250	B22d	ST-28	Clear	Any	95	1000	Any		56	Pygmy Sign
5L/2260	996-2601		ZC. 0089	100	230	S15s x2	T-46	Clear	A	890	1000	Any		308	General Service
5L/2269	995-3215			. . .	24	B15d	Gunsight
5L/2273	995-9103	AP 16260		0.6	3	Kollsman	T-0.2"	Clear	Any	5 3/10	10	Any		0.575"	Instrument Lighting
5L/2274	995-9107		WB. 3906	1.1	3	Kollsman	T-0.2"	Clear	Any	10 1/2	10	Any		0.575"	Instrument Lighting
5L/2287	996-2406			30	230	S15s x2	T-25	Clear	Any	230	100	Any		284	General Service
5L/2288	996-2505	AP 16110		60	230	S15s x2	T-25	Clear	Any	510	100	Any		284	General Service
5L/2292	995-1136														
5L/2293	995-1149			1.35	2	E10s	G-16	Very Clear	C-6		200	Any	19	29	Astrograph
5L/2295	995-3210			. . .	12	B15d	Gunsight
5L/2297	995-2252		LV6/MT3/2481	6	16	B15d	G-18	Clear	C-2R or 6	48	200	Any		32.5	General Service
5L/2310	995-2222			4	12	B15d	G-18/22	Red external	C-2R or V		200	Any		32.5/37	Indicator
5L/2311	995-2223			4	12	B15d	G-18/22	Green external	C-2R or V		200	Any		32.5/37	Indicator
5L/2312	995-3235			6	12	B15d									
5L/2313	995-2255			6	24	B15d	G-23	Red external	C-2R or V		200	Any		39.5	General Service
5L/2314	995-2256			6	24	B15d	G-23	Green external	C-2R or V		200	Any		39.5	General Service
5L/2315	995-3237			6	24	B15d	G-22	Yellow external	C-2R or V		200	Any		37	General Service
5L/2331	995-2237			5.7	6	E14s	P-38	Clear	C-8	55	300	Any	42	59	Hand Lamp
5L/2339	995-4401			30	12	P28s	G-40	Clear	2C-8	486	30	Horiz.	20	65	Signalling lamp
5L/2340	995-4402			30	24	P28s	G-40	Clear	Special	520	40	Horiz.	20	65	Aircraft Signalling lamp
5L/2341	995-4201			6	12	B22d	ST-28	Clear	Any	44	1000	Any		56	General Service
5L/2343	995-6703			350	12	P40s	G-75	Clear	C-2	8,600	50	Horiz.	43	120	Aircraft Landing lamp
5L/2344	995-6705			350	26	P40s	G-75	Clear	CC-6	8600	50	Horiz.	43	120	Aircraft Landing lamp
5L/2345	995-4716			240	26	P28s	G-60	Clear	CC-6	5800	50	Horiz.	37	90	Aircraft Landing lamp
5L/2364	995-4604			100	12	P28s	G-60	Clear	C-2V	1350	500	Horiz.	37	90	Projector lamp
5L/2371	995-1150														
5L/2372	995-4712			240	12	P28s	G-60	Clear	C-2	5800	50	Horiz.	37	90	Aircraft Landing lamp
5L/2397	995-1223	AP 16202		2.2	12	B15s	G-15	Clear	C-2R or V	10 1/2	500	Any		28	General Service