

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
104-7717	27	6	Special	G-41	Clear	C-6	490		VBU	56	70	Auriscope	Proprietary
104-7718	1.76	8	Special	T-5	Clear	C-2R	18		Any		26	Auriscope	Proprietary
114-8877	18	28	BA15s	S-25	Clear	CC-8	225 (min)	400	Any	28.5	48	Fighting Vehicles	FVRDE 2063
528-7851	1.2	48	SX6s	T-5.85	Clear	C-2F	4	2,500	Any		16.1	Indicator	Commercial
543-4081	1.12	14	S5.7s	T-5.85	Clear	C-2F	6	1,000	Any		15.90	Indicator	Commercial
543-8605	1.12	28	Wires	T-4.26	Clear	C-2F	4	1,000	Any		11.50	Video Recorder	Commercial
543-8607	1.2	6	Flange	T-4.27	Clear	C-2R	8	1,000	Any		15	Video Recorder	Commercial
546-7476	0.96	12	Wires	T-5	Clear	C-2V support	2	10,000	Any		13.5	Indicator	Commercial
628-5827	0.1	5	SX3s	T-3.18	Clear	C-6	0	5,000	Any		9.5	Indicator	Commercial
654-6887	400	90-120	RX7s	T-22	Clear Quartz		46,000	11,000	Horiz ±20°		256	Apron Lighting (SON-TD)	Proprietary
659-8126	70 / 75	24	P45t	T-14.2	Clear	2C-8	1,200 / 1,900	500@28V	Horiz.	20/29.5	83	Fighting Vehicles MT.FV430	Proprietary
661-4222	100		G13 x2	T-38	White		8,200	7,500	Any		2400	Fluorescent General Service	BS 1853
665-1864	0.6	6	E10s	G-12	Clear	C-2R	3	3,000	Any		24	General Service	Commercial
955-2326	6	12	E10s	G-15	Clear	C-2R	45	100@15V	Any	21	27.5	Indicator	Use 995-1955
995-1101	0.105	3.5	E10s	G-11	Clear	C-2R or V	0.05 (min)	2@12V	Any		23	Special Indicator or Fuse	DefStan 62-10 #17
995-1102	.06A	2.5	E10s	G-11	Clear	Any		20	Any		23	Indicator or Fuse lamp	DefStan 62-10 #62
995-1103													
995-1104													
995-1105	0.2	2	E10s	G-11	Clear	Any	2	1,000	Any		23	Indicator	
995-1106													
995-1107	0.223	6	E10s	G-11	Clear	C-6 or 2R		1,000	Any		23	Electric Traffic Lantern	
995-1108	0.23	2	SV7	T-7.5	Clear	C-8	1	100	Any		27	Instrument Lighting (Festoon)	DefStan 62-10 #117
995-1109	0.24	3	E10s	G-11	Clear	C-2R or V	0	2@6v	Any		23	Indicator	DefStan 62-10 #17
995-1110	0.24	6	E10s	G-11	Clear	C-2R or V	0	2@12V	Any		23	Indicator	DefStan 62-10 #17
995-1111	0.31	1.25	E10s	G-11	Clear	C-2R	1	10	Any		23	Flash-lamp	Commercial
995-1112	0.36	6	E10s	G-11	Clear	Any	0.75 (min)	2,000	Any		23	Indicator	DefStan 62-10 #94
995-1113													
995-1114	0.36	6	E10s	T-10	Clear	C-2R or V	1	300@7V	Any		28.5	Indicator	DefStan 62-10 #33
995-1115													
995-1116													
995-1117													
995-1118													
995-1119	0.4	2	E10s	G-11	Clear	C-6 or 2V	3	10	Any		23	Flashlamp	
995-1120													
995-1121													
995-1122	0.5	2.5	E10s	G-11	Clear	C-6 or C-2R	4	10	Any		23	Flashlamp / Cycle lamp	Commercial
995-1123	0.525	3.5	E10s	G-11	Clear	C-2R or V	3	25	Any		23	Flashlamp / Cycle lamp	Commercial
995-1124	0.6	2	E10s	G-11	Red	C-6 or 2R		10	Any		23	Indicator	
995-1125	0.6	2	E10s	G-11	Clear	C-6 or 2V	4	10	Any		23	Flashlamp	
995-1126	0.6	6	E10s	G-15	Clear	Any	3	300	Any		27.5	Indicator	Commercial
995-1127													
995-1128	0.75	2.5	E5s	T-5.5	Clear	C-2R	2	200	Any		17.05	Miniature Indicator	DefStan 62-10 #32
995-1129	0.75	2.5	E10s	G-11	Clear	C-2R or V	6	10	Any		23	Special Purpose lamp	DefStan 62-10 #35
995-1130	0.75	2.5	E10s	G-11	Amber Laque	C-6 or 2V		10	Any		23	Cockpit Lighting	DefStan 62-10 #37
995-1131	0.75	2.5	E10s	G-11	Blue	C-6 or 2R		10	Any		23	Indicator	
995-1132	0.75	2.5	E10s	G-11	White	C-6 or 2R		10	Any		23	Indicator	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-1133	0.75	2.5	E10s	G-11	Green	C-6 or 2R		10	Any		23	Indicator	DefStan 62-10 #37
995-1134	0.75	2.5	E10s	G-11	Red	C-6 or 2R		10	Any		23	Indicator	DefStan 62-10 #37
995-1135	0.75	2.5	E10s	G-11	Yellow	C-6 or 2R		10	Any		23	Indicator	DefStan 62-10 #37
995-1136													
995-1137	0.75	5	E10s	G-15	Clear	C-2R or V	5.5 (min)	100	Any		27.5	Special Battery Lanterns	DefStan 62-10 #83
995-1138	0.95	6.3	E10s	T-10	Clear	C-2R or V	7	10	Any		28.5	Indicator	DefStan 62-10 #34
995-1139	1	6	BA9s	G-11	Clear	C-2R or V	5	1,000	Any		23.5	Indicator	DefStan 62-10 #40
995-1140	1												
995-1141	1	12	E10s	G-11	Red Laquer	C-6 or 2R	4	200@14.5V	Any		23	Instrument Lighting	DefStan 62-10 #37
995-1142	1	12	E10s	G-11	External Fros	C-6 or 2R	3.5 @ 13V	500@14.5V	Any		23	Special Purpose Indicator	DefStan 62-10 #36
995-1143	1.05	3.5	E10s	G-11	Clear	C-2R or V	10	10	Any		23	Special Purpose lamp	DefStan 62-10 #35
995-1144	1.1	10	E10s	G-11	Clear	C-6	9	150	Any		23	Signalling lamp	DefStan 62-10 #8
995-1145	1.2	4	E10s	T-10	Clear	C-2R or V	6	1,000	Any		28.5	Indicator	Commercial
995-1146	1.2	4	E10s	G-11	Clear	C-2R or V	12	10	Any		23	Flashlamp	DefStan 62-10 #35
995-1147	1.2	6	E10s	G-11	Clear	C-2R or V	7	1,000	Any		23	Dummy Aerials	Commercial
995-1148	1.2	8	E10s	T-10	Clear	C-2R or V	7	1,000	Any		28.5	Special Purpose Indicator	DefStan 62-10 #33
995-1149	1.35	2	E10s	G-16	Very Clear	C-6		200	Any	19	29	Astrograph	
995-1150	1.35	2	E10s	G-16	Very Clear	C-6		200	Any	19	29	Astrograph	
995-1151	1.35	4.5	E10s	G-11	Clear	C-2R or V	16	10	Any		23		
995-1152	1.35	4.5	E10s	G-15	Clear	C-2R or V	16	10	Any		27.5	Torch Bulb	Commercial
995-1153	1.5	2	B9.5s	G-18	Clear	C-6	9	300	Any	P8	28	Police lamp (Wootton cap)	DefStan 62-10 #31
995-1154	1.5	2	E10s	G-15	Clear	Any	9	100	Any		27.5	General Service	DefStan 62-10 #38
995-1155	1.5	2	E10s	G-15	Red Laquer	Any		100	Any		27.5	Glim lamp	
995-1156	0.75	2.5	E10s	G-11	Clear	C-2R or V	6	10	Any		23	Focusing Flashlamp	DefStan 62-10 #35
995-1157	0.25	1.5	E10s	G-15	Clear	Any	1	25	Any		27.5	Life Jacket / Sub Escape	DefStan 62-10 #79
995-1158	1.2	8	BA9s	T-10	Clear	C-2R or V	7	1,000	Any		28.5	Special Purpose Indicator	DefStan 62-10 #43
995-1159	0.165	1.5	E10s	G-11	Clear	Any	1	25	Any		23	Life Saving Light	DefStan 62-10 #30
995-1163	0.55	2.2	E10s	TL-9.5	Clear	C-2R	4	5	Any		24.5	Hand Torches	Commercial
995-1164	0.5	3	E10s	G-11	Clear	C-2R	4	30	Any		23	Life Jacket	DefStan 62-10 #63
995-1166	2.5	50	BA9s	T-7	Clear	C-3M	9.6 (min)	1,000	Any	25	36	Indicator	DefStan 62-10 #116
995-1167	1.05	3.5	E10s	T-10.5	Clear	C-8	10	10	Any	29	41	Can and Searchlight	Proprietary
995-1168	0.95	6.3	BA9s	G-11	Clear	Any	7	10	Any		23	Indicator	Commercial
995-1169	0.945	6.3	BA9s	T-10	Clear	C-2R	7	3,000	Any		30	Indicator	Commercial
995-1170	2.2	12	BA9s	G-12	Clear	C-2V support	11	3,000	Any		24	General Service	Commercial
995-1171	2.2	4	E10s	G-18	Clear	Any	23	250	Any	23	18	Miners lamp, Krypton filled	Commercial
995-1172	5	50	BA9s	T-10	Clear	C-2F	13	1,000	Any		28	Indicator	Commercial
995-1174	0.693	6.3	E10s	G-11	Clear	C-6	2.8 (min)	1,000	Any		23	Radio Tube (Valve) Tester	DefStan 62-10 #84
995-1175	4	4	E10s	G-18	Clear	C-2R	44 (min)	200 (min)	VBD	23.5	31.5	Miners lamp, Krypton filled	Commercial
995-1178	1.5	6	SV7	T-6	Clear	C-8	4	400	Any		37	Festoon Indicator	Commercial
995-1179	2.8	14	E10s	T-10	Clear	C-2V support	1	1,000	Any		29	Noise Free	Commercial
995-1180	2.4	8	E10s	T-10	Clear	C-2R	15	4,000	Any		28	Sound Recorder	Commercial
995-1181	2	6.8	E10s	T-10	Clear	C-2R	11	2,000	Any	21	29	Recorder Reproducer	Commercial
995-1182	2	20	E10s	T-10	Clear	C-2F	8	3,000	Any	20	28.5	ILS Flight Check BEI 9551	Commercial
995-1183	1.95	6.5	E10s	G-12	Clear	C-2R	12	4,000	Any		24	Transmission Measuring Set	Commercial
995-1184	9	18	E10s	G-18	Clear	C-2R	117	100	Any	25	36	F/5 Microprojector	Commercial
995-1185	1.6	8	E10s	G-12	Clear	C-2R	11	3,000	Any		24	Indicator	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-1186	1.2	8	E10s	G-12	Clear	C-2R	8	3,000	Any		24	Indicator	Commercial
995-1187	2.4	8	E10s	G-12	Clear	C-2R	15	4,000	Any		23	Indicator	Commercial
995-1188	2.7	50	E10s	T-10	Clear	CC-2F	12	1,000	Any		28	Indicator	Commercial
995-1189	0.3	5	Wires	T-3.18	Clear	C-2R	1	20,000	Any		6.35	General Service	Commercial
995-1190	1.89	6.3	W2.1x9.5d	T-11	Clear	C-2R	10	2,000	Any	8	19.75	Oscilloscope, Wedge base	Commercial
995-1191	0.378	6	Special	B-3.53	Clear	C-2R	1	10,000	Any	3.96	10.49	Instrument	Proprietary
995-1192	0.378	6	Wires	B-3.53	Clear	C-2R	1	10,000	Any	3.96	5.53	Indicator	Commercial
995-1193	1.95	6.5	E10s	G-12	Amber laquer	Any		4,000	Any		24	Indicator	Commercial
995-1194	2.7	50	BA9s	T-10	Clear	CC-2F	12	1,000	Any		30	Indicator	Commercial
995-1195	0.975	6.5	E10s	G-12	Clear	C-2R	6	3,000	Any		24	Indicator	Commercial
995-1196	0.24	6	Wires	T-6.7	Clear	C-2R	1	1,000	Any		22.5	Telephone Indicator	Commercial
995-1197	2.4	8	BA9s	T-10	Clear	C-2R	15	4,000	Any		28	Indicator	Commercial
995-1198	0.3	5	SX3s	T-3.18	Clear	C-2R	1	20,000	Any		9.53	Instrument	Commercial
995-1199	1.2	8	E5s	T-5	Clear	C-2V support	4	5,000	Any		16	Indicator	Commercial
995-1200	0.48	12	SX6s	T-5.85	Clear	C-2V support	2	10,000	Any		16.1	Indicator	Commercial
995-1201	1.6	8	E10s	G-15	Clear	Any	10	1,000	Any		27.5	Special Purpose Indicator	DefStan 62-10 #38
995-1202	3	4	BA15s	T-15.5	Clear	C-6	32	50	VBD	P32	48	EL/11 Exciter lamp	Commercial
995-1203	1.8	6	BA9s	T-10	Clear	C-2R or V	11	1,000	Any		29	Indicator	Commercial
995-1204	1.8	6	BA9s	G-11	Clear	C-2R or V	11	4,000	Any		23.5	Indicator	Commercial
995-1205	1.8	6	BA9s	G-11	Clear	C-2R or V	11	1,000	Any		22.5	Predictor Dial Light	
995-1206	1.8	6	BA9s	G-11	Amber external	C-2R or V		500	Any		23.5	Indicator	DefStan 62-10 #41
995-1207	1.8	2.5	E10s	T-10	Clear	C-2R or V	12	300	Any		42		
995-1208	1.8	6	E10s	G-11	Clear	C-6 or 2R	11	1,000	Any		23	Indicator	DefStan 62-10 #13
995-1209	1.8	6	E10s	G-11	White	C-6 or 2R		500	Any		23	Indicator	Commercial
995-1210	1.8	6	E10s	T-10	Clear	C-2R or V	11	1,000	Any		28.5	Indicator	Commercial
995-1211	1.86	6.2	E10s	G-15	Clear	C-6 or 2R	18	50	Any		27.5	Indicator	DefStan 62-10 #39
995-1212	1.86	6.2	E10s	G-15	Red glass	C-6 or 2R		25	Any		27.5	Indicator	DefStan 62-10 #39
995-1213	1.86	6.2	E10s	G-15	Red	C-6 or 2R		25	Any		27.5	Indicator	DefStan 62-10 #39
995-1214	1.86	6.2	E10s	G-15	White	C-6 or 2R		25	Any		27.5	Indicator	
995-1215	1.86	6.2	E10s	G-15	Blue	C-6 or 2R		25	Any		27.5	Indicator	DefStan 62-10 #39
995-1216	1.86	6.2	E10s	G-15	Green	C-6 or 2R		25	Any		27.5	Indicator	
995-1217	1.86	6.2	E10s	G-15	Yellow	C-6 or 2R		25	Any		27.5	Indicator	
995-1218	1.86	6.2	E10s	T-10	Clear	C-2R or V	18	50	Any		28.5	Indicator	DefStan 62-10 #33
995-1219	2.2	12	E10s	G-15	Clear	C-2R or V	11	500	Any		27.5	General Service	DefStan 62-10 #38
995-1220	2.2	12	E10s	G-15	Red Laquer	C-2R or V		200	Any		27.5	General Service	
995-1221													
995-1222													
995-1223	2.2	12	BA9s	G-15	Clear	C-2R or V	11	500	Any		28	General Service	DefStan 62-10 #42
995-1224	2.36	6.5	E10s	T-10	Clear	C-6 or 2R	13	1,000	Any		28.5	Indicator	
995-1225	2.36	6.5	E10s	G-11	Clear	C-6 or 2R	13	1,000	Any		23	Indicator	DefStan 62-10 #36
995-1226	2.36	6.5	BA9s	G-11	Clear	C-6 or 2V	13	1,000	Any		23.5	Special Purpose Indicator	DefStan 62-10 #40
995-1227	6	2.4	BA9s	G-15	Clear	C-2R or V	14	1,000	Any		28	Indicator	DefStan 62-10 #42
995-1228	2.4	8	E10s	G-15	Clear	Any	16	1,000	Any		27.5	Special Purpose Indicator	DefStan 62-10 #38
995-1229	2.5	50	E10s	T-7	Clear	C-3M	11	1,000	Any	25	33	Instrument Lighting	DefStan 62-10 #24
995-1230	2.8	24	E10s	G-15	Clear	C-2R or V	12	500	Any		24	No. 650 Indicator/Instrument	Use 995-1297
995-1231	2.8	24	E10s	G-15	Red Laquer	C-2R or V		200	Any		27.5	Indicator	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-1232	2.8	24	E10s	T-10	Clear	C-2R or V	12	500	Any		28.5	Special Purpose Indicator	DefStan 62-10 #33
995-1233	2.8	24	BA9s	T-10	Clear	C-2R or V	12	500	Any		29	Special Purpose Indicator	DefStan 62-10 #43
995-1234	2.8	24	BA9s	G-11	Clear	C-2F	11	3,000	Any		24	Indicator	Commercial
995-1235	3	4	E10s	T-10		C-2R or V	21	300	Any		42	Hand Lamp	
995-1236	3	6	E10s	G-15	Clear	C-6 or 2R	19	1,000	Any		27.5	Indicator	DefStan 62-10 #38
995-1237	3	6	E10s	P-18	Clear	Special	32	40	Any	24	32	Weapon Training Spot	
995-1238	3	6	E10s	G-11	Clear	Any	19	1,000	Any		23	Indicator	Commercial No. 990
995-1239	3	6	SV7	T-7.5	Clear	C-8	19	400	Any		35.5	Trafficator / Indicator (Festoon)	DefStan 62-10 #118
995-1240													
995-1241													
995-1242	3	6	BA9s	G-15	Clear	C-6 or 2R	19	1,000	Any		28	Indicator	Commercial
995-1243	3	12	SV7	T-7.5	Clear	C-8	21	400@13V	Any		35.5	Trafficator (Festoon)	Commercial
995-1244	3	16	BA9s	G-15	Clear	C-2R or V	19	1,000	Any		28	Special Purpose Auto	DefStan 62-10 #42
995-1245	3	16	E10s	G-15	Clear	C-2R or V	19	1,000	Any		27.5	Special Purpose Indicator	DefStan 62-10 #38
995-1246	3.6	12	E10s	G-11	Clear	C-2R or V	23	1,000	Any		25	Indicator	Commercial
995-1247	3.6	12	BA9s	G-11	Clear	C-2R or V	23	1,000	Any		23.5	M.T. Indicator	Commercial
995-1248	4	8	BA9s	G-15	Clear	C-2R or V	30	1,000	Any		28	Special Purpose Indicator	DefStan 62-10 #42
995-1249	4	8	E10s	G-18	Clear	C-2R or V	29	100	Any		36	Range Finders	
995-1250													
995-1251	5	20	E10s	G-18	Clear	C-2V	39	500	Any		30	Plotting Tables	DefStan 62-10 #91
995-1252	5	22	SV8.5	T-11	Clear	C-8	11	1,000	Horiz.		44	Festoon Indicator (Periscope)	DefStan 62-10 #123
995-1253	6	6	SV8.5	T-11	Clear	C-8	48	400	Any		35	Festoon Indicator	DefStan 62-10 #57
995-1254	6	12	SV8.5	T-11	Clear	C-8	48	400	Any		38	Festoon Indicator	Commercial
995-1255	6	12	SV8.5	T-11	Clear	C-8	48	400	Any		44	Festoon Indicator	Commercial
995-1256	6	24	SV8.5	T-11	Clear	C-8	45	400	Any		38	Special Purpose Festoon	DefStan 62-10 #57
995-1257	6	32	E10s	G-22	Clear	C-2R or V			Any		35		
995-1258	8	8	E10s	G-32	Clear	C-6	88	100	VBD	45	52	Locators, Teacher Mk. I	
995-1259	12	11	BA9s	G-18	Clear	C-2R or V	173	100	Any	P16	31	Gunsight Type 6 Mk 11	DefStan 62-10 #87
995-1260	12	22	BA9s	G-18	Clear	C-2R or V	167	100	Any	P16	31	Gunsight	DefStan 62-10 #66
995-1261	10	22	SV8.5	T-12	Green external	C-8		1,000	Any		46	Festoon Indicator	
995-1262	10	22	SV8.5	T-12	Red external	C-8		1,000	Any		46	Festoon Indicator	
995-1263	2.8	24	E10s	G-15	Red Glass	C-2R or V		500	Any		27.5	Cockpit Lighting	
995-1264	5	50	BA9s	T-11	. . .	. . .	. . .	. . .	. . .	. . .	33	. . .	
995-1265													
995-1266	6	6	E10s	G-15	Prismatic	C-2R	40	1,000	Any		28	Bridge Universal CT 375	Special manufacture
995-1267	2	3	E10s	G-15	Clear	C-2R	17	20	Any		27.5	Life Jacket lamp	
995-1268	1.875	2.5	E10s	G-15	Clear	Any	13	300	Any		27.5	Signal Lantern & Flashlamp	DefStan 62-10 #80
995-1269													
995-1270	2.4	42	E10s	G-12	Clear						24.5	General Service	
995-1271	3.5	28	BA9s	T-10	Clear	Special	20	500	Any		29	Instrument or Indicator	DefStan 62-10 #20
995-1272	3.5	28	E10s	T-10	Clear	Special	20	500	Any		28.5	Instrument or Indicator	
995-1273	3.5	28	E10s	G-15	Clear	Special	20	500	Any		27.5	Instrument or Indicator	DefStan 62-10 #22
995-1274	6	24	B9.5s	G-18	Clear	C-2V	33	500	Any		27.5	Teleprinter Equipment	
995-1275													
995-1278	3.5	28	E10s	G-15	Yellow laquer	Any	15.9 (min)	500	Any		27.5	Instrument or Indicator	DefStan 62-10 #22
995-1279	2.5	0.75	P13.5s	B-11	Clear	C-2R	5	30	Any	6.68	31	Hand Torch	Use 995-2133

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-1281	2	12	SV7	T-6	Clear	C-8	6	400	Any		37	Receivers 216 (Festoon)	Commercial
995-1282	12	28	BA9s	G-18	Clear	C-2R support	168 (min)	10	Any	16	31	Flashlight	DefStan 62-10 #120
995-1283	3.5	28	E10s	G-15	Red glass	Any	1.0 (min)	500@29V	Any		27.5	General Service	DefStan 62-10 #121
995-1284	3.5	28	E10s	T-10	Clear	Any	15.9 (min)	500@29V	Any		28.5	General Service	DefStan 62-10 #119
995-1285	3	6	BA9s	G-12	Clear	C-2R	19	1,000	Any		24	Indicator	Commercial
995-1286	2.5	28	E10s	T-10	Clear	C-2R support	9.2 (min)	500@29V	Any		28.5	Undercarriage Indicator	DefStan 62-10 #122
995-1287	2.8	24	BA9s	G-15	Clear	C-2R	12	500@29V	Any		28	Indicator	Commercial
995-1288	7.5	28	SV8.5	T-11	Clear	C-8	41	400	Any		38	Comet/Nimrod Aircraft	Commercial
995-1289	7.5	28	SV8.5	T-11	Red glass	C-8		400	Any		38	Comet/Nimrod Aircraft	Commercial
995-1290	3	20	E10s	G-15	Clear	Any	21	300	Any		27.5	Indicator	Commercial
995-1292	5	22	SV8.5	T-11	Ruby Glass	C-8		1,000	Any		41	Festoon Indicator (Periscope)	DefStan 62-10 #123
995-1293	6	32	E10s	G-15	Clear	Any	45	1,000	Any		27.5	Indicator	Commercial
995-1294	1.95	6.5	BA9s	T-10	Clear	Any	12	1,000	Any		29	Sprcial Purpose Indicator	DefStan 62-10 #43
995-1295	5	50	B9.5s	T-11	Clear	Any	13	1,000	Any		35	Wootton Bayonet Indicator	Commercial
995-1296	2.4	24	E10s	T-7	Clear	C-3M	7.5 (min)	1,000	Any	25	33	Indicator	DefStan 62-10 #24
995-1297	2.8	24	E10s	G-11	Clear	C-2F	11	3,000	Any		24	Indicator	Commercial
995-1298	3.6	3.6	E10s	G-18	Clear	Any	42	200	VBD	23.5	31.5	Miners lamp, Krypton filled	Commercial
995-1301	15	25	B22d	ST-28	Blue glass	C-9	120	1,000	Any	42	56	Indicator	Commercial
995-1303	55	12	PK22s	T-11.5	Clear Quartz	C-6	,450 @ 13.2	225@13.2V	Any	18	42	Surgical Field Light	Use 995-4466
995-1304	1.575	6.3	W2.1x9.5d	T-10	Clear	C-2R	8	10,000	Any		26.8	Wedge Base Indicator	Commercial
995-1305	0.52	14	T 1½	T-5	Clear	C-2F	2	5,000	Any		13.5	General Service	Commercial
995-1306	0.672	28	Bi-Pin	T-3.17	Clear	C-2R support	2	16,000	Any		9.1	Indicator	Commercial
995-1307	1	4	Sleeve	T-4.6	Clear	C-2R			Any		11	Introscope	Proprietary
995-1309	1.5	12	W2.1x9.5d	T-10	Clear	C-2V support	6.6 @ 13.5V	240@15V	Any	12.7	26.8	Motor Transport (Wedge Base)	Commercial
995-1310	2	12	BA9s	T-8.8	Clear	C-6	12	200@13.5V	Any	13	23.9	Motor Transport	Commercial
995-1311	50	12	G6.3s	T-11.5	Clear Quartz	C-6	1,400	50	VBD ±90°	30	44	A1/220 Halogen Projector	Use 995-4320
995-1312	21	24	SV8.5	T-15	Clear	C-8	378	100	Any		41	Motor Transport (Festoon)	Commercial
995-1313	0.48	12	S5.7s	T-5.85	Clear	C-2V support	2	10,000	Any		15.9	General Service	Commercial
995-1317	0.672	28	Wires	T-43.1	Clear	CC-2F	2	16,000	Any		6.35	General Service	Ferranti 27640-664
995-1319	1.2	24	BA9s	G-12	Clear	C-2F	4	5,000	Any		24	General Service	Commercial
995-1324	0.15	5	SX3s	T-3.18	Clear	C-2R	0	16,000	Any		9.53	Indicator	Commercial
995-1326	1.2	48	T6.8	T-6.75	Clear	C-2F	3	5,000	Any		44.45	Indicator	Commercial
995-1331	0.6	6	BA7s	T-6.8	Clear	C-2R	3	5,000	Any		20.7	Indicator	Commercial
995-1342	50	8	P30s	AR-36	Clear	C-8	100 screen	50	VBD	47	85	A1/263 Halogen Projector	Proprietary
995-1901	0.33	6	E5s	T-5	Clear	C-2R	1	10,000	Any		16	Post Office Indicator 41C	Commercial
995-1902		12	E5s										
995-1903	0.75	14	E5s	T-5	Clear	C-2V support	1.2 (min)	300	Any		17.5	Special Purpose Miniature	DefStan 62-10 #32
995-1904	0.975	6.5	E5s	T-5	Clear	C-2V support	4	2,500	Any		16	Indicator	Commercial
995-1905	1.5	12	E5s	G7.5/T5	Clear	C-2F	5	500@14V	Any		17	Indicator	Commercial No. 280
995-1906	1	24	E5s	T-5	Clear	C-2F	3	1,000	Any		16	Hercules, Nimrod & Harrier	Post Office 41F
995-1909	3	28	BA9s	T-10	Clear	C-2V	11	1,000	Any	18	29	Indicator	Commercial
995-1910	10	6	SV8.5	T-15	Clear	C-8	9	300	Any		44	Festoon Indicator	Commercial
995-1911	3	12	SV7	T-7.5	Ruby Glass	C-8		400@13V	Any		35.5	Festoon Indicator	Commercial
995-1912	1.8	12	BA9s	G-11	Clear	Any	7	500	Any		23	Indicator	Commercial
995-1913	3.5	28	BA9s	T-10	Red laquer	Any		1,000	Any	16	28	Lighting F1 Aircraft	Commercial
995-1914	6	12	SV8.5	T-11	Clear	C-8	42	1000@11V	Any		38	Digital Coder (Festoon)	Use 995-1951

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-1915	0.24	12	E10s	T-6.6	Clear	C-2V support	1	1,000	Any		24.5	Indicator	Commercial
995-1916	2	29	E10s	G-15	Clear	C-2R support	11	1,000	Horiz.		27.5	Indicator	Commercial
995-1917	2.4	24	E10s	T-6.6	Clear	C-2F	12	1,000	Any		35	Indicator	Commercial
995-1918	2.8	24	E10s	G-11	Green	C-2V support		500	Any		23	Indicator	Commercial
995-1919	6	6	BA15s	T-18	Clear	C-8	72	100	VBU	P21.5	40	Projector	Commercial
995-1920	7.5	28	SV8.5	T-11	Clear	C-8 4support	40	400	Any		38	Seaslung Test Equipment	Use 995-1288
995-1921	1.95	6.5	E10s	G-12	Amber Tint	C-2R	. . .	4,000	VBD		24	Indicator	Commercial
995-1922	1.95	6.5	E10s	T-10	Clear	C-2R	12	4,000	Any		28	Indicator	Commercial
995-1923	1.95	6.5	E10s	T-10	Clear	C-2R	12	4,000	Any		28	Indicator	Use 995-1922
995-1924	1.65	5.5	E10s	G-15	Clear	C-2R or V	20	5	Any	21	27.5	Lantern	Commercial
995-1925	3	12	BA9s	G-15	Clear	C-2R	23	1,000	Any		28	General Service	Commercial
995-1926	7	28	BA15d	G-18	Pearl	C-8	45	1,000	Any	16	32.5	Indicator	Commercial
995-1927	0.594	2.7	Special	G-8	Clear	C-6	7	80	Any		20	Retinascope	Proprietary
995-1928	1	10	E10s	G-12	Clear	C-2R	6	3,000	Any		23	Indicator	Commercial
995-1929	2.36	6.5	E10s	G-11	Pearl	Any	13	1,000	Any		23	Indicator	Commercial
995-1930	4.8	28	BA15s	G-18	Clear	C-2R	30.4 (min)	500	Any	17.5	35	Aircraft Lighting	Commercial
995-1931	4.8	28	BA9s	T-11	Clear	C-2R support	30.4 (min)	500	Any	16	30.2	Aircraft Lighting	Commercial
995-1932	18.2	28	BA15s	S-25	Clear	Any	210 (min)	500	Any	28.5	50.5	Aircraft Lighting	Commercial
995-1933	12	6	Flange	T-18	External frost	C-8	56	50	Any	23	38	Introscope lamp	Proprietary
995-1934	6	6	E10s	G-14	Clear	C-8	40	50	Any	18	26	Introscope lamp	Proprietary
995-1935	1.8	6	Special	T-8	Clear	C-8		50	Any	14	19	Hand Made Introscope lamp	Proprietary
995-1936	1.2	6	5/32"Whit	T-6	Clear	C-8	12	20	Any	10	13	Introscope lamp	Proprietary
995-1937	1.5	6	Special	T-7	Clear	C-8		50	Any	13	16	Hand Made Introscope lamp	Proprietary
995-1938	1.2	6	5/32"Whit	T-5	Clear	C-8	10	20	Any	10	15	Introscope lamp	Proprietary
995-1939	1.5	4	Special	-8	Clear	C-8		20	Any	9.0	16	Introscope lamp	Proprietary
995-1940	3	6	E10s	TL-7	Clear	C-8	17	50	Any	16.0	24	Introscope lamp	Proprietary
995-1941	100	12	G6.35	T-10	Clear Quartz	C-6	3,000	50	VBD	24.0	42	A1/209 Halogen Introscope lamp	Use 995-4627
995-1942	1.2	24	E10s	G-11	Clear	C-2F	4	5,000	Any		24	General Service	Commercial
995-1943	0.77	3.5	Special	T-3.5	Clear	C-2V	13	10	Any	13.75	15	Aircraft Lighting	Proprietary
995-1944	200	30	R7s-15	T-12	Clear Quartz	C-8	4,200	600	Any		63.6	Dental Lamp (J1/40)	Commercial
995-1945	0.52	14	E5s	T-5	Clear	C-2F	2	5,000	Any		16	Indicator	Commercial
995-1946	0.9	6	BA9s	T-11	Clear	C-2R	4	1,000	Any		30	Indicator	Commercial
995-1947	2.125	2.5	E14s	G-22	Clear	C-2R	14	300	Any		44	Automatic Emergency lamp	Commercial
995-1948	150	21.5	G17q	T-38	Black Top	CC-6		25	VBD ±90°	39.7	91	A1/211 - Phantom Simulator	Commercial
995-1949	5	24	BA15d	G-18	Clear	C-2R support	37	500@29V	Any	19.5	32.5	General Service	Use 995-2254
995-1950	21	12	SV8.5	T-15	Clear	C-8	460 @ 13.5V	100@13.5V	Horiz.		42	No. 273 Festoon Lamp	BS6737
995-1951	6	12	SV8.5	T-11	Clear	C-8	60 @ 13.5V	200@13.5V	Horiz.		36	Motor Transport (Festoon)	Commercial
995-1952	7	28	B15s	G-18	External Fros	Any	45	1,000	Any	P16	35	Aircraft Lighting	Commercial
995-1953	3.5	28	E10s	T-11	Red laquer	C-2R	. . .	500	Any		30	Aircraft Lighting	Commercial
995-1954	0.72	18	SX6s	T-5.85	Clear	C-2F	2	1,000	Any	9.52	16.1	Indicator	Commercial
995-1955	6	12	E10s	G-15	Clear	C-2R	45	100@15V	Any	21	27.5	General Service	Commercial
995-1956	48	12	BA15d	P-38	Part Silvered	C-8		400	Horiz.	28.5	56	Motor Transport	Commercial
995-1957	60	24	P30s	P-50	Clear	CC-8	960	1,000	Horiz.	28.5	65	Searchlight	Use 995-2123
995-1958	10	12	SV8.5	T-11	Clear	C-8	140 @ 13.5V	200@13.5V	Any		36	Digital Reader (Festoon)	Commercial
995-1959	0.27	4.5	Wires	T-5	Clear	C-2R	1	2,000	Any		13.5	Indicator	Commercial
995-1960	2.8	24	BA15d	G-15	Clear	C-2R support	17	500	Any		29	Indicator	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-1961	0.4	6	Wires	T-3.2	Clear	C-2R	0	20,000	VBD		6.35	Panel Indicator	Commercial
995-1962	19 / 22.4	6	Gold Pins	B-8	Clear Quartz	C-6	350	2,000	Any		30	M/34 Halogen Test Equipment	Commercial
995-1963	1.12	14	Wires	T-4.26	Clear	C-2F	6	1,000	Any		11.5	Tape Equipment	Commercial
995-1964	55	12	PK22s	T-11.5	Clear Quartz	C-6	450 @ 13.2V	225@13.2V	Horiz.	18	42	No. 453 (H3) M.T. Headlamp	Use 995-4466
995-1965	2.2	12	BA9s	T-10	Clear	C-2V	1	3,000	Any		31.5	Indicator	Use 995-4739
995-1966	0.459	2.7	SX6s	-1.8	Clear	C-2R	4	17	Any		7.9	Nasal Endoscope	Proprietary
995-1967	1.2	12	T7 Red	T-6.5	Clear	C-2F	3	1000@14V	Any		44.5	Telephone Indicator GPO cap	Commercial
995-1968	24	12	BA15d	R-39	Silver Backed	C-8		100	Any	P38	65	Dispaly Spotlight, Pearl	Commercial
995-1969	0.72	6.3	E10s	G-11	Clear	C-6	4	1,000	Any		24	Instrument	Commercial
995-1970	2	12	BA9s	T-8.8	Clear	C-2R	12	200@13.5V	Any	13	23.9	M.T. Indicator	Use 995-1310
995-1971	1.12	28	Wires	T-5.85	Clear	C-2F	4	7,000	Any		13.5	Indicator	Commercial
995-1972	1.12	28	Bi-Pin	T-4.26	Clear	C-2F	4	1,000	Any		20.85	Indicator	Commercial
995-1973	1.2	24	T5.5	T-5.4	Clear	C-2F	3	6,000	Any		30	Indicator, DC Life = 3000hrs	DIN 49838B
995-1975	10	12	BA15s	G-18	Clear	C-2R	125 @ 13.5V	200@13.5V	Horiz.	P19.5	37.5	Motor Transport	BS6737
995-1976	1.12	14	SX6s	T-5.85	Clear	C-2F	4	15,000	Any		16.1	General Service	Commercial
995-1977	0.7	12	T1	T-4	Clear	. . .	2	20,000	Any		8.85	Instrument	Classified
995-1978	5	12	W2.1x9.5d	T-10	Clear	C-2R	50 @ 13.5V	300@13.5V	Horiz.	12.7	26.8	Motor Transport (Wedge Base )	Commercial
995-1980	4.76	24	BA9s	T-10	Clear	C-2F	44	500	Any		28	Indicator	Commercial
995-1981	45	6.8	P18s	. . .	Clear Quartz	C-8	850	1,000	Any	25	70	Airport Lighting, Halogen	Proprietary
995-1982	6	12	BA9s	G-15	Clear	C-2R	45	100@15V	Horiz.		28	No. 989 Motor Transport	Use 995-3248
995-1983	15	25	B15d	ST-28	Clear	C-9	120	1,000	Any		63	Pygmy - Foden Tanker	Commercial
995-1984	70 / 75	24	P43t	T-16	Clear Quartz	C-8 & C-8	1,200 / 1,900	450@28V	Horiz.	29	92	No.475 Halogen Motor Transport	BS 6737
995-1987	0.525	3.5	E10s	G-12	Clear	C-2R	2	5,000	Any		24	Indicator	Use 995-1123
995-1988	0.36	12	SX3s	T-3	Clear	C-2R support	0	16,000	Any		9.1	Airborne Instruments	Commercial
995-1989	1.95	6.5	E10s	G-12	Clear	C-2R	12	4,000	Any		24	Indicator	Use 995-1183
995-1990	1.5	6	W2.1x9.5d	T-10	Clear	C-2R	16	1,000	Any	14.7	25.15	Cycle Dynamo Head Lamp	Commercial
995-1991	1.2	24	T5.5	T-4.8	Clear	C-2V support	3	2,000	Any		30	Telephone Lamp	Use 995-1973
995-1993	1.0 / 1.4	24 / 30	W2x4.6d	T-5	Clear	C-2V support	3 to 8	10k to 1k	Any		20	Wedge Base Indicator	Commercial
995-1994	1.2	24	T5.5	T-5	Clear	C-2V support	3	2,000	Any		30	Telephone Lamp	Use 995-1973
995-1995	1.12	28	Bi-Pin	T-6	Clear	C-2F	4	7,000	Any		6	Panel Lighting	Commercial
995-1996	25	12	BA15d	P-35.5	Clear	C-8 support	377	200	Any		60	Navigation Lamp	Commercial
995-1999	1.26	6.3	SX6s	T-5.85	Clear	C-2R	5	20,000	Any		16.1	Indicator	Commercial
995-2101	0.5	4	BA15d	G-18	Clear	C-6 or C-2R	2	500	Any		32.5	Indicator	DefStan 62-10 #82
995-2102	1	2	BA15d	G-18	Clear	C-2R	7	50	Any		32.5	General Service	DefStan 62-10 #82
995-2103	1	2	BA15d	G-18	Clear	Special	7	50	Any	P20	36	Signal Lantern	
995-2104													
995-2105													
995-2106													
995-2107	1.5	3.6	BA15d	G-18	Clear	C-6 or C-2R	14	10	Any	P16	32.5	Indicator	DefStan 62-10 #82
995-2108	2	12	E14s	. . . -25	Clear				Any		42	Indicator	
995-2109	0.36	6	BA9s	G-11	Clear	C-2R or V	1	10,000	Any		23.5	Radio Panel	Commercial
995-2112	9.5	28	BA15s	P-18	Pearl	C-2R or V	95	300	Any	P25	40	Passenger Reading Lamp	Commercial
995-2113	6	35	BA15d	G-18	Clear	Any	330	111@38V	Any	P16	32.5	M.T. Indicator	Commercial
995-2114	3	6	P13.5s	B-11	Clear	C-2R	39	15	Any		30.5	Photographic	Commercial
995-2115	4.375	2.5	953	S-18	Clear	C-8	42	250	VBD	26	43.5	Lantern, Krypton filled	BS 535
995-2116	1.05	3.5	P13.5s	B-11	Clear	C-2R	9	30	Any	6.35	30	Hand Torch	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2117	3	6	BA15d	G-18	Pearl	C-2R	16	100@7.5V	Any		32.5	Microscope Indicator	Commercial
995-2118	2.6	5	P13.5s	B-11	Clear	C-2R	39	5	Any	6.7	30	General Purpose	Commercial
995-2119	0.2A	1.5	E10s	G-11	Clear	C-2R	1	50	Any		24	Indicator	Commercial
995-2120	4	24	BA9s	T-8.8	Clear	C-2R or C-6	35 @ 28V	300@28V	Any	15	26	Motor Transport	Commercial
995-2121	5	24	BA15s	G-18	Clear	C-2V support	35 @ 28V	400@30V	Any	19	36.3	Motor Transport	Use 995-2253
995-2122	70	24	PK22s	T-11.5	Clear Quartz	C-6	1,488 / 2,012	10@28V	VBD	18	42	Motor Transport Halogen	Use 995-4476
995-2123	60	24	P30s	P-50	Clear	CC-8	960	1,000	Any	28.5	65	Motor Transport	Commercial
995-2124	2	24	BA9s	T-8.8	Clear	C-2R	10	200@28V	Any	13	23.9	Motor Transport	Commercial
995-2125	18	24	BA15s	S-25	Clear	C-6	250 (min)	100	Horiz.	27	46.5	Motor Transport	Commercial
995-2126	1.12	14	SX6s	T-5.8	Clear	C-2F	4	15,000	Any		16.1	General Purpose	Commercial
995-2127	100	15	2 Pin	T-12	Clear Quartz	C-8	2,100	600	Horiz.	22.5	58.75	Airfield Lighting, halogen	Proprietary
995-2128	12	24	BA15d	G-38	Clear	C-2R	115	1,000	Any		56	Motor Transport	Commercial
995-2129	0.3	5	Bi-Pin	T-3.18	Clear	C-2R	0	40,000	Any		9.65	Panel Indicator	Commercial
995-2130	0.84	14	E10s	G-12	Clear	C-2V support	4	3,000	Any		24	General Service	Commercial
995-2131	2.98	5.95	P13.5s	B-11	Clear	C-2R	36	15	Any	6.68	31	Hand Torch	Commercial
995-2132	1.26	6.3	E5s	T-5.8	Clear	C-2R support	5	50,000	Any		17.5	Indicator, DC Life = 25,000hrs	Commercial
995-2133	0.75	2.5	P13.5s	B-11	Clear	C-2R	7.0 ± 20%	12	Any	6.68	31	Hand Torch, LCL ± 0.15	BS6873
995-2134	5	24	BA15s	G-18	Clear	C-2R support	35 @ 28V	400@30V	Horiz.	19.00	36.3	Motor Transport	Use 995-2253
995-2135	21	24	BA15s	S-25	Clear	2C-6	344 @ 28V	100@28V	Horiz.	31.80	52.5	No. 349 Motor Transport	Use 995-2902
995-2139	1.9	5.8	Special PF	T-12.7	Clear	C-6	23	20,000	Any	12.60	23	Rapier Azimuth Encoder 1440-99-646-0938	Classified
995-2140	250	24	GX5.3	MR-44.5	Dichroic	C-6	. . .	50	VBD ±105°		50.67	A1/259 Halogen Cine Projector	BS1075
995-2141	2.8	28	BA9s	T-10	Clear	C-2F	20	1,000	Any		28	Indicator for Tornado Jet	Commercial
995-2142	0.945	6.3	W2.1x9.5d	T-10	Clear	C-2R	4	10,000	Any	12.7	26.8	Wedge Base Indicator	Commercial
995-2143	0.672	28	Bi-Pin	T-3.18	Clear	CC-2F	2	4,000	Any		9.65	Indicator	Commercial
995-2144	1.2	12	T7 Red	T-6.5	Clear	C-2R support	3	1000@14V	Any		44.5	Telephone Indicator GPO cap	Duplicate 995-1967
995-2145	10	24	SV8.5	T-11	Clear	C-8	130 @ 28V	200@28V	Horiz.		35	Motor Transport	Commercial
995-2146	1.2	12	T5.5	T-4.8	Clear	C-2F	4	5,000	Any		30	Indicator, DC Life = 3000hrs	DIN 49838B
995-2147	1.2	12	T6.8	T-6.3	Clear	CC-6	6	5,000	Any	5.5	46.5	Indicator, DC Life = 2500hrs	DIN 49838A
995-2148	1.2	12	W2x4.6d	T-5	Clear	C-2V support	7.2 @ 13.5V	200@13.5V	Any		20	No. 286 Motor Transport	Use 995-4499
995-2149	5	12	BA9s	G-15	Clear	C-2R	48 @ 13.5V	100@15V	Horiz.	16	28	Motor Transport	Use 995-3248
995-2150	1.575	6.3	BA9s	T-10	Clear	C-2R	11	3,000	Any	19.8	30	General Service	USA Commercial
995-2151	0.2	2	Uncapped	T-4.5	Clear	C-2R	0.38 ± 20%	5,000	Any		10	Indicator	Commercial
995-2152	1.2	6	Wires	T-4.5	Clear	C-2R	180 @ 4.5V	5,000	Any		18	Indicator	Commercial
995-2153	4	12	BA9s	T-8.5	Clear	C-2R	35.2 @ 13.5V	200@13.5V	Horiz.	15	27.4	No. 233 Motor Transport	Use 995-4539
995-2154	6	24 / 28	BA15s	G-18	Clear	2C-2R	36 @ 26V	500@29V	Any	19	32.5	M.T. Heavy Duty	Proprietary
995-2155	55 / 60	12	P43t-38	T-16	Clear	C-8 & C-8	1,650 / 1,000	450@13.2V	Horiz.	28.5	92	No. 472 Motor Transport	BS 6737
995-2156	0.72	12	G-2.54	T-3.17	Clear	C-2F	2	10,000	Any		15.45	Indicator	Commercial
995-2157	1.2	12	E10s	T-10	Clear	C-2V support	5	5,000	Any		28	Indicator	Use 995-9155
995-2158	0.3	5	SX6s	T-5.85	Clear	C-2R	1	100,000	Any		15.8	Indicator	Commercial
995-2159	0.7	28	Bi-Pin	T-4.12	Clear	CC-2F	1	15,000	Any		14	Indicator, DC Life = 5000hrs	Commercial
995-2160	0.84	24	W2x4.6d	T-4.12	Clear	C-2F	1	25,000	Any		19.5	Control - Engineering Cosoles	Commercial
995-2161	3.6	60	E10s	T-10	Clear	C-2F	15	1,000	Any		28	Indicator	Commercial
995-2162	5	24	W2.1x9.5d	T-10	Clear	C-2F	50 @ 28V	300@28V	Any	12.7	26.8	No. 507 Wedge Base Lamp	BS 6737
995-2163	0.75	2.5	P13.5s	B-11	Clear	C-2R	5	12	Any	6.68	30	Hand Torches Only	Use 995-2133
995-2164	0.17	1.5	E5s	T-5	Clear	C-2R	0	1,000	Any		16	Indicator	Commercial
995-2165	0.36	12	Bi-Pin	T-4.1	Clear	C-2F	1	5,000	Any	0.6	4.1	General Purpose Radio	Commercial



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2166	5	24	BA15d	T-16	Clear	C-3M	25	4,000	Any	30	17	Switch Lens Light	Commercial
995-2167	15	12	BA15s	S-25	Clear	C-6	180	500	Horiz.		47	No. 240 Motor Transport	Commercial
995-2169	0.46	2.7	Flange	T-2.2	Clear	C-2R	4	17@2.5V	Any		9.5	Surgical	Proprietary
995-2170	40 / 45	24	BA20d	S-36	Clear	C-8 & C-8	665 / 470	100 & 100	Horiz.	32.7	71	Motor Transport	Commercial
995-2171	0.98	6.3	E10s	S-6.2	Clear	C-2R	6	3,000	Any		16	General Service	Commercial
995-2201	1.6	20	BA15d	T-11	Clear	C-2R or V	3	1,000	Any		30.5	Special Tubular Inspection	DefStan 62-10 #46
995-2202	0.85A	2	E14s	BB-26	Clear	S-2	10	300	Any		44	Miners' lamp	
995-2203	3	4	P30s	T-16	Clear	C-6	33	50	VBD	28.5	50	Exciter lamp EL/13A G/29	BS 5550
995-2204	2.2	2.4	B15s	BB-26	Clear	C-2R	11	1,000	Any		37	Minesweeping Lantern	
995-2205													
995-2206													
995-2207	1.0A	2.5	E14s	BB-26	Clear	Any	17	300	Any		44	Miners' lamp	
995-2208	1/0.75A	2.5	B15d	S-25	Clear	Main C-2R	Main 16.7	Main 300	Any	Main34	49	Miners' Cap lamp	
995-2209													
995-2210													
995-2211	3	4	P30s	S-25	Clear	C-6	32	50	VBD	28.5	48	Exciter lamp	
995-2212	3	4	BA15d	G-18	Clear	C-2R	16	100	Any		32.5	General Service	DefStan 62-10 #48
995-2213	3	4	BA15s	S-25	Clear	C-6	32	50	VBD	P32	48	Exciter lamp G/2	Commercial
995-2214	3	6	BA15s	G-18	Clear	C-6 or 2R	16	100	Any		32.5	General Service	Commercial
995-2215	3	6	BA15d	G-18	Clear	C-2R	16	100	Any		32.5	Automotive Indicator	DefStan 62-10 #48
995-2216													
995-2217	3	16	BA15d	G-15	Clear	C-2R or V	16	1,000	Any		32.5	Special Purpose Automobile	DefStan 62-10 #47
995-2218	4	8	BA15s	G-18	Clear	C-2R or V	28	100	Any		32.5	Special Purpose Automobile	DefStan 62-10 #44
995-2219	4	10	BA15d	G-18	Clear	C-2R or V	19	1,000	Any		32.5	Indicator	DefStan 62-10 #82
995-2220	4	10	BA15d	G-18	Red glass	C-2R or V		1,000	Any		32.5	Indicator	DefStan 62-10 #82
995-2221	4	12	BA15d	G-18	Clear	C-2R or V	Special	500	Any	P18	32.5	Aircraft Recognition & Radar	
995-2222	4	12	BA15d	G-18/22	Red	C-2R or V		200	Any		32.5/37	Indicator	
995-2223	4	12	BA15d	G-18/22	Green	C-2R or V		200	Any		32.5/37	Indicator	
995-2224	4	12	BA15d	G-18	Clear	C-2R	25	100@15V	Any		32.5	Motor Transport	Commercial
995-2225													
995-2226													
995-2227	4	24	B15d	T-11	Clear	C-2R or V	9	1,000	Any	P17	30.5	Indicator	DefStan 62-10 #92
995-2228	4	24	B15d	T-11	Blue Glass	C-2R or V		1,000	Any	P17	30.5	Indicator	DefStan 62-10 #92
995-2229	4	24	BA15d	G-18	Clear	2C-2R	19 (min)	500@29V	Any	P18	32.5	Aircraft Recognition	DefStan 62-10 #68
995-2230	4	24	B15d	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	
995-2231	4.6	4	B15d	BB-25	Clear	C-6	34	500	Any	P19	32	Portable Magazine lantern	
995-2232	4.8	22	B15d	T-11	Clear	C-2R or V	17	1,000	Any	P17	30.5	Indicator	DefStan 62-10 #92
995-2233	4.8	22	B15d	T-11	Ruby glass	C-2R or V		1,000	Any	P17	30.5	Indicator	Commercial
995-2234	1.6	24	BA15d	S-25	White	C-6	7	100	Any	26.5	46	Gunsight	EL1100 Sheet 1241
995-2235	5	20	B15d	T-16.5	Clear	Any	27	600	Any		79	Indicator	
995-2236	5	26	B15s	G-18	Clear	2C-2R	26	Special	Any		32.5	Tank lamps	
995-2237	5.7	6	E14s	P-38	Clear	C-8	55	300	Any	42	59	Hand Lamp	
995-2238	6	6	P30s	T-16.5	Clear	C-8	72	100	VBD	28.5	50	Exciter lamp G/5	DefStan 62-10 #65
995-2239													
995-2240	6	6	B15d	G-33	Clear	C-8	39	1,000	Any	P28.5	52	Indicator	
995-2241	6	6	BA15d	G-18	Clear	Any	33	100@7.5V	Any	19.5	34	Automobile or Indicator	DefStan 62-10 #48

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2242	6	6	B15s	G-18	Clear	C-2R	370	400	Any	P21.5	32.5	M.T. & General Service	
995-2242	5	6	BA15s	G-18	Clear	C-2R	50 @ 6.75V	200 @6.75V	Any	P19	37.5	M.T. Lamp No. 205	BS6737
995-2243	6	6	BA15s	T-18	Clear	C-8	72	100	VBD	P21.5	40	Exciter lamp EL/9	Commercial
995-2244													
995-2245	5	12	BA15s	G-18	Clear	C-2R	36	100	Any	19	32.5	M.T. & General Service	
995-2246													
995-2247													
995-2248	6	12	BA15d	G-18	Clear	C-2R	36	100	Any	P16	32.5	General Service	
995-2249	6	12	BA15d	G-18	Clear	C-2R	36	100	Any	19	37.5	M.T. & General Service	
995-2250	6	12	B15s	G-22	Red laquer	C-2R or V		200	Any	P19.5	37	Cockpit Lighting	
995-2251	6	12	BA15d	G-18	External frost	C-2R	32	100	Any		32.5	General Service	DefStan 62-10 #48
995-2252	6	16	BA15d	G-18	Clear	C-2R or 6	48	200	Any		32.5	General Service	
995-2253	6	24	BA15s	G-18	Clear	C-2V support	50 @ 28V	200@28V	Any	19	32.5	General Service	
995-2254	6	24	BA15d	G-18	Clear	C-2V support	50 @ 28V	200@28V	Any	19	32.5	General Service	
995-2255	6	24	BA15d	G-22	Red	C-2R or V		200@26V	Any	P19.5	39.5	General Service	DefStan 62-10 #72
995-2256	6	24	BA15d	G-22	Green	C-2R or V		200@26V	Any	P19.5	39.5	General Service	DefStan 62-10 #72
995-2257	6	24	BA15d	G-22	Red Laquer	C-2R or V	36 (min)	200	Any	P19.5	39.5	General Service (Aircraft)	DefStan 62-10 #72
995-2258	6	24	BA15d	G-18	External frost	C-2R or V	30	200	Any		32.5	General Service	
995-2259	6	24	BA15d	G-22	Red	Any		1,000	Any		37	Teleprinter Equipment	
995-2260	6	24	B15d	G-18	Clear	C-2R or V	33	200	Any	P16	32.5	Motor Boats	
995-2261	7	12	BA15d	G-18	Clear	C-2R or V	56	200	Special	P17.5	32.5	UV Cockpit, Air cooling trolley	DefStan 62-10 #67
995-2262	7	14	BA15d	G-18	Clear	2C-2R	30(min)@14V	100@14V	Any		37.5	Tank lamp	DefStan 62-10 #78
995-2263	8	4	BA15d	P-38	Clear	C-8	63	200	Any	P28.5	56	Beacon Light	DefStan 62-10 #93
995-2264	8	12	BA15d	G-13	Part Silvered	C-8		1,000	VBD	28.5	52	Degaussing	Commercial
995-2265	8.5	6	BA15d	G-18	Clear	C-2R or V	38	1,000	Any		32.5	Marine Identification	
995-2266													
995-2267	9	12	BA15d	G-22	Clear	C-2R or V	74	100	Any	P19.5	37	Special Purpose Auto Lamp	DefStan 62-10 #52
995-2268													
995-2269													
995-2270	9	24	BA15d	G-22	Clear	C-2R or V	56 (min)	1000@26V	Any		37	Motor Boats	DefStan 62-10 #96
995-2271													
995-2272	10	12	BA15d	S-25	Clear	C-6	111 (min)	200@13V	Any	P30	46	Aircraft Tail Navigation	DefStan 62-10 #73
995-2273													
995-2274	10	22	BA15d	G-18	Clear	C-2R	39	1,000	Any		32.5		
995-2275													
995-2276	10	24	BA15d	S-25	Clear	Special	57	200	Any	P30	46	Aircraft Tail Navigation	
995-2277	10	50	BA15d	G-33	Blue	Any		1,000	Any		50	Post Office Lamp No. 8	
995-2278													
995-2279	10	50	BA15d	G-38	Green	Any		1,000	Any		58	Post Office No. 8 D1010Q	Colour to BS 381C
995-2280	10	50	BA15d	T-25	Clear	Any	62	1,000	Any	47	63	Compass Repeater light	DefStan 62-10 #101
995-2281													
995-2282													
995-2283	12	6	B15d	P-38	Clear	C-8	161	100	Any	P28.5	56	Indicator	DefStan 62-10 #86
995-2284	12	6	B15d	S-25	Clear	C-6	192	100	Any	P36	49	Exciter lamp	DefStan 62-10 #69
995-2285	12	6	B15s	P-38	Clear	C-8	161	100	Any	P28.5	56	Cinema Equipment	
995-2286	12	12	P30s	T-16	Clear	C-2R	196	50	Horiz.	35	54	Signalling lamp	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2287	12	12	P30s	T-16	Clear	C-8	196	50	VBD	35	54	Signalling lamp	DefStan 62-10 #89
995-2288													
995-2289	12	12	BA15d	P/G-38	Pearl	C-2R or V	135	1,000	Any		56	W.T. Sets	
995-2290	12	12	BA15d	P/G-38	Blue	C-2R or 6		1,000	Any		56	General Service	
995-2291	12	12	BA15d	S-25	Clear	C-2R or V	146	200	Any	P30	46	General Service	DefStan 62-10 #3
995-2292	12	12	BA15d	S-25	Clear	C-2V	146	200	Any	P26	46	Kine-Theodolite	
995-2293	12	12	BA15d	P/G-38	Clear	C-2R or 6	135	1,000	Any		56	Special Purpose Auto Lamp	DefStan 62-10 #49
995-2294	12	24	BA15d	S-25	Pearl	C-2R or V	135	200	Any	P28.5	46	General Service	
995-2295	12	24	BA15d	S-25	Clear	C-2R or V	140	200	Any	P28.5	46	General Service	DefStan 62-10 #3
995-2296													
995-2297	16	22	BA15d	P-59	Clear	C-6							
995-2298	15	24	BA15d	P-38	Clear	C-2R or V	120	1,000	Any		56	Special Purpose Automobile	DefStan 62-10 #49
995-2299	15	35	B15d	P-38	Pearl	C-2R or V	116	1,000	Any		56	General Service	DefStan 62-10 #49
995-2301	25	25	B15d	T-25	Clear	Any	131	1,000	Any		86	Instruments	DefStan 62-10 #97
995-2302	15	25	B22d	PS-55	Red	Any		1,000	Any		92.5	General Service	
995-2303	48	24	BA15d	P-38	Clear	C-8	500	1,000	Any	P28.5	56	Locomotive & MT Headlamp	Commercial
995-2305	48	12	P30s	P-38	Clear	C-6	880	100@13.5V	Horiz.	28.5	58	Motor Transport	Commercial
995-2307	15	50	BA15d	ST-28	Clear	Any	90	1,000	Any		63	Pygmy Sign	Commercial
995-2308	24	24	BA15d	S-25	Clear	C-6	492 @ 28V	30@28V	Horiz.	P31.8	52.5	General Service No. 333	Commercial
995-2309	25	50	B15d	T-25	Clear	Any	490	1,000	Any		92	General Service	Commercial
995-2310	24	28	BA15s	S-25	Clear	3C-8	228	300	Any	P30	46	Navigation Tail	Commercial
995-2311	19	28	BA15s	S-25	Part Silvered	C-2V support		300	Any	28.5	4.5	Cabin Lamp	Commercial
995-2312	5	12	W2.1x9.5d	T-10	Clear	C-2R	50 @ 13.5V	300@13.5V	Horiz.	12.7	26.8	M.T. Side Lamp Wedge Base	Use 995-1978
995-2313	5	24	W2.1x9.5d	G-18.5	Clear	C-2V/support	35 @ 26V	500@29V	Horiz.	16	31	M.T. Side Lamp Wedge Base	Commercial
995-2314	2.5	50	E10s	T-10	Clear	C-2F	9	5,000	Any	22	28	Indicator	Commercial
995-2315	12	28	BAY15s	G-30	Part Silvered	C-2V offset	105 (min)	300	VBD	29	56.2	Aircraft Formation Keeping	DefStan 62-10 #144
995-2316	48	12	P36s	ST-28	Clear	C-8	166 @ 13.2V	50@14V	Horiz.	21.5	64	Motor Transport No. 185	Use 995-4231
995-2317	0.24	6	T7	T-6.5	Clear	C-6	1	5,000	Any		23.2	Telephone Indicator GPO cap	Commercial
995-2318	55	12	PK22s	T-11.5	Clear Quartz	C-6	450 @ 13.2V	225@13.2V	Horiz.	18.00	42	Motor Transport	Use 995-4466
995-2318	2	12	BA7s	T-6.9	Clear	C-2V support	7	500@14V	Any		21	Indicator	Commercial
995-2319	0.24	6	E10s	T-11	Clear	C-6 or 2R	1	1,000	Any		29	Indicator	Commercial
995-2320	6	24 / 28	BA15d	G-18	Clear	2C-2R	50 @ 40V	400@30V	Any		32.5	M.T. Heavy Duty	Proprietary
995-2321	48	12	BA15d	G-38	Clear	C-6	850	100	VBD	40	65	Microprojector lamp F/38	Commercial
995-2322	1.9	19	E10s	T-10	Clear	C-2R	8	2,000	Any		30	Indicator	Commercial
995-2323	2	5.8	Special	G-12.7	Clear	C-6		5,000	Any		22.6	Indicator	Proprietary
995-2324	0.33	6	Wires	T-5.25	Clear	C-2R	1	10,000	Any		13.5	Post Office Indicator 49A	Commercial
995-2325	26	28	BA15s	S-25	Clear	C-2V support	458	100	Any	33	52.5	Motor Transport	Commercial
995-2327	50	8	P30s	RT-44	Part Silvered	C-6		25	VBD	47	96	Cine Projector A1/17	Commercial
995-2328	48	24	B22d	G-38	Clear	C-8	340	1,000	Horiz.	28.5	56	Motor Transport	Commercial
995-2329	0.24	6	Wires	T-4.26	Clear	C-2R	1	5,000	Any		11.5	Indicator	Commercial
995-2401	30	12	BA15d	T-27	Pearl	2C-8	495 (min)	50	BU	P38	60.5	Aircraft Identification	DefStan 62-10 #71
995-2402													
995-2403	30	22	BA15d	P-38	Clear	CC-6	360	1,000	Any	P28.5	56	Instruments	DefStan 62-10 #86
995-2404	30	24	BA15d	ST-28	Pearl	C-2V	500	50	BU	P38	58	Aircraft Identification	DefStan 62-10 #71
995-2405													
995-2406	32	8	B15s	T-25	Clear	C-6	640	100	VBD	P44	75	Exciter lamp	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2407	32.5	5	P30s	T-25	Clear	C-8	585	50	VBD	41	75	Exciter lamp	
995-2408	36	6	B15d	P-38	Clear	C-6 or 2V	580	100	Any	P28.5	56	M.T. Headlamp	
995-2409	36	6	B15s	P-38	Clear	C-6 or 2R	580	100	Any	P28.5	56	M.T. Headlamp	
995-2410	36 / 36	6	B15d	P-38	Clear	C-6 & C-2V	540 / 540	100	Horiz.	P28.5	56	M.T. Headlamp	Commercial
995-2411	36 / 36	6	P30d	P-38	Clear	Bi-focal	540 / 540	100	Horiz.	28.5	58	M.T. Headlamp	DefStan 62-10 #55
995-2412	36	11	P30s	A-33	Dome Silvered	SolidSource		50	Horiz.	37	63	A.S.E. Transmitter	
995-2413													
995-2414	36	12	BA15s	P-38	Clear	C-6	626	100	Any	P28.5	56	M.T. Headlamp	Commercial
995-2415													
995-2416	36	12	BA15d	P-38	Clear	C-8	626	100	Any	P28.5	56	M.T. Headlamp	Commercial
995-2417	36	12	B15d	P-38	Clear	C-2V	600	100	Any	P28.5	56	M.T. Headlamp	
995-2418													
995-2419	36 / 36	12	BA15d	P-38	Clear	C-6&C-2V	560 / 560	100	Any	P28.5	56	M.T. Headlamp	Commercial
995-2420	36 / 36	12	P30d	P-38	Clear	C-2V&C-2V	560 / 560	100	Any	28.5	58	M.T. Headlamp	
995-2421	36 / 36	12	P30d	P-38	Clear	C-2V&C-2V	560 / 560	100	Any	28.5	58	M.T. Headlamp	
995-2422	36	24	BA15d	P-38	Clear	C-8	370	1,000	Any	P28.5	56	M.T. Headlamp	DefStan 62-10 #134
995-2423													
995-2424	40	11	BA15d	P-49	Clear	C-2	490	1,000	Any	P41	78	Recorder	
995-2425	24	12	BA15s	S-25	Clear	C-6 or 2V	360	100	Horiz.		46	M.T. Stop lamp	
995-2426	0.23809524	12	BAY15d	S-25	Clear	2C-6	35 / 440	150/1500	Horiz.	P31.8	47	M.T. Tail & Stop	
995-2427	36	12	BA15s	P-38	Clear	C-8	600	100	Any	P28.5	56	M.T. Headlamp	
995-2428	36	6	P36s	ST-28	Clear	C-6	650 @ 6.3V	100@6.3V	Horiz.	21.5	62	M.T. Headlamp	
995-2429	36	6	BA15s	P-38	Clear	C-6	600	100	Horiz.	P29	56	"Notek" Fog Lamp	
995-2430	36	12	BA15s	P-38	Clear	C-6	600	100	Any	P29	56	"Notek" Fog Lamp	
995-2431	24	28	BA15d	P-38	Clear	C-6	345	400	Any	P33	57	Aircraft Side Navigation	DefStan 62-10 #74
995-2432													
995-2433													
995-2434	36 / 36	24	BA15d	P-38	Clear	CC-6&CC-6	380	100	Horiz.	P28.5	56	"Leyland" Lorries	Commercial
995-2435	48	24	BA20s	P-38	Clear	CC-8	590	100	Horiz.	P30	67	"Austin" Vehicles	
995-2437	40	25	B22d-3	PS-60	Pearl	Any	467 (min)	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #12
995-2438	40	28	BA15d	T-18	Clear	CC-8	500 (min)	300	VBD	28.5	56.0	Reconnaissance Sight (photo)	DefStan 62-10 #124
995-2439	24	24	BA15d	P-38	Pearl	CC-8	220	1000@28V	Any	28.5	56	Hand Lamp	Proprietary
995-2441	40	40	B15d	PS-60	Pearl	Any	490	1,000	Any	84	109	Machine Tools	Commercial
995-2445	40	28	BA15s	G-35	Clear	C-2V support	538 (min)	300	BU	32	60	General Service	DefStan 62-10 #16
995-2446	36	6A	BA15d	P-38	Clear	C-2V	560	60	Any	P28.5	56	Airfield Lighting EL36 J1/6	DoF M&E 102
995-2448	48	8A	BA15d	P-38	Clear	C-8	815	50	VBD	P28.5	56	Airfield Lighting EL48 J1/16	DoF M&E 102
995-2450	36	24	BA15d	P-38	Part Silvered	CC-8		400	VBD	P28.5	56	"Francis" Searchlight	Commercial
995-2451	32	8	BA15s	T-26	Clear	C-6	545 (min)	100	VBD	44	78	Projector lamp	DefStan 62-10 #85
995-2452	32	8	P30s	T-25	Clear	C-6	640	100	VBD	37.3	75	Exciter lamp G/7	Commercial
995-2454	36	12	P30s	G-38	Clear	C-6	475	100@13.5V	Horiz.	28.5	58	Motor Transport	Commercial
995-2455	40	28	BA15d	P-35	Clear	Any	560	300	Any	P32	60	Navigation	Commercial
995-2458	8	4	P30d	T-15	Clear	C-6	96	100	Horiz.	24	38	Microprojector, Class F	
995-2460	50	8	P30s	T-30	Clear	C-6	1,400	25	VBD	47	93	Projector lamp A1/202	Commercial
995-2461	18	12	SV8.5	T-15	Clear	C-8	324 @ 13.5V	75@13.5V	Horiz.		42	M.T. Indicator (Festoon)	Use 995-3254
995-2462	40	25	E27s	PS-60	Pearl	CC-9	550	1,000	Any	76.5	110	General Lighting Service	Commercial
995-2501													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2502													
995-2503													
995-2504	3	10	B15s	T-25	Clear	C-6	1,100	100	VBD	P40.5	75	Exciter lamp G/11	Commercial
995-2505	50	26	BA15s	P-38	Clear	CC-6	600 (min)	350@28V	Any	P28.5	56	Tank Lamps	DefStan 62-10 #6
995-2506													
995-2507	60	12	BA15d	P-50	Clear	C-6	1,152	100@13.5V	Any	P28.5	63	M.T. Headlamp	Commercial
995-2508	60	12	BA15s	P-50	Clear	C-8	1,152	100@13.5V	Any	P28.5	63	M.T. Headlamp	Commercial
995-2509													
995-2510	60	22	BA15d	P-50	Clear	CC-6	835	1,000	Any		63	Instruments	
995-2511	60	24	BA15d	P-38	Clear	CC-8	1,200 (min)	100	Horiz.	P28.5	56	Aircraft Taxying lamp	DefStan 62-10 #134
995-2512	48	6	P30s	G-35	Clear	C-6	720	100	Horiz.	31.5	56	Class F Projector lamp	Commercial
995-2513	60	11	P30d	G-43	Crown Silvere	C-8	990 clear	100	Horiz.	33	65	Hand Signalling Lantern	DefStan 62-10 #88
995-2514	60	12	BA15d	P-38	Clear	C-8	1,020	100	Horiz.	P28.5	56	"Auster" Aircraft	
995-2515	60	24	P30d	G-43	Crown Silvere	C-8	990 clear	100	Horiz.	33	65	Hand Signalling Lantern	DefStan 62-10 #88
995-2516	48	12	BA15d	P-38	Clear	C-8	400 or 570	225	Horiz.	P28.5	56	Aircraft De-icing	BS 6737
995-2517	75	10	P30s	T-25	Clear	C-6	1,760	100	VBD	37.3	75	Exciter lamp G/13	Commercial
995-2519	70	24	P14.5s	T-8.5	Clear Quartz	C-8	1,900 @ 28V	225@28V	Horiz.	25	67.5	M.T. Halogen H1 No. 466	Commercial
995-2520	8	4	E14s	G-36	Clear	C-6	100	100	Horiz.	52	67	Microprojector lamp F/30	
995-2521	1.3	24	BA9s	T-11	Clear	Any	4	1,000	Any		30	Indicator	Commercial
995-2522	0.575	5	SX3s	T-3.18	Clear	C-2R	2	20,000	Any	4.7	9.53	Indicator	Commercial
995-2523	0.375	5	Wires	T-3.2	Clear	C-2R	0.85 (min)	3000 (min)	Any	. . .	6.4	Specification Controlled	Ferranti 25615-10062
995-2524	0.575	5	Wires	T-3.18	Clear	C-2R	2	20,000	Any		6.35	Indicator	Commercial
995-2525	21	24	BA15d	S-25	Clear	C-6	46 @ 28V	150@28V	Horiz.	31.8	52.5	Motor Transport No. 346	
995-2526	0.672	28	SX3s	T-3.18	Clear	CC-2F	1	1,000	Any		9.53	Indicator	Use 995-9184
995-2527	0.575	5	Wires	T-3.2	Clear	C-2R	1.4 (min)	4000 (min)	Any	. . .	6.4	Specification Controlled	Ferranti 25615-10063
995-2528	4.8	22	B15d	T-11	Red laquer	C-2R or 2V	13.8 (min)	1,000	Any	P17	30.5	Indicator	DefStan 62-10 #92
995-2601													
995-2602	75	10	BA15s	T-25	Clear	C-6	1,762	100	VBD	P40.5	75	Exciter lamp G/14	Commercial
995-2603	80	12	BA15d	P-38	Pearl	Special	1,030	50	VBU	P38	58	Aircraft Identification	DefStan 62-10 #70
995-2604	80	24	BA15d	P-38	Pearl	3C-8	1,195 (min)	50	BU	P38	58	Aircraft Identification	DefStan 62-10 #70
995-2605	100	24	BA15d	T-25	/ Clear crown	CC-6	2,200	100	VBU	P55	75	Mapping Equipment A1/135	Striation free crown
995-2606	70	25	S15s x2	T-25	External frost	C-8	550	1,000	Any		284	Aircraft Trolley	Commercial
995-2607	60	24	BA15d	G-50	Clear	CC-8	800	100	Horiz.	P28.5	63	"Thornycroft" Tractors No. 128	Commercial 128
995-2608	100	8.33A	BA20s	P-50	Clear	CC-6	2,100	50	VBD ±90°	35.5	73	Airfield Lighting EL/41 J1/30	DoF E M&E 102
995-2609	100	8.33A	P30s	T-32	Clear	CC-6	2,100	50	VBD	28.5	85	Airfield Lighting EL/57	DoF E M&E 102
995-2610	75	10	B15s	T-25	Half Silvered	C-6		100	VBD	P40.5	75	Exciter lamp G/14S	Commercial
995-2611	44	12	P30d	M-38	Half Silvered	C-6		350	Any		60	Missile Lamp Mk.11	Proprietary
995-2612	60	24	E27s	TG-100	Part Silvered	C-6		1,000	Any	129	179	Underwater Lamp	Proprietary
995-2613	60	12	P30s	P-50	Clear	C-8	1,140	100	Any	28.5	66	Marine Searchlight	Proprietary
995-2614	0.2	4	E5s	T-5	Clear	Any	0	10,000	Any		15	Indicator	Commercial
995-2615	3	12	W2.1x9.5d	T-10	Clear	C-2V support	22 @ 13.5V	1000@13.5V	Horiz.	12.7	26.8	Motor Transport	BS 6737
995-2616	250	30	R7s	T-12	Clear Quartz	C-8	8,000	12	Any		80	Photographic P1/8	Commercial
995-2617	1.12	28	S6s	T-5.7	Clear	C-2B support	3	50,000	Any	9.52	15.875	Indicator	Commercial
995-2618	0.48	12	SX6s	T-5.8	Clear	C-2R	1	3,000	Any	9.5	15.9	Indicator	Use 995-1200
995-2619	10	50	BA15d	G-38	Yellow	Any		1,000	Any		58	Post Office Indicator No. 8	Colour to BS381C
995-2620	5	12	BA15d	G-18	Clear	C-2R	50 @ 13.5V	75@15V	Any	19	37.5	ET 316 Rapier, Lamp 941	Use 995-2249

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-2621	20	6	G4	T-9	Clear Quartz	Any	450	100	Any	19.5	30	Halogen Projector lamp M/30	Commercial
995-2622	0.24	12	T7 Red	T-6.5	Clear	C-2V support	1	1,000	Any		44.45	Telephone Indicator GPO cap	PO D1524Q
995-2623	5	6	BA9s	G-15	Clear	C-2R	51	10	Any	16	28	Instrument	Commercial
995-2624	0.47	7.2	E10s	G-11	Clear	Any	1	750	Any		23	Indicator	Commercial
995-2625	0.575	5	T¾	T-2.79	Clear	C-2R	2	40,000	Any	4.6	9.65	Digital Display	Commercial
995-2626	12	11	Special	G-18	Clear	C-2R	. . .	. . .	Horiz.	25	30	Projection Table	Proprietary
995-2627	0.672	28	SX3s	T-3.125	Clear	CC-2F	2	4,000	Any		9.53	Indicator	Use 995-9184
995-2628	150	15	GZ6.35	MR-50	Dichroic	C-6		50	Horiz ±105°		42	Halogen Projector lamp A1/232	BS1075
995-2629	0.3	5	SX3s	T-3.18	Striation Free	C-2R	0	40,000	Any		9.53	Indicator	Commercial
995-2630	1.2	36	T7	T-6.8	Clear	CC-2F	3	5,000	Any		44	Indicator	Commercial
995-2631	75 / 60	12	P50t	G-40	Clear	C-8 & C-2R	1,200 / 340	75 & 150	Horiz.	27.18	80	Motor Transport	Commercial
995-2632	0.25	24	BAY15d	S-25	Clear	2C-6	35 / 470	100 & 30	Horiz.	P31.8	52.5	Motor Transport No. 334	Use 995-3288
995-2633	20	12	G4	T-9	Clear Quartz	C-6	450	250	Any	19.5	9	Halogen Projector lamp M/35	Commercial
995-2635	2.8	14	BA9s	T-10	Clear	C-2V support	18	3,000	Any	19	30	Indicator	Commercial
995-2636	0.672	28	Wires	T-3.18	Aviation Red	CC-2F	2	4,000	Any		6.35	General Lighting Service	Commercial
995-2637	0.3	5	Wires	T-3.18	Aviation Red	C-2R	1	20,000	Any		6.35	General Service	Commercial
995-2638	1.2	6	T5.5	T-5.1	Clear	Any	4	5,000	Any		31	Indicator	Commercial
995-2641	1.2	24	E10s	T-10	Clear	C-2F	4	5,000	Any		28	Indicator	Use 995-9233
995-2642	100	12	GY6.35	T-12	Clear Quartz	C-6	2,150	2,000	Any	30	44	Halogen Projector lamp M/28	Use 995-2646
995-2643	1.12	28	Bi-Pin	T-4.25	Clear	C-2F	4	1,000	Any		20.85	General Service	Use 995-1972
995-2645	0.95	2.5	Special	T-4	Clear	C-2R	9	26	Any		21	Laryngoscope	Proprietary
995-2646	100	12	G6.35	T-12	Clear Quartz	C-6	2,150	2,000	Any	30	44	Halogen Reader Printer M/28	Commercial
995-2647	21	24	BA15d	S-25	Clear	C-6	460 @ 28V	150@28V	Horiz.	31.8	52.5	Motor Transport No. 2291	
995-2648	45	24	BA15s	P-35	Clear	C-6	850	200	VBD		56	Warning Flasher	Commercial
995-2649	0.48	12	T4.6	T-4	Clear	C-2F	1	6,000	Any		22	Indicator, DC Life 3000hrs	Commercial
995-2901													
995-2902	21	24	BA15d	S-25	Clear	2C-6	460 @ 28V	150@28V	Horiz.	31.8	52.5	Motor Transport No. 349	
995-2903	1.8	3.6	P13.5s	B-10	Clear	C-2R	17	32	Any	6.7	29	Torch Headband	Commercial
995-2904	0.875	2	S5.7s	TL-5.97	Clear	C-2R	3	10,000	Any		17.45	Indicator	
995-2905	0.672	28	SX3s	T-3.18	Clear	CC-2F	2	4,000	Any		9.53	Indicator	Use 995-9184
995-2906	0.3	5	Wires	T-3.18	Clear	C-2R	0	25,000	Any		6.35	Indicator	Commercial
995-2907	0.72	12	Wires	T-3.18	Clear	C-2F	2	5,000	Any		6.35	Indicator	Commercial
995-2908	6	6	E10s	S-17	Clear	C-6			Any	. . .	. . .	Inspection Equipment	Proprietary
995-2909	1.5	12	W2.1x9.5d	T-10	Clear	C-2V support	6.6 @ 13.5V	240@15V	Any	12.7	26.8	Motor Transport Wedge Base	Commercial
995-2910	0.575	5	Wires	T-3.2	Clear	C-2R	2	40,000	Any		6.35	Indicator	Use 995-2524
995-3201	16	12	BA15d	S-25	Pearl	C-2R or V	202	200	Any	P28.5	46	General Service	DefStan 62-10 #3
995-3202	16	24	BA15d	S-25	Pearl	C-2R or V	195	200	Any	P28.5	46	General Service	DefStan 62-10 #3
995-3203	18	6	BA15d	P-38	Clear	C-8	260	100	Any	P28.5	56	M.T. Headlamp	Commercial
995-3204													
995-3205	18	6	BA15s	P-38	Clear	C-8	260	100	Any	P28.5	56	M.T. Headlamp	
995-3206	6	6	BA15d	P-38	Clear	C-6 & C-8	243 / 14.3	100	Any	P28.5	56	M.T. Headlamp	
995-3207	6	6	BA15d	S-25	Clear	C-6 & C-2V	226 Auxiliary	100	Any		46	M.T. Tail / Stop lamp	
995-3208	18	12	BA15s	T-27	Clear	C-6 or 2R	210	500	Any		58	Hand lamp	
995-3209	18	12	BA15d	P-38	Clear	C-8	250	100	Any	P28.5	56	Motor Boats	DefStan 62-10 #86
995-3210	1.4 / 20	12	BA15d	S-26	Pearl	C-6 & C-6	6.3 / 190	100 / 200	Any	26.5	46	Gunsight Graticule	DefStan 62-10 #143
995-3211	2.86 / 20	12	BA15d	G-35	Pearl&Silver	C-6 & 2C-6	. . .	100 / 200	Any	33	56.5	Reflector Gunsight	EL1100 Sheet 1243

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-3212													
995-3213	18	20	B15d	P-38	Clear	C-8	245	150	Horiz.	P28.5	56	. . .	
995-3214	18	20	B15d	S-25	Pearl	C-6	123	200	Any	P26.5	46	Gunsight	
995-3215	1.6 / 20	24	B15d	P-25	Pearl	C-6 & C-6	7.2 / 180	100 / 200	Any	26.5	46	Gunsight	EL1100 Sheet 1242
995-3216	. . .	24	B15d	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	Gunsight	
995-3217	20	12	BA15d	P-38	Clear	C-6	280	200	Any	P33	57	Aircraft Side Navigation	DefStan 62-10 #74
995-3218	20	24	BA15d	P-38	Clear	C-2R or V	165	1,000	Any	28.5	56	Motor Boats, Bus Lamp No. 814	Commercial
995-3219	20	24	BA15d	P-38	Clear	C-6	275	200	Any	P33	57	Aircraft Navigation Light	
995-3220	24	4	BA15s	T-18	Clear	C-8	. . .	100	VBD	P30	60	Exciter lamp	
995-3221	24	6	BA15d	P-38	Clear	C-2V	360	100	Any	P28.5	56	M.T. Headlamp	
995-3222													
995-3223	24	6	BA15s	P-38	Clear	C-2V	260	100	Any	P28.5	56	M.T. Headlamp	
995-3224	24 / 24	6	P30d	P-38	Clear	Bi-focal	340 / 340	100	Any	28.5	58	M.T. Headlamp	
995-3225	24 / 24	6	BA15d	P-38	Clear	C-6 & C-2V	340 / 340	100	Any	P28.5	56	M.T. Headlamp	
995-3226	24	12	BA15s	P-38	Clear	C-8	360	100	Any	P28.5	56	M.T. Headlamp	DefStan 62-10 #45
995-3227													
995-3228	24	12	BA15d	P-38	Clear	C-8	370	100	Any	P28.5	56	M.T. Headlamp	DefStan 62-10 #53
995-3229	24	12	BA15d	P-38	Clear	C-2V	360	100	Any	P28.5	56	M.T. Headlamp	
995-3230	24	12	BA15d	P-38	Orange	C-8 or 2V		100	Any	P28.5	56	Aircraft Landing Wands	Commercial
995-3231	24	12	BA15d	G-38/40	Clear	C-6	440	100	Any	P45	56	Galvanometer lamp F/3	Commercial
995-3232	4	12	BA15d	P-38	Clear	C-8 & C-6	360 / 32.6	100	Any	P28.5	56	M.T. Headlamp	DefStan 62-10 #126
995-3233													
995-3234	20	6	BA15d	S-25	Clear	C-2R or C-6	460 ± 15%	500	Any	31.8	48	Sewing Machine lamp	Commercial
995-3235	6	12	BA15d	G-22	Yellow	Any		200	Any		37	Aircraft recognition	Commercial
995-3236	10	22	BA15d	G-33	Red	Any		1,000	Any		50	General Service	PO D1010Q
995-3237	6	24	BA15d	G-22	Yellow	C-2R or V		200	Any		37	General Service	
995-3238													
995-3239													
995-3240	24	24	BA15d	P-38	Clear	CC-8	220	1000@26V	Any	P28.5	56	General Service	Commercial
995-3241	10	50	BA15d	G-38	Red	Any		1,000	Any		58	Post Office Indicator No. 8	Colour to BS381C
995-3242													
995-3243	7	28	BA15s	G-18	Blue	Any		500	Any	P16	36.5	General Service	DefStan 62-10 #18
995-3244	24	24	BA15s	S-25	Clear	C-6	377	30@28V	Horiz.	P31.8	52.5	Motor Transport	Commercial
995-3245	36	28	B15s	S-25	Red	Any		1,000	Any		46	Training Group Navigation	Commercial
995-3246	10	22	BA15d	G-33	Yellow	Any		1,000	Any		50	Indicator	PO D1010Q
995-3247	2.2	12	E10s	G-11	Clear	C-2R or V	11	500	Any		23	Instrument Lighting No. 987	Commercial
995-3248	5	12	BA9s	G-15	Clear	C-2R	36	100	Any	16	28	M.T. Side & Tail No. 989	Commercial
995-3249	10	22	BA15d	G-33	Clear	C-2R	72	1,000	Any		50	Indicator	BS 1050
995-3250	12	6	P30s	T-15	Clear	CC-6	220	50	Horiz.	35	54	Signal Lamp	Commercial
995-3251	13	7.5	BA15d	S-25	Clear	3C-8	90	200	Any	30	46	Aircraft Navigation	Commercial
995-3252	12	28	B15s	S-25	Red	Any		1,000	Any	P28.5	46	Wessex Mk. 1&2	Commercial
995-3253													
995-3254	18	12	SV8.5	T-15	Clear	C-8	324 @ 13.5V	75@13.5V	Horiz.		42	Motor Transport (Festoon)	Commercial
995-3255	0.75	2.7	Special	T-3.5	Clear	C-6	9	13	VBD	1	15	Instrument	Proprietary
995-3256	12	28	B15s	P-25	Pearl	C-2V	105	1,000	Any	28.5	46	Aircraft Internal Lighting	Commercial
995-3257													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-3258	1.12	28	E5s	T-5	Clear	C-2F	5	4,000	Any		16	Post Office Indicator 41H	Commercial
995-3259													
995-3260													
995-3261	15	35	BA15d	P-38	Pearl	C-2R or V	116	1,000	Any		56	General Service	
995-3262	7	14	BA15s	G-18	Clear	2C-2R	30 (min)	100@14V	Any		37.5	Tank Lamp	DefStan 62-10 #77
995-3263	10	12	BA15d	G-18	Clear	C-2R	125 @ 13.5V	200@13.5V	VBD	P19.5	37.5	M.T. Reflector Lights	BS6737
995-3264	2.4	6	BA15d	P-38	Clear	2C-2V	140	100	Horiz.	P28.5	56	M.T. Headlamp	
995-3266	10	26	BA15s	G-22	Clear	C-2V	130	100	Any	19	37	Fighting Vehicles	DefStan 62-10 #11
995-3267	2.4	12	BA15d	S-25	Clear	2C-6	29 / 370	1000/100	Horiz.	P31.8	46	M.T. Tail / Stop lamp No. 381	Commercial
995-3268													
995-3269													
995-3270													
995-3271	7	28	BA15d	G-18	Clear	Any	39 (min)	500	Any	P16	36.5	Aircraft General Service	DefStan 62-10 #127
995-3272													
995-3273	18	28	BA15s	S-25	Pearl	C-2R or V	250	300	Any	28.5	46	Aircraft General Service	DefStan 62-10 #19
995-3275	2.4	6	BAY15d	S-25	Clear	2C-6	29 / 355	1000/100	Any	P31.8	52.5	M.T. Stop & Tail No. 384	Commercial
995-3277	18	28	BA15d	S-25	Clear	C-2R or V	208 (min)	300	Any	30	50	General Service	DefStan 62-10 #15
995-3278	18	28	BA15d	S-25	Pearl	C-2R or V	208 (min)	300	Any	30	50	General Service	DefStan 62-10 #15
995-3279	24	6	BA15d	P-38	Clear	C-8	364	100@6.5V	Horiz.	P28.5	56	M.T. Headlamp No. 109	Commercial
995-3280	21	6	BA15s	S-25	Clear	C-6	460 ± 18%	100	Horiz.	P31.8	52.5	M.T. Stop Lamp No. 317	Commercial
995-3281	21	12	BA15s	S-25	Clear	C-6	460 @ 13.5V	150@13.5V	Horiz.	P31.8	52.5	Motor Transport No. 382	
995-3282	7	28	BA15s	G-18	Clear	Any	39 (min)	500	Any	P16	36.5	General Service	DefStan 62-10 #18
995-3283	18	28	BAY15s	G-30	Part Silvered	C-6 Special	168 (min)	300	Special	28	52.92	Aircraft Navigation	DefStan 62-10 #14
995-3284	18	28	BA15s	S-25	Clear	CC-6	225 (min)	400	Any	28.5	52.5	Fighting Vehicles	DefStan 62-10 #59
995-3286	9	28	BA15d	G-23	Red glass	C-6 or 2V	13 (min)	500	Any	19.5	41	Aircraft General Service	DefStan 62-10 #128
995-3287	0.33333333	6	BA15d	S-25	Clear	2C-6	22 / 270	500 / 30	Horiz.	P30.3	47	Motor Transport No.383	Commercial
995-3288	2.4	24	BAY15d	S-25	Clear	2C-6	40 / 440	1500@28V	Horiz.	P31.8	52.5	Motor Transport	BS6737
995-3290	6	6	BA9s	G-16	Clear	Any	45	100@7.5V	Any		28	M.T. and General Service No. 951	Commercial
995-3291	4	4	E14s	S-18	Pearl	Any	46 (min)	250	VBD	38	45.5	Miners lamp, Krypton filled	Commercial
995-3292	12	28	BA15s	S-25	Clear	Special	80 (min)	300	Any	30	50	Aircraft Tail Navigation	DefStan 62-10 #129
995-3293	21	12	BA15d	S-25	Clear	C-6	460 @ 13.5V	150@13.5V	Any	P31.8	52.5	Motor Transport No. 335	
995-3294	12	28	BA15d	S-25	Clear	Special	80 (min)	300	Any	30	50	Aircraft Tail Navigation	DefStan 62-10 #130
995-3295	6	30	BA15d	G-18	Clear	C-2R or V	34 (min)	1,000	Any	P16	32.5	General Service	DefStan 62-10 #99
995-3296	0.23333333	28	BAY15d	S-25	Clear	2C-6	40 / 540	400 / 30	Horiz	P31.8	47	M.T. Tail & Stop	Commercial
995-3297	10	50	BA15d	G-38	Clear	Any	68	1,000	Any		58	Post Office No. 8 D1010Q	PO
995-3298	12	12	BA15d	T-18	Clear	C-8	84	200@13.5V	Any	33	18	Air Cooling Trolley Mk.V	Commercial
995-3301	40	28	BA15s	P-38	Clear	C-6	510 (min)	300	Any	33	57	Aircraft Navigator, Side	DefStan 62-10 #133
995-4201	6	12	B22d	ST-28	Clear	Any	44	1,000	Any		56	General Service	DefStan 62-10 #75
995-4202	6	12	B22d	ST-28	Clear	Any	44	1,000	Any		58	. . .	DefStan 62-10 #13
995-4203	6	24	B22d	G-18	Clear	C-2V support	33	200	Any		37	General Service	Commercial
995-4204	10	50	B22d	ST-28	Clear	Any	51	1,500	Any		56	Pygmy Sign	DefStan 62-10 #29
995-4205	12	12	B22d	G-38	Clear	Any	123	1,000	Any		53	Bus lamp	DefStan 62-10 #76
995-4206	12	12	B22d	G-38	Red Laquer	Any		1,000	Any		53	General Service	
995-4207	15	24	B22d	P-38	Clear	Any	118 (min)	1,000	Any		53	Bus Lamp	DefStan 62-10 #76
995-4208													
995-4209	15	50	B22d	ST-28	Clear	Any	94 (min)	1,000	Any		56	Pygmy Sign	DefStan 62-10 #10



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-4210	15	50	B22d	ST-28	Clear	Any	87	1,000	Any		56	Indicator	
995-4211	15	50	B22d	ST-28	Ruby Glass	Any		1,000	Any		56	Pygmy Sign	DefStan 62-10 #75
995-4212	15	50	B22d	PS-60	Pearl	C-2V	140	1,000	Any	75	108.5	General Service	DefStan 62-10 #2
995-4213	18	6	BA20s	PS-38	Clear	C-6 or 2V	243	100	Any	P30	67	M.T. Headlamp	
995-4214	20	24	B22d	P-38	Clear	Any	155	1,000	Any		53	Bus Lamp	DefStan 62-10 #76
995-4215	20	24	B22d	G-49	Clear	Any	225	1,000	Any		68	General Service	
995-4216													
995-4217	24	12	B22d	G-38	Pearl	Any	306	1,000	Any		53	Bus lamp	DefStan 62-10 #76
995-4218													
995-4219	15	25	B22d	PS-55	Pearl	Any	170	1,000	Any	65	92.5	General Lighting Service	
995-4220	15	50	B22d	PS-55	Red	C-9		1,000	Any		92.5	General Service	
995-4221	15	35	B22d	P-38	Pearl	Any	110	1,000	Any		56	Welding Sets	Commercial
995-4222	15	50	B22d	PS-55	Amber	C-9		1,000	Any		92.5	General Service	
995-4224	12	12	B22d	G-38	Pearl	C-2R	94 / 142	1,000	Any	38	53	Bus Lamp No. 804	Commercial
995-4225	15	25	B22d-3	ST-28	Clear	Any	95	1,000	Any		57	Pygmy Sign	Commercial
995-4226	15	25	B22d-3	PS-60	Pearl	Any	40	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #12
995-4227	15	25	B22d	ST-28	Clear	Any	98 (min)	1,000	Any		57	Pygmy Sign	DefStan 62-10 #10
995-4228	15	30	B22d	ST-28	Clear	Any	98 (min)	1,000	Any		57	Pygmy Sign	DefStan 62-10 #10
995-4229	12	24	B22d	G-38	Pearl	C-2R	92 @ 26V	1000@26V	Any	38	53	Bus Lamp	Commercial
995-4230	6	24	BA9s	G-15	Clear	C-2R	28	500	Any		28	Motor Transport	Commercial
995-4231	48	12	P36s	ST-28	Clear	C-8	,166 @ 13.2	50@14V	Horiz.	21.5	64	Tape Reader Head No. 185	Commercial
995-4232	0.24	6	BA9s	T-11	Clear	C-6	1	1,000	Any		30	Indicator	Commercial
995-4233	0.6	6	E5s	T-5.8	Clear	C-2R	2	1,000	Any	13.21	17.5	Indicator	Commercial
995-4234	75	26	Special	T-10	Clear Quartz	CC-8	1,900 @ 28V	225@28V	Any	38.8	59.9	Aircraft Lighting, halogen	Proprietary
995-4301	25	25	B22d	T-25	Clear	Any	131	1,000	Any		86	Instruments	DefStan 62-10 #98
995-4302	25	25	E27s	PS-60	Pearl	Any	316	1,000	Any	76.5	110	General Lighting Service	DefStan 62-10 #4
995-4303													
995-4304													
995-4305	25	40	B22d	PS-60	Clear	C-9	290	1,000	Any	70	100	General Lighting Service	
995-4306	25	50	B22d	PS-60	Pearl	C-9	270	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2
995-4307	25	50	B22d	ST-28	Ext. Frosted	Any	182	1,000	Any		56	Pygmy Sign	Comercial
995-4308	25	50	B22d	ST-28	Clear	Any	190	1,000	Any		56	Pygmy Sign	
995-4309	25	25	B22d	PS-60	Pearl	Any	316	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2
995-4310													
995-4311	25	25	B22d-3	PS-60	Pearl	Any	310	1,000	Any	75	108.5	General Service	DefStan 62-10 #12
995-4312	25	50	E27s	PS-60	Pearl	Any	280	1,000	Any	76.5	110	General Lighting Service	DefStan 62-10 #4
995-4315	1.2	12	E5s	T-5	Clear	C-2V		1,000	Any		16	Post Office Indicator 41D	PO D2159B
995-4316	48	12	BA15d	S-38	Clear	C-8	880	100	Any	P28.5	56	General Service	Commercial
995-4317	0.672	28	Wires	T-3.18	Clear	CC-2F	2	16,000	Any		6.35	Indicator	Use 995-4534
995-4318	1.26	6.3	SX6s	T-6.4	Clear	C-2R support	5	50,000	Any	9.4	15.9	Indicator	Use 995-1999
995-4319	1.12	28	E5s	T-5.8	Clear	C-2R	3	50,000	Any	13.2	5.8	Indicator	Use 995-4464
995-4320	50	12	GY6.35	T-11.5	Clear Quartz	C-6	1,400	50	VBD ±90°	30	44	Halogen Projector lamp A1/220	Commercial
995-4321	75	45	BA15s	T-32	Clear	C-13	1,290	50	BD	34.5	85	Smoke Detector Units	Commercial
995-4322	36 / 36	12	P36d	ST-28	Clear	C-6 & C-6	558 / 558	50@14V	Horiz.	21.5	64	M.T. Headlamp LH Drive No. 301	Commercial
995-4356	3	4	P30s	T-16	Clear	C-8	30	50	Any	28.5	50	Exciter lamp G/27	Commercial
995-4401	30	12	P28s	G-40	Clear	2C-8	575 @ 13V	30@13V	Horiz.	20	65	Signalling lamp	DefStan 62-10 #64

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-4402	30	24	P28s	G-40	Clear	2C-8 or C-2	520	40	Horiz.	20	65	Aircraft Signalling lamp	DefStan 62-10 #64
995-4403	36	12	B22d	G-38	Clear	C-8	470 (min)	100@13.5V	Horiz.	P28.5	56	M.T. Headlamp	DefStan 62-10 #54
995-4404													
995-4405													
995-4406	36 / 36	12	BA20d	P-38	Clear	C-6 & C-2V	530 / 530	100	Any	P30	67	M.T. Headlamp	
995-4407	36	24	B22d	G-38	Clear	C-8 or 2V	340	1,000	Any	28.5	56	M.T. Headlamp / Bus interior	DefStan 62-10 #54
995-4408	40	12	B22d-3	P-50	Clear	C-6	565	100	Horiz.	P42	68.5	Aircraft Navigation Light	
995-4409	40	50	B22d	PS-60	Clear	C-2V	480	1,000	Any	80	110	General Lighting Service	
995-4410	40	50	B22d	PS-60	Pearl	C-2V	480	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2
995-4411	36	24	B22d	P-38	Clear	C-8 or 2V	340	1,000	Any	P28.5	56	General Service	
995-4412	40	25	B22d	PS-60	Pearl	Any	560	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2
995-4413													
995-4414	36	12	P36s	ST-28	Clear	C-8	610	50	Horiz.	21.5	62	M.T. Headlamp	
995-4415	36 / 36	12	P36d	ST-28	Clear	C-6 & C-6	555 / 555	50	Horiz.	21.5	62	M.T. Headlamp RH Drive	
995-4416	36 / 36	12	P36d	ST-28	Clear	C-6 & C-6	558 / 558	50	Horiz.	21.5	62	M.T. Headlamp LH Drive	Use 995-4322
995-4417	6	36	BA20s	P-38	Clear	C-8	590	100	Horiz.	P30	67	M.T. Headlamp	Commercial
995-4418	42 / 36	12	P36d	ST-28	Clear	C-6 & C-6	630 / 504	75 / 100	Horiz.	21.5	62	M.T. Headlamp RH Drive No. 354	Commercial
995-4419	48	12	P36s	ST-28	Clear	C-6	840	50	Horiz.	21.5	62	M.T. Fog Lamp No. 323	
995-4420	35 / 35	12	P36d	ST-28	Clear	C-8 & C-2R	486 main	100	Horiz.	22.1	62	"Duplo" M.T. Headlamp	Commercial
995-4421	40	50	E27s	PS-60	Pearl	Any	500	1,000	Any	80	110	General Lighting Service	
995-4422	30 / 24	6	P36d	ST-28	Clear	C-6 & C-6	468 / 355	50	Horiz.	21.5	62	Motor Cycle Headlamp	Commercial
995-4424	36	6A	BA20s	P-38	Clear	C-8	560	50	VBD	P30	64	Airfield Lighting EL/40 J1/7	DofE M&E 102
995-4425	36	6A	BA20s	G-60	Clear	C-8	575	50	VBD	P43	90	Airfield Lighting EL/52	DofE M&E 102
995-4426	50	8.33A	BA20s	G-60	Clear	C-8	800	50	BDTH	P43	90	Airfield Lighting EL/53	DofE M&E 102
995-4427	40	6.6A	P36d	ST-28	Clear	C-8	640 @ 6V	50	VBD	21.5	64	Airfield Lighting EL/54	DofE M&E 102
995-4428	36	6A	BA20d	G-60	Clear	C-8	575	50	VBD	P43	90	Airfield Lighting EL/58	DofE M&E 102
995-4429	44 / 38	24	P36d	ST-28	Clear	C-6 & C-6	580 / 471	350 / 475	Horiz.	21.5	64	M.T. Headlamp RH Drive	Commercial
995-4431	45 / 40	2	P36d	ST-28	Clear	C-8 & C-2R	594 / 448	100 / 200	Horiz.	22.1	62	Motor Transport No. 370	Commercial
995-4432	48 / 48	12	P36d	ST-28	Clear	C-6 & C-6	768 / 768	50@14V	Horiz.	21.5	62	M.T. LH Drive No. 303	Commercial
995-4434	44	24	P36d	ST-28	Clear	C-6	1,030	100@28V	Horiz.	21.5	64	M.T. Headlamp No. 330	Commercial
995-4435	44 / 38	24	P36d	ST-28	Clear	C-6 & C-6	580 / 471	350 / 475	Horiz.	21.5	64	M.T. Headlamp LH Drive No. 332	Commercial
995-4437	44	24	P36s	ST-28	Clear	C-6	1,030	100@28V	Horiz.	21.5	64	M.T. Fog lamp No. 606	
995-4438	50 / 40	12	P36d	ST-28	Clear	C-6 & C-6	620 / 825	75 / 100	Horiz.	21.5	64	M.T. Headlamp RH Drive No. 414	Commercial
995-4439	36	24	BA15s	P-38	Clear	C-8	420	1,000	Horiz.	P28.5	56	Motor Transport No. 621	Commercial
995-4441	50 / 50	24	P45t	G-41.5	Clear	C-2R & C-8	500	200	Horiz.	28.5	82	M.T. Hooded Filament headlamp	Use 995-4497
995-4442	36	24	P30d	P-38	Clear	C-6	500 @ 26V	1000@26V	Any	28.5	58	Motor Transport	Commercial
995-4443	30 / 24	6	P36d	ST-28	Clear	C-6 & C-6	430 / 324	50	Horiz.	21.5	62	M.T. Headlamp RH Drive	Commercial
995-4444	24 / 24	12	P36d	ST-28	Clear	C-6 & C-6	330 / 320	75@14V	Horiz.	21.5	62	Motor Transport	Commercial
995-4445	2.2	12	E10s	G-15	Ruby Tint	Any	10	500	Any		17.5	Indicator	Commercial
995-4446	3	12	W2.1x9.5d	T-10	Clear	C-2V support	22 @ 13.5V	240@15V	Horiz.	12.7	26.8	M.T. Wedge Base No. 504	Commercial
995-4447	1.6	48	SX6s	T-5.8	Clear	C-2F	5	1,000	Any	9.5	16.1	Indicator	Commercial
995-4448	0.24	6	SX6s	T-5.85	Clear	C-2R	0	10,000	Any		16.1	Indicator	Commercial
995-4449	45	12	BA15s	S-35.5	Clear	C-6	922	50	Any		56	M.T. Rotating Beacon	Commercial
995-4450	200	30	P30s	T-32	Clear	CC-6	4,600	600	VBD	30	85	Airfield Lighting EL/63	DofE M&E 102
995-4451	1.8	6	BA9s	T-11	Clear	C-2R	8	1,000	Any		29	General Service	Commercial
995-4452	0.72	12	SX3s	T-3.18	Clear	C-2F	2	5,000	Any		9.53	Indicator	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-4453	1.62	6.5	E10s	T-10	Clear	C-2R	110	3,000	Any		28	Indicator	Commercial
995-4454	5	24	BA15d	G-18	Clear	C-2R support	37	500@29V	Any	19.5	32.5	General Service	Commercial
995-4455	55	12	P36s	T-11.5	Clear	C-6	1,045	150	Horiz.	21.5	54	M.T. Headlamp No. 450	Use 995-2254
995-4457	100	12	GY6.35	T-11	Clear Quartz	C-6	3,000	50	VBD	30	44	Halogen Projector lamp A1/215	BS1075
995-4459	100	12	P35s	RT-49x41	Part Silvered	C-6		25	VBD ±15°	44	95	Projector Lamp A1/203	Commercial
995-4460	1.12	28	S5.7s	T-5.85	Clear	C-2F	5	400	Any		15.9	General Service	Commercial
995-4462	1.12	28	T7	T-6.35	Clear	C-2F	2	5,000	Any		27.3	Indicator	Commercial
995-4463	100	25	E27s	PS-60	Pearl	C-9	1,160	1,000	Any	76.5	106.5	GLS	Commercial
995-4464	1.12	28	E5s	T-5.7	Clear	C-2F	4	4,000	Any	13	17.5	Indicator	Commercial
995-4465	60	25	B22d-3	PS-60	Pearl	C-8	890	1,000	Any		105	General Lighting Service	Commercial
995-4466	55	12	PK22s	T-11.5	Clear Quartz	C-6	1,450 @ 13.2V	225@13.2V	Horiz.	18	42	M.T. Headlamp	BS 6737
995-4467	50 / 40	12	P36d	ST-28	Clear	C-6 & C-6	700 / 520	75 / 100	Horiz.	21.5	64	Motor Transport LH Drive	Commercial
995-4468	0.6	12	BA7s	T-6.8	Clear	C-2R support	1	1,000	Any		24	Indicator	Commercial
995-4469	0.6	24	BA7s	T-6.6	Clear	C-2R support	1	8,000	Any		24	Indicator	Commercial
995-4470	100	12	PG22d	T-11.5	Clear Quartz	C-6	3,200	50	VBD ±105°	18	48	Halogen Projector Lamp A1/45	Commercial
995-4471	45 / 40	12	P36d	ST-28	Yellow Glass	C-8 & C-2R	579 / 322	100	Horiz.	21.5	62	Motor Transport No. 371	Commercial
995-4472	1.89	6.3	BA9s	T-10	Clear	C-2R	12	1,000	Any		28.5	Indicator	Commercial
995-4473	5	6	E10s	G-15	Clear	C-2R	33	100	Any	21.5	29	Indicator	Commercial
995-4474	0.3	5	S3s	T-3.1	Clear	C-2R	0	60,000	Any	4.7	9.375	Indicator	Use 995-1198
995-4475	1.2	12	T7	T-5.1	Clear	C-2V	3	5,000	Any		31	Telephone Indicator GPO cap	Use 995-2149
995-4476	70	24	PK22s	T-11.5	Clear Quartz	C-6	1,750 @ 28V	225@28V	Any	18	42	Projector Lamp No. 460	
995-4478	24	24	P36d	ST-28	Clear	C-6	336 @ 28V	150@28V	Any		64	Reversing Light	Commercial
995-4479	21	24	BA15s	S-25	Clear	C-6	460 @ 28V	150@28V	Horiz.	31.8	52.5	Motor Transport	Use 995-4495
995-4480	1.2	6	W2.1x9.5d	T-10	Clear	C-2R	12	100	Any	12.5	26.8	Cyclodyne Wedge Base	Commercial
995-4481	0.6	6	W2.1x9.5d	T-10	Clear	C-2R	3.3 ± 20%	500	Any	12.7	26.8	Cyclodyne Wedge Base	BS 6873
995-4482	0.975	6.5	E10s	T-10	Clear	C-2R	6	3,000	Any		28	General Purpose	Commercial
995-4483	1.12	28	Wires	T-5	Clear	C-2F	5	4,000	Any		13.5	Computer	Commercial
995-4484	0.45	5	BA9s	T-10	Clear	C-2R	3	750	Any		28	General Purpose	Commercial
995-4485	1.2	36	T5.5	T5.4	Clear	CC-2F	3	5,000	Any		30	Radio	Commercial
995-4486	0.3	6	T4.6	T-4	Clear	C-2V support	1	8,000	Any		22	Instrument	Commercial
995-4487	0.24	6	Wires	T-3.04	Clear	C-2R	1	5,000	Any		19.05	Indicator	Commercial
995-4488	20	12	BA9s	T-8.5	Clear Quartz	C-6	400 @ 13.2V	100@13.2V	Any	15	30	Portable Light, Halogen	Commercial
995-4489	2.8	28	BA9s	T-10	Clear	C-2F	20	1,000	Any		30	General service	Use 995-9170
995-4490	0.875	2.5	SX6s	TL-5.97	Clear	C-2R	1	10,000	Any		17.45	Instrument	Commercial
995-4491	1.12	28	SX6s	T-5.85	Clear	C-2F	4	7,000	Any	9.52	16.10	Instrument	Use 995-9182
995-4492	0.672	28	SX3s	T-3.18	Clear	CC-2F	2	16,000	Any		9.50	Instrument	Use 995-9184
995-4493	18	12	SV8.5	T-15	Clear	C-8	324 @ 13.5V	75@13.5V	Horiz.		42	Motor Transport (Festoon)	Use 995-3254
995-4494	10	24	SV8.5	T-11	Clear	C-8	100 (min)	200	Horiz.		40	Motor Transport (Festoon)	Commercial
995-4495	21	24	BA15s	S-25	Clear	C-6	460 @ 28V	150@28V	Horiz.	31.8	53	Motor Transport No. 290	
995-4496	70	24	PK22s	T-11.5	Clear Quartz	C-6	1,750 @ 28V	150@28V	Any		42	Motor Transport halogen	Use 995-4476
995-4497	55 / 50	24	P45t	G-40	Clear	C-8 & C-2R	600 / 4,400	225	Horiz.	28.5	82	M.T. Duplo Hooded Filament No. 429	
995-4498	7	28	B15s	G-18	Clear	C-2R support	45	1,000	Any		33	Aircraft Lighting	Commercial
995-4499	1.2	12	W2x4.6d	T-5	Clear	C-2V support	7.2 @ 13.5V	1000@13.5V	Any	10	20	Wedge Base Indicator	Commercial
995-4501													
995-4502	48	12	E27s	P-50	Clear	C-2	925	100	VBD	38	70	Microprojector, Class F	
995-4503	60	50	B22d	PS-60	Clear	C-9	770	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-4504	60	50	B22d	PS-60	Pearl	C-9	770	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2
995-4505	60	12	BA20s	P-50	Clear	C-8	1,128	100	Any	P30	74	M.T. Fog lamp	Commercial
995-4506													
995-4507	44 / 38	12	P36d	ST-28	Clear	C-6 & C-6	590 / 480	350 / 475	Horiz.	21.5	62	M.T. Headlamp RH Drive No. 358	Commercial
995-4508	50 / 50	26	P36d	ST-28	Clear	CC-6&CC-6	570 / 570	500	Any	21.5	62	Fighting Vehicles	DefStan 62-10 #51
995-4509	44 / 38	12	P36d	ST-28	Clear	CC-6&CC-6	590 / 480	350 / 475	Any	21.5	62	Fighting Vehicles	DefStan 62-10 #50
995-4510	45 / 35	6.4	P36d	ST-28	Clear	CC-6&CC-6	700 / 520	75 / 100	Horiz.	21.5	62	"Ford" Lorries	
995-4511	40	30	B22d	PS-60	Pearl	Any	540	1,000	Any	80	110	Emergency Lighting	
995-4512	60	25	B22d	PS-60	Pearl	Any	756 (min)	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #2
995-4513	60	50	E27s	PS-60	Pearl	Any	825	1,000	Any	76.5	110	General Lighting Service	DefStan 62-10 #4
995-4514	60	6.6A	P28s	P-65	Clear	C-2V	1,100 @ 9V	50	VBD	65	120	Airfield Lighting EL/33	DoF M&E 102
995-4515	38	12	P36d	S-28	Clear	C-6	509	475@13V	Horiz.	21.5	64	Motor Transport No. 326	Commercial
995-4516	60	6.6A	P36s	S-28	Clear	C-8	1,100 @ 9V	50	VBD	21.5	64	Airfield Lighting EL/62	DoF M&E 102
995-4517	72	6A	BA20s	P-50	Clear	CC-6	1,300	50	VBD ±90°	P35	73	Airfield Lighting EL/42	DoF M&E 102
995-4519	50	8.33A	BA20d	G-60	Clear	C-8	800	50	VBD	P43	90	Airfield Lighting EL/49	DoF M&E 102
995-4520	36	12	P36d	ST-28	Clear	C-6	545	50@13.5V	VBD	21.5	60	Airfield Lighting EL/46	DoF M&E 2145/A52
995-4521	100	8.33A	BA20s	G-60	Clear	C-2	2,100	50	VBD ±90°	P43	90	Airfield Lighting EL/50 J1/33	DoF M&E 102
995-4524	200	8.33A	P28s	G-80	Clear	C-13	3,700	200	VBD ±45°	55.5	120	Airfield Lighting EL/60 J1/53	DoF M&E 102
995-4525	48	12	E14s	G-50	Clear	C-6	950	100	VBD	40	81	Microprojector lamp F/4	Commercial
995-4526	2.04	6.8	E10s	G-11	Clear	C-2R	11	2,000	Any	18	24	Radio Panel	Commercial
995-4527	60	25	E27s	PS-60	Pearl	C-9	948	1,000	Any	76.5	105.5	General Lighting Service	Commercial
995-4528	48	24	P36s	ST-28	Clear	CC-6	580	200	Any	21.5	62	Motor Transport	Proprietary
995-4529	3	24	W2.1x9.5d	T-10	Clear	C-2R	22 @ 28V	100@28V	Any	12.7	26.8	M.T. Wedge Base No. 505	
995-4530	50	12	GY6.35	T-12	Clear Quartz	C-6	830	3,000	Any	30	44	M/32 Halogen Lamp	Commercial
995-4531	0.72	18	T7	T-6.5	Clear	C-6	1	5,000	Any		23.2	Telephone Indicator GPO cap	Commercial
995-4532	0.864	2.7	Special	G-8	Clear	C-2R	6	50	Any	14	25.4	Medical Ophthalmoscope	Proprietary
995-4533	0.6	6	W2.4x9.5d	T-10	Clear	C-2R	3	500	Any	12.7	26	Motor Transport Wedge Base	Commercial
995-4534	0.672	28	Wires	T-3.18	Clear	CC-2F	2	4,000	Any		6.35	Indicator	Commercial
995-4535	100	24	GX5.3	MR-44	Dichroic	CC-6	. . .	50	VBD ±105°		50.67	Halogen Projector lamp A1/252	BS 1075
995-4537	1	5	Special	T-5.7	Clear	C-2R	8.5/W @ 6V	600	Any		20.4	Encoder	Proprietary
995-4538	0.6	28	SX3s	T-3.17	Clear	C-2R	2	1,000	Any	4.77	9.14	ARI 18227	Commercial
995-4539	4	12	BA9s	T-8.5	Clear	C-2R	35 @ 13.5V	300@13.2V	Any	15	27.4	Motor Transport	Commercial
995-4540	250	24	G6.35-15	T-13.5	Clear Quartz	C-6	8,500	50	VBD ±90°	33	55	Halogen Display lamp A1/223	BS1075
995-4556													
995-4558	1.2	12	E5s	T-5.84	Clear	C-2R	6	1,000	Any	13.1	17.5	General Service	Commercial
995-4601													
995-4602	72	6	P28s	T-32		C-8	1,340	100	VBD	55.5	133	Microprojector, Class F	
995-4603	100	6	P28s	T-25					VBD	55.5	133		
995-4604	100	12	P28s	G-60	Clear	C-2V	1,350	500	Horiz.	37	90	Projector lamp	
995-4605	100	12	P28s	T-25	Black Top	C-2	2,400	100	VBD	55.5	133	Still Projector lamp A1/4	Commercial
995-4606													
995-4607	100	30	P28s	T-25	Clear	C-13 Offset	2,250	50	VBD	55.5	133	Projector lamp, Class A1	DefStan 62-10 #56
995-4608													
995-4609	100	24	P28s	P-60	Clear	C-8	2,030	100	Horiz.	44.5	95	Aircraft Taxying / Landing	DefStan 62-10 #135
995-4610	100	24	E27s	PS-70	Pearl	CC-6	2,200	100	Horiz.	90	125	Photo. Enlarger	
995-4611	40	35	B22d	PS-60	Pearl	Any	520	1,000	Any	80	110	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-4612	100	25	B22d	PS-75	Pearl	Any	1,630	1,000	Any	100	137.5	General Lighting Service	
995-4613	100	50	E27s	PS-75	Pearl	Any	1,530	1,000	Any	100	137.5	General Lighting Service	
995-4614	100	12	E27s	P-78	Light Satin	CC-8		100	Horiz.	76	116	"Francis" Searchlight	
995-4615	100	12	E27s	P-	Heavy Satin	CC-8		100	Horiz.	76	116	"Francis" Searchlight	
995-4616	100	8.33A	BA20d	G-60	Clear	CC-6	2,100	50	VBD ±90°	50	90	Airfield Lighting EL/44	DofE M&E 102
995-4618	100	8.33A	P28s	P-65	Clear	CC-6	2,100	50	VBD	55.5	108	Airfield Lighting EL/56 J1/35	DofE M&E 102
995-4620	100	8.33A	BA20s	G-60	Clear	CC-6	2,100	50	VBD ±90°	50	90	Airfield Lighting EL/45 J1/32	DofE M&E 102
995-4621	100	8.33A	BA20d	G-60	Clear	C-2	2,100	50	VBD ±90°	P43	90	Airfield Lighting EL/51	DofE M&E 102
995-4622	120	12	BA20s	G-50	Clear	2C-2V	2,000	100	Horiz.	32	73	Dome Trainer No. 6	Commercial
995-4623	100	24	E27s	P-78	Black Crown	CC-8		100	VBD	76	116	Marine Searchlight H/5	Commercial
995-4624	100	12	E27s	G-60	Clear	C-6	2,100	100	VBD ±135°	55	90	Microprojector lamp F/14	Commercial
995-4625	100	12	BA15s	T-26	Clear	C-6	2,800	25	VBD	P35	78	Projector lamp A1/186	Commercial
995-4626	100 / 100	26	P45t	P-44	Clear	Special	1,530 / 1,500	500 / 500	Horiz.	26.1	82	Infra Red Headlamp	Use 659-8126
995-4627	100	12	G6.35	T-10	Clear Quartz	C-6	3,000	50	C-6	24	42	Halogen Projector lamp A1/209	Commercial
995-4628	100	12	P28s	G-60	Clear	C-6	2,100	100	VBD ±135°	37	98	Microprojector lamp F/63	Commercial
995-4629	100	12	Bi-Post	T-15	Clear Quartz	C-6	1,800 / 2,700	100 / 300	Horiz.		45	A/C Carrier Centre Line Lamps	Proprietary
995-4630	100	12	P28s	G-60	Clear	C-6	2,100	100	VBD ±135°	37	98	Microprojector lamp F/63	Commercial
995-4631	100	12	BA21s-4	T-26	Clear	C-6	2,800	20	VBD	29.5	79	Projector lamp A1/193	Commercial
995-4701													
995-4702	132 / 132	11	P28d	P-60	Clear	C-8 & C-6	3,150 / 3,150	50	Horiz.	41	95	Aircraft Landing lamp	
995-4703	144	12	P28s	ST-60	Clear	C-2	3,460		Horiz.	37	95	Aircraft Landing lamp	
995-4704													
995-4705	144 / 144	12	P28d	P-60	Clear				Horiz.	41	95	Aircraft Landing lamp	
995-4705	144 / 144	12	P28d	G-60	Clear	C-8 & C-6	3,900 / 3,900	50	Horiz.	41	95	Aircraft Landing 10B/27A	Proprietary
995-4706													
995-4707													
995-4707	180 / 264	12	P28d	G-75	Clear	C-8 & C-6	3,400 / 5,000	50	Horiz.	57	120	Aircraft Landing lamp	Commercial
995-4708	198	11	P28s	P-60	Clear	C-6	4,900	50	Horiz.	41	95	Aircraft Landing lamp	
995-4709	200	12	P28s	P-60	Clear	Special	1,810	200	Horiz.	44.5	95	Signalling lamp	
995-4710	200	24	P28s	P-60	Clear	Special	1,810	200	Horiz.	44.5	95	Aircraft Signalling	
995-4711	200	50	P28s	T-32	Clear	C-13 Offset	4,750	50	VBD	55.5	133	Projector lamp , Class A1	
995-4712	240	12	P28s	G-60	Clear	C-2	5,800	50	H+20-0°	37	90	Aircraft Landing lamp type G	DefStan 62-10 #136
995-4713	240	20	P28s	PS-75	Clear	CC-8	6,160	75	Horiz.	78.5	141	Signalling lamp	
995-4714													
995-4715													
995-4716	240	26	P28s	G-60	Clear	CC-6	5,800	50	Horiz.	37	90	Aircraft Landing type G	DefStan 62-10 #136
995-4717	240	26	P28s	P-60	Clear	CC-6	5,800	50	Horiz.	44.5	95	Aircraft Landing retractable J	DefStan 62-10 #135
995-4718	250	12	E27s	T-38	Clear	CC-6	4,515	100	VBD	75	145	Projector, Class A1	
995-4719	250	24	P28s	T-38	Clear	CC-6	6,160	100	VBD	55	150	Projector, Class A1	
995-4720	250	24	E27s	T-38	Clear	CC-6	6,160	100	VBD	75	145	Marine Searchlight Class A1	DefStan 62-10 #137
995-4721	250	50	P28s	T-32	Clear	C-13	6,000	50	VBD	55.5	133	Projector lamp A1/5	Commercial
995-4722	350 / 350	22	P28d	P-75	Clear	C-6 & C-8	8,400 / 8,400	50	Horiz.	57	125	Aircraft Landing lamp	Commercial
995-4723													
995-4724	288	12	P28s	P-60	Clear				Horiz.		95	Aircraft Landing lamp	
995-4725	250	24	E27s	T-64	Clear	CC-6			VBD	70	133		
995-4726	150	12	E27s	T-38	Clear						145		

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-4727	144	24	P28s	PS-60	Clear	CC-8	3,600	50	Horiz.	41	95	Aircraft Landing lamp	Commercial
995-4728	200	30	P28s	PS-80	Clear	CC-8	3,700	200	VBD ±135°	55.5	120	Fire Airfield Lighting EL/55 J1/48	DoF E M&E 102
995-4729	200	8.33	P28s	G-80	Clear	CC-8	3,700	200	VBD ±135°	55.5	120	Airfield Lighting EL/39 J1/52	DoF E M&E 102
995-4730	250	24	E27s	P-78	Black Crown	CC-8	3,750	100	VBD	76	116	Marine Searchlight	Commercial
995-4731	300	36	P28s	P-80	Clear	CC-8	4,500 (min)	500	VBD ±135°	55	130	Deck Approach Landing	DefStan 62-10 #100
995-4732	150	24	BA20s	G-60	Clear	CC-6	2,100 (min)	500	VBD ±135°	35	92	Deck Approach Landing GPIMk.1	DefStan 62-10 #28
995-4733	144	24	P28s	G-60	Clear	. . .	3,168	50	Horiz.	41	95	Air Refueller (Harley 10B/27B)	Commercial
995-4734	150	21.5	G17q	T-38	Black Top	CC-6		25	VBD	39.7	91	Projector lamp A1/184	Commercial
995-4735	200	8.33A	R7s-15	T-12	Clear	CC-8	4,200	1,000	Any		63.6	Halogen Airfield J1/51	Commercial
995-4736	2.7	6	E10s	T-10	Clear	C-2R	8	50	Any		29	Flash Warning	Commercial
995-4737	30	6	P30s	T-19	Clear	C-6	450	100	VBD	23	54	Exciter lamp G/45	Commercial
995-4738	0.7	28	SX3s	T-3.1	Clear	C-2R	2	16,000	Any		9.37	Indicator	Use 995-9184
995-4739	2.2	12	BA9s	T-10	Clear	C-2V support	11	3,000	Any		28	Indicator	Commercial
995-4740	0.24	12	T7	T-6.5	Clear	C-6	1	5,000	Any		23.2	Telephone Indicator GPO cap	Commercial
995-4909	300	240	G17q	T-32	Black Top	CC-13	6,900	25	VBD ±15°	39.7	103	Projector lamp A1/178	Commercial
995-6701	200	11	E40s	T-63	Clear	C-13 12-part	3,400	50	VBD	88	135	Tank Signalling lamp	
995-6702	300	24	P40s	PS-75	Part Silvered	C-2 Offset		50	Horiz.	75	160	Special Projector	
995-6703	350	12	P40s	G-75	Clear	C-2	8,600	50	H+20-0°	43	120	Aircraft Landing lamp	DefStan 62-10 #138
995-6704	350	14	P40s	G-75	Clear	C-2	4,150 @ 12V	200@12V	Horiz.	43	120	Projector	
995-6705	350	26	P40s	G-75	Clear	CC-6	8,600	50	Horiz.	43	120	Aircraft Landing lamp	DefStan 62-10 #138
995-6706	350	26	P40s	G-75	Clear	CC-6	7,050	200	Horiz.	43	120	Projector	
995-6707	400	24	P40s	T-64	Clear	CC-8	10,270	100	VBD	84	235	Projector lamp, Class A1	
995-6708	250	24	E40s	A-110	Clear	CC-6	6,500	25		190	245	Cloud Searchlight	
995-6709	200	8.33A	Special	T-10	Clear Quartz	CC-8	4,200	600	Any	15	61.5	Tungsten Iodine Projector	Commercial
995-6710	200	24	Wires	T-12	Clear	C-8	4,200	1,000	Any	30	78.5	Inspection Lamp	Commercial
995-6711	48	12	P48d	BB-38	Clear	C-6	782	50@14V	Horiz.	24.3	42/47.5	Motor Transport No. 432	Commercial
995-6712	2.375	4.75	P13.5s	B-11	Clear	C-2R	28	15	Any	6.68	31	Flashlamp	Commercial
995-6713	1.5	24	E5s	T-5	Clear	C-2R	5	500	Any		16	Indicator lamp No. 285	Commercial
995-6714	48	12	P36s	ST-28	Clear	C-6	1,138 @ 13.8V	50@14V	Horiz.	21.5	64	Motor Transport No. 323	Use 995-4419
995-6716	0.3	2.8	Pin	T-5.84	Clear	C-6	5	15	Any	12	19.05	Pocket Ophthalmoscope	Proprietary
995-6801	900	24	E40s	T-64	Clear	C-13	25,000	50	VBD	120	230	Projector lamp, Class A1	
995-6802	900	30	E40s	T-64	Clear	C-13	25,000	50	VBD	120	230	Projector lamp, Class A1	
995-9101	0.24	6	T7 Grey	T-6.5	Clear	Any	1	1,000	Any		44.5	Telephone Indicator	BS 1050
995-9102	0.4	2	Uncapped	T-3/16"	Clear	C-6	1	500	Any		7/16"	Attack Teacher	DefStan 62-10 #81
995-9103	0.6	3	Kollsman	T-0.2"	Clear	Any	5	10	Any	3.96	0.575"	Instrument Lighting	DefStan 62-10 #23
995-9104	.28A	2.5	Special	T-0.18"	Yellow external	Any		10	Any		.705"	Instruments	
995-9105	0.765	17	T7 Orange	T-6.5	Clear	Any	1.4 / 3.0	1,000	Any		44.5	Telephone Indicator GPO cap	Orange to BS381C 557
995-9106	1	4	T7 Green	T-6.5	Clear	Any	4	1,000	Any		44.5	Telephone Indicator GPO cap	BS 1050
995-9107	1.1	3	Kollsman	T-0.2"	Clear	Any	11	10	Any		0.575"	Instrument Lighting	DefStan 62-10 #23
995-9108	1.1	3	Kollsman	T-0.2"	Yellow Laquer	Any		10	Any		.575"	Instrument Lighting	
995-9109	1.1	3	Kollsman	T-0.2"	Red Laquer	Any	7.3 (min)	10	Any		0.65"	Instrument Lighting	DefStan 62-10 #61
995-9110	1.2	12	Screw Pin	T-9.5	Clear	C-2R or V	2	1,000	VBD		43.2	Rocket Projector	
995-9111	1.2	12	T7 Red	T-6.5	Clear	Carbon	2	300	Any		43.7	Telephone Indicator No. 538	Red Cap to BS381C
995-9112	1.2	12	T7 Red	T-6.5	Clear	Any	3	1,000	Any		38	Telephone Indicator GPO cap	DefStan 62-10 #132
995-9113													
995-9114	1.2	12	T7 Red/Yel	T-6.5	Clear	Any	1	1,000@13V	Any		44.5	Telephone Indicator GPO cap	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-9115													
995-9116													
995-9117	1.12	6	Kollsman	T-5.5	Clear	C-2R	9	10	Any	10	19	Survey & Artillery Sights	Commercial
995-9118	1.12	28	SX6s	T-5.85	Clear	C-2F	2.6 (min)	1,000	Any	9.5	16.1	Instrument	DefStan 62-10 #21
995-9119	0.6	6	SX6s	T-5.85	Clear	Any	1.4 (min)	1,000	Any	9.5	16	Instrument	DefStan 62-10 #21
995-9120	1.2	12	SX6s	T-5.85	Clear	C-2V support	3.0 (min)	1,000@14V	Any	9.5	16.1	Instrument	DefStan 62-10 #21
995-9121	1.12	28	SX6s	T-5.85	Clear	C-2R	2.6 (min)	1,000	Any	9.5	16.1	Compass Lighting	DefStan 62-10 #141
995-9122	2.24	28	SX6s	T-5.85	Clear	C-2R support	6.0 (min)	1,000	Any	9.5	16.1	Instrument	DefStan 62-10 #21
995-9124	1.12	28	SX6s	T-5.85	Red laquer	C-2F	5	4,000	Any	9.52	16.1	Instrument	Commercial
995-9125	1.04	4	SX6s	T-5.85	Clear	C-2R support	2.5 (min)	1,000	Any	9.52	16.1	Instrument	DefStan 62-10 #21
995-9126	1.04	4	Uncapped	T-6	Clear	Any	2.5 (min)	1,000	Any		13.5	Instrument	DefStan 62-10 #60
995-9127	1	6	Sleeve	G-38	Part Silvered	C-2R		1,000	Any	P32.5	56	Survey Beacon	Proprietary
995-9128	1.12	28	Wires	T-5.7	Clear	C-2R support	4	4,000	Any		13.2	Instrument	Commercial
995-9129	0.55	2.5	5/32"Whit	T-6.35	Clear	C-2R	. . .	20	Any		17.78	Hand Probe, Forward Beam	Commercial
995-9130	0.55	2.5	8BATHred	T-2.79	Clear	C-2R	. . .	20	Any		20.32	Hand Probe, Special	Commercial
995-9131	0.55	2.5	5/32"Whit	T-6.25	Clear	C-2R	. . .	20	Any		20.32	Hand Probe, Side Beam	Commercial
995-9133	1.2	24	E5s	T-6.7	Clear	C-2R	3	1,000	Any		16.00	Indicator	Commercial
995-9134	0.55	2.5	2BATHred	T-6.35	Clear	C-2V	2	50	Any		25.4	1049 Oscilloscope	Proprietary
995-9135	1.2	6	SX6s	T-5.85	Clear	Any	5 (min)	1,000	Any	9.52	16.1	Instrument	DefStan 62-10 #21
995-9137	1.2	24	BA7s	T-7.2	Clear	C-2V support	6	1,000	Any		25	Indicator	Commercial
995-9138	1.3	24	E10s	T-11	Clear	Any	4	1,000	Any	17	29	Indicator	Commercial
995-9139	1.2	24	E10s	T-11	Clear	Any	4	1,000	Any		33	Telewriter	Use 995-9233
995-9140	1.2	24	BA7s	T-6.8	Clear	C-2V support	6	1,000	Any		25	Indicator	Commercial
995-9141	1.12	28	S6s	T-5.5	Clear	C-2F	5	350	Any	9.52	15.87	Indicator	Use 995-9118
995-9142	1.2	12	Wires	T-5.8	Clear	C-2R support	6	1,000	Any		13.2	Indicator	Commercial
995-9143	1.3	24	E10s	T-10	Clear	3 support	4	1,000	Any	21	29	Rough Service Indicator	Commercial
995-9144	1.14	12	E10s	G-12	Clear	C-2V support	5	5,000	Any		24	Indicator	Commercial
995-9145	3@28V	24	BA7s	T-6.8	Clear	C-2F	10	3,000	Any		20	Indicator	Commercial
995-9146	1.2	24	T7 Yellow	T-6.5	Ruby Glass	Any		1,000@26V	Any		44.5	Telephone Indicator GPO cap	Commercial
995-9147	1.3	24	T7 Yellow	T-6.5	Clear	C-2F	4	1,000@26V	Any		44.5	Telephone Indicator GPO cap	Commercial
995-9148	0.945	6.3	BA9s	T-10	Clear	C-2R	7	10	Any	16	29	Indicator	Use 995-1169
995-9149	2.8	28	BA9s	T-10	Blue	Any		1,000	Any	16	29	Indicator	Commercial
995-9150	2.8	28	W2.1x9.5d	T-10	Clear	C-2F	17	1,000	Any		25.3	Wedge Base Indicator	Commercial
995-9152	14.3	28	BA15s	S-25	Pearl	C-2V	165	300	Any	30	50.5	General Service	Commercial
995-9153	14.3	28	BA15s	S-25	Part Silvered	C-2V		300	Any	30	50.5	Indicator	Commercial
995-9154	1.12	28	BA9s	T-10	Clear	C-2F	4	3,000	Any		30	Indicator	Commercial
995-9155	1.2	12	E10s	T-10	Clear	C-2V support	5	5,000	Any	17	28	Indicator	Commercial
995-9156	1.8	12	E10s	G-12	Clear	C-2R	11	1,000	Any	19	23	Indicator	Commercial
995-9157	2.24	28	S6s	T-6.32	Clear	C-2F	10	350	Any	9.52	15.82	Indicator	Use 995-9122
995-9159	0.6	3	8BATHred	T-1.87	Clear	C-2R	8	25	Any		16.88	Bronchoscope	Proprietary
995-9160	0.625	2.5	10BATHred	T-1.57	Clear	C-2R	8	15	Any		18.41	Bronchoscope	Commercial
995-9161	18	28	BA15s	S-25	Pearl	Any	210 (min)	300	Any	28.4	50.5	General Purpose	Commercial
995-9162	8.5	28	BA15s	G-18	Pearl	Any		500	Any	16	36.5	General Purpose	Commercial
995-9163	0.7	2.5	Special	T-3.04	Clear	C-2R	5	10	Any		17.78	Auriscopes	Proprietary
995-9164	14.3	28	BA15s	S-25	Clear	C-2V	188	300	Any	28.5	50.5	General Service	Commercial
995-9166	20	28	BA15s	R-39	Part Silvered	C-8		300	Horiz.		67	Aircraft Lighting	MS35480-1385

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-9167	1.2	12	BA9s	T-10.5	Clear	Any	4	5,000	Any		29	Indicator	Commercial
995-9168	0.784	2.8	Special	T-4	Clear	C-2R	. . .	. . .	Any		14	Auriscopes	Proprietary
995-9169	1.036	2.8	Special	T-4	Clear	C-2R	13	13	Any		29	Ophthalmoscope	Proprietary
995-9170	2.8	28	BA9s	T-10	Clear	C-2F	20	1,000	Any		30	Indicator	Commercial
995-9171	0.65	2.5	E10s	G-10	Clear	Special	6	12	Any		22	Ophthalmic	Commercial
995-9172	0.7	3.5	Special	T-2.9	Clear	C-2R	11	6	Any	5	12	Cystoscope	Proprietary
995-9173	1	3.5	Special	T-3.4	Clear	C-2R	11	12	Any	6	13	Cystoscope	Proprietary
995-9174	0.48	12	T7	T-6.5	Clear	C-6	2	5,000	Any		23.2	Telephone Indicator GPO cap	Commercial
995-9175	0.96	12	BA9s	G-11	Clear	C-2R	11	10	Any	14.5	23.5	VC10	Commercial
995-9176	4	12	BA9s	G-15	Clear	C-2R	26	100@15V	Horiz.	P16	28	Motor Transport	Commercial
995-9177	200	8.33A	R7s-15	T-12	Clear Quartz	CC-8	4,200	1,000			63.6	Halogen Test Equipment J1/51	Commercial
995-9178	1	28	T7	T-6.5	Clear	C-2F	2	5,000	Any	. . .	23.2	Indicator	Commercial
995-9179	54 / 44	24	P36d	ST-28	Clear	C-6 & C-6	647 / 929	950 / 1250	Horiz.	21.5	64	M.T. Headlamp RH Drive No. 437	Commercial
995-9180	1	12	E5s	T-5	Clear	C-2V support	2	10,000	Any		16	Post Office Indicator 41B	Commercial
995-9181	0.975	6.5	BA9s	T-10	Clear	C-2R	6	3,000	Any		28	Indicator	Commercial
995-9182	1.12	28	SX6s	T-5.85	Clear	C-2R support	2.4 (min)	7,000	Any	9.5	16.1	Instrument & Indicator	DefStan 62-10 #21
995-9183	7	28	B15d	G-18	Red	C-2V		1,000	Any	17.5	32.5	GPL Aircraft	Commercial
995-9184	0.672	28	SX7s	T-3.18	Clear	CC-2F	2	4,000	Any	4.77	9.53	General service	Commercial
995-9186	54 / 44	12	P36d	ST-28	Clear	C-6 & C-6	580 / 837	150 / 200	Horiz.	21.5	64	M.T. Headlamp RH Drive No. 436	Commercial
995-9187	255mA	2.5	8BAThred	T-1.87	Clear	C-2R	2	25	Any		19.05	Hand Probe	Proprietary
995-9188	150	24	G6.35	T-13.5	Clear Quartz	C-6	5,000	50	VBD ±90°	31.75	50	Halogen Projector lamp A1/216	BS1075
995-9189	0.12	2	E10s	G-11	Clear	C-2R	1	1,000	Any	19	23	Indicator	Commercial
995-9190	0.6	3	Kollsman	T-0.2"	Clear	C-2R	6	10	Any	3.96	0.575"	Indicator	Use 995-9103
995-9191	45 / 40	12	P45t	G-40	Yellow Glass	C-8 & C-2R	612 / 4,000	75 / 100	Horiz.	28.5	82	Motor Transport	Commercial
995-9192	20	50	BA15d	G-38	Clear	C-9	150	1,000	Any		58	Inspection PO 14A 44-1832	Post Office 14A
995-9195	11	28	W2.1x9.5d	RP-23	Clear	C-2V support	90 (min)	300	Any	12.7	32.6	Wedge Base Aircraft lamp	Commercial
995-9196	1.2	12	SX6s	T-5.5	Clear	C-2R		1,000	Any		14.6	Indicator	Use 995-9120
995-9197	0.375	5	SX3s	T-3.18	Clear	C-2R	1	10,000	Any	. . .	9.53	General Purpose	Commercial
995-9198	1.08	12	SX6s	T-5.85	Clear	C-2V support	2.4 (min)	7,000	Any	9.5	16.1	Instrument	DefStan 62-10 #21
995-9199	15	6	PX22d	T-18.5	Clear	C-8	225	100	VBU	6.5	18.5	Photographic lamp M/19	Commercial
995-9201													
995-9202													
995-9203	1.6	20	Screw Pin	T-9.5	Clear	C-2R or V	3	1,000	Any		30	Gunsight	DefStan 62-10 #125
995-9204	1.6	20	Screw Pin	T-9.5	Blue glass	C-2R or V		1,000	Any		30	Gunsight	
995-9205	1.6	20	Single Pin	T-9.5	Clear	C-2R or V	3	1,000	Any		30	Gunsight	
995-9206	1.92	24	Screw Pin	T-9.5	Clear	C-2R or V	3	1,000	Any		30	Gunsight	
995-9207	1.92	24	Screw Pin	T-9.5	Red laquer	C-2R or V		1,000	Any		30	Gunsight	
995-9208													
995-9209	2.1	20	Screw Pin	T-9.5	Clear	C-2R or V	5	1,000	Any		30	Gunsight	
995-9210	2.4	24	T6.8	T-6.5	Clear	Any	6	1,000	Any		35	Telephone Jack	DefStan 62-10 #131
995-9211	2.4	24	T6.8 Yellow	T-6.5	Clear	Any	6	1,000	Any		38	Telephone Indicator	DefStan 62-10 #132
995-9212	2.4	24	T6.8 Yellow	T-6.5	Amber laquer	Any		1,000	Any		38	Bombsight	DefStan 62-10 #132
995-9213	2.4	24	T7 Yellow	T-6.5	Clear	C-3M	6	1,000	Any		44.5	Telephone Indicator GPO cap	
995-9214	2.4	24	T7 Yellow	T-6.5	Red laquer	C-3M		1,000	Any		44.5	Telephone Indicator GPO cap	
995-9215	2.4	24	T7 Yellow	T-6.5	Clear	CC-2F	6	1,000	Any		44.5	Telephone Indicator GPO cap	Color to BS381C No 355
995-9216	3	6	Sleeve A	T-7.5	Clear	C-6			Any		17.5	Introsopes	



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-9217													
995-9218	4	6	Sleeve B	T-12.5	Clear	Loop			Any		30	Introsopes	
995-9219	4.5	10	Flange	S-25	Clear	C-6	57		Any		. . .	Signalling lamp R248 Type A	
995-9220	5	50	T7 White	T-6.5	Clear	Carbon	7	300	Any		44.5	Telephone Indicator GPO cap	BS 1050
995-9221	5	50	Screw Pin	T-9.5	Clear	Carbon	4	300	Any		43.2	Gunsight	
995-9222	9	10	Flange	S-25	Clear	C-6	147		Any		. . .	Signalling lamp R248 Type B	
995-9223	10	6	Sleeve C	T-16.5	Clear	Loop			Any		40	Introscope	
995-9224													
995-9225	18	6	Leads	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	Hilger Biochem Absorbtiometer	
995-9226	2.4	24	T7 Yellow	T-6.5	Ruby glass	C-3M		1,000	Any		44.5	Telephone Indicator	DNEE/VI/2317 #21
995-9231	3	28	T7 Yellow	T-6.5	Clear	C-2V	7	1,000	Any		44.5	Indicator	Commercial
995-9232	0.55	2.5	5/32"Whit	T-6.35	Clear	. . .	. . .	20	Any		20	Optic Fibre Probe	Proprietary
995-9233	1.2	24	E10s	T-10	Clear	C-2F	4	5,000	Any		28	Indicator	Commercial
995-9234	0.42	6	S3s	T-3.15	Clear	C-2R	1	3,000	Any	5.34	9.5	General Service	Commercial
995-9235	1.12	14	SX6s	T-5.85	Clear	C-2F	6	1,000	Any	9.38	16.1	Indicator	Commercial
995-9236	36	12	P36s	ST-28	Clear	C-8	709 @ 13.2V	50@14V	Horiz.	21.5	64	Motor Transport No. 162	Commercial
995-9401	36	12	Aldis	P-50	Clear	C-2	615	50@13V	Horiz.	Special	85	Aldis Signalling lamp	DefStan 62-10 #90
995-9402	36	24	Aldis	P-50	Clear	C-2	615	50@26V	Horiz.	Special	99	Aldis Signalling lamp	DefStan 62-10 #90
995-9403	3	40	T7 Blue	T-6.5	Clear	Carbon	4	300	Any		44.5	Telephone Indicator GPO cap	Commercial
995-9405	2.7	36	T7 Black	T-6.5	Clear	Carbon	4	300	Any		44.5	Telephone Indicator GPO cap	Commercial
995-9406	1.6	45	T7 Blu/Wh	T-6.5	Clear	C-2F	3	1,000	Any		44.5	Post Office Indicator D2136B	
995-9407	1.5	6	E10s	G-15	Prismatic	C-2R	14	100	Any	21	27.5	General Purpose	Commercial
995-9408	45 / 40	12	P45t	G-40	Clear	C-8 & C-2R	450 / 700	225	Horiz.	28.5	82	Motor Transport No.410	BS 6737
995-9410	1.8	6	BA9s	T-10	Clear	C-6	11	1,000	BU	17.46	29	Digital Counter	Commercial
995-9411	48 / 48	12	P36d	ST-28	Clear	C-6 & C-6	550 / 550	1,000	Any	21.50	62	Ships Navigation	Commercial
995-9412	0.48	12	SX6s	T-5.85	Clear	C-2V support	2	10,000	Any	9.50	16.1	Indicator	Commercial
995-9413	900	24	P40s	T-64	Clear	C-13	24,000	50	VBD	84	235	Projector lamp A1/10	Commercial
995-9414	280 / 280	24	Harley 10B/115	G-60	Clear	C-6 & C-8	6,100	50	Horiz.	60.3	120	Aircraft Landing, Harley 10B/21A	Proprietary
995-9415	280	28	Harley 10H/233	G-60	Clear	C-6	5,900	50	BDTH	60.3	120	Aircraft Landing, Harley 10B/93	Proprietary
995-9416	36	28	BA15d	P-38	Clear	C-6	570	300	Any	32	60	General Service	Commercial
995-9417	1.2	2.4	P13.5s	B-11.3	Clear	Any	11.4 ± 20%	15	Any		31	Aircraft Torch	BS 6873
995-9418	12	28	B15s	S-25	Blue	Any	. . .	1,000	Any	28.5	46	Aircraft Lighting	Commercial
995-9419	20	24	B22d	P-38	Pearl	C-2R	200 @ 26V	1,000@26V	Any	38	53	Air Traffic Control No. 821	Commercial
995-9420	0.27	4.5	E5s	T-5	Clear	C-2R	1	2,000	Any	. . .	16	Indicator	Commercial
995-9421	12	28	B15s	S-25	Clear	C-2R	105	1,000	Any	P28.5	46	Aircraft Lighting	Commercial
995-9422	55	12	P14.5s	T-8.5	Clear Quartz	C-8	,550 @ 13.2V	225@13.2V	Horiz.	27.5	67.5	Flight Simulator, Lamp H1 No. 448	Lamp No. 448
995-9423	150	24	E27s	PAR-38	Clear	C-6	2,500cd	2,000	Any		136	Flame Proof Assembly	Commercial
995-9424	5	24	W2.1x9.5d	R-23	Ext Aluminised	C-2V		1,000	Any		30.95	Wedge Base Aircraft Cabin	Commercial
995-9425	0.3	5	SX3s	T-3.18	Clear	C-2R	0	60,000	Any	4.67	9.53	General Lighting Service	Use 995-2629
995-9501	60	12	Aldis	P-50	Clear	C-2	1,260	50	Horiz.	Special	85	Signal Lantern	
995-9502	60	12	Aldis	P-50	Part Silvered	C-2		50	Horiz.	Special	85	Signal Lantern	
995-9531	12	28	BA15d	S-25	Pearl	Any	105	1,000	Any	P28.5	46	Nimrod / DH125 Planes	Commercial
995-9532	19	28	BA15s	S-25	Pearl	C-2R	225	330	Any	28.5	46	Rapier Guided Missile	Commercial
995-9701	240 / 280	28	Special	G-60	Clear	CC-6 & C-8	5,750 / 6,700	50	Horiz.	60	120	Aircraft Landing lamp	
995-9702	280 / 280	28	Harley 10B/115	G-60	Clear	C-6 & C-8	7,000 main	50	Horiz.	60.3	120	Aircraft Landing lamp	Proprietary
995-9703	500 / 280	26 / 28	Harley 10B/101	P-75	Clear	C-2 & C-2	12,000 main	50	BD	65	137	Scout AH, 1A/C	Proprietary

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
995-9704	336	28	Special	G-60	Clear	C-2	8,400	40	Horiz.	60.3	117	Aircraft Landing Harley 10B/93A	Commercial
995-9744	40	28	BAY15s	-40	Part Silvered	Special		300	Any	31.75	63.6	Aircraft Lighting	MS24513
995-9770	8.4	28	BA15s	T-15	Clear	Any	17	500	Any	15.88	34.9	Aircraft Lighting	Commercial
995-9771	28.56	28	BA15s	S-25	Clear	2CC-6	402	500	VBD ±90°	31.75	26.4	Aircraft Lighting	Commercial
995-9772	1.2	6	SX6s	T-5.85	Red	C-2R	0.38 ± 50%	1,000	Any	9.53	15.8	Aircraft Instrument Lighting	ISO No. 328R
995-9773	40	6	BAY15s	-40	Part Silvered	Special		150	Any	31.75	60.1	Aircraft Lighting	MS25338-1687
995-9775	250	28	Screw	PAR-36	Clear	Special	75,000	25	Any		95	Sealed Beam Unit	Commercial
995-9776	250	28	Screw	PAR-36	Clear	Special	300,000	25	Any		80	Sealed Beam Unit	Commercial
995-9777	450	28	Screw	PAR-36	Clear	Special	400,000	10	Any		95	Aircraft Lighting	Commercial
995-9778	40	28	BAY15s	-40	Part Silvered	Special		150	Any	31.75	59.9	Aircraft Lighting	MS25338
995-9779	0.9	28	W2.1x9.5d	T-10	Clear	C-2F	8	7,500	Any	14.20	26.8	Computer (H716)	Commercial
995-9782	48	24	BA15s	G-38	Clear	C-8	624	1,000	Horiz.	28.5	56	Motor Transport Lamp No.623	Commercial
995-9783	5	24	BA15s	G-18	Clear	C-2R support	35 @ 28V	400@30V	Horiz.	19.00	36.3	Motor Transport Lamp No.149	Use 995-2253
995-9784	0.52	14	SX6s	T-5.85	Clear	C-2F	2	5,000	Any		16.1	Indicator	Commercial
995-9785	2.375	4.75	P13.5s	B-11	Blue Tip	C-2R	12	20	Any	6.68	31	Hand Torch, Krypton filled	Commercial
995-9801	500	26	Harley 10B/120	G-75	Clear	C-2	12,750	50	Horiz.	65	132	Aircraft Landing Harley 10B/55	DefStan 62-10 #142
995-9802	500 / 240	26	Harley 10B/101	G-75	Clear	C-2 & C-2	12,000 main	50	BD	65	137	Aircraft Landing Harley 10B/54	Proprietary
995-9803	750 / 500	22 / 24		G-100	Clear	C-6 & C-8	18,000/12,000	50	Horiz.	128		Aircraft Landing Harley	Proprietary
995-9804	750 / 240	26	Harley 10B/101	G-100	Clear	C-6 & C-8	18,750 main	50	Horiz.	73	158	Aircraft Landing Harley 10B/53	Proprietary
995-9805	750 / 500	22 / 24	Harley	G-100	Clear	C-6 & C-6	18,000/12,000	50	Horiz.	73	160	Aircraft Landing Harley 10B/87	Proprietary
995-9806	750 / 260	26	Harley 10B/101	G-100	Clear	Special	18,750/6240	50	Horiz.	73	158	Aircraft Landing Harley 10B/78	Proprietary
995-9807	600	28	Screw	PAR-46	Part Silvered	CC-8	380,000cd	25	Horiz.		117.6	Aircraft Landing lamp	Commercial
995-9808	600	28	Screw	PAR-64	Clear			25	Horiz.		95	Aircraft Landing lamp	MS25242-4559
995-9809	15	25	B22d	ST-28	Blue	Any	95	1,000	Any		57	Pygmy Sign	Commercial
995-9810	100	12	Special	T-11	Clear	C-6	2,900	50	VBD ±90°	30	44	Computer Display	Source Controlled
995-9811	1	24	BA7s	T-6.8	Clear	C-2F	3	1,000	Any		20.7	Indicator	Commercial
995-9812	0.55	2.2	E10s	TL-9.5	Clear	C-2R	4	5	Any		24.5	Visual Monitor Probe	Use 995-1163
995-9813	5	28	BA15s	G-18	Clear	2C-2R	35 (min)	300@30V	Any		36.3	Fighting Vehicles	DefStan 62-10 #58
995-9814	70	24	P36s	T-10.5	Clear Quartz	C-6	1,575 @ 28V	150@28V	Horiz.	21.5	54	M.T. Halogen Headlamp No. 459	Commercial
995-9815	70	28	BA15d	T-11.5	Clear Quartz	CC-8	1,260	1,000	Any	24	47	Anti-collision light	Proprietary
995-9816	70	24	Wires	...-44.8	Part Silvered	...	150		Horiz.		78.7	Motor Transport	Proprietary
995-9817	3	24	SV7	T-7.5	Clear	C-8	17	400@26V	Any		36	Motor Transport (Festoon)	Proprietary
995-9818	0.24	12	Wires	T-6.7	Clear	Any	0.5 (min)	1,000@10V	Any	...	22.5	Post Office Indicator 42A	PO Dwg CD1678
995-9819	10	6	G4	T-9	Clear Quartz	C-6	200	100	Any	19.5	30	Halogen Projector lamp M/29	Commercial
995-9820	0.6	6	E10s	-12	Clear	C-2R or C-6	3	1,000	Any	19	27.5	Cycle Lamp No. 998	Commercial
995-9821	4	24	BA9s	G-15	Clear	C-2R	26	100	Any		28	Motor Transport No. 552	Commercial
995-9822	70	28	BA15d	T-11.5	Clear Quartz	CC-8	1,260	1,000	Any	24	47	Aircraft	Use 995-9815
996-1101	-	180	BA9s	T-10	Clear				Any		28	Neon Indicator Ext Res 1 MEG.	
996-1102	-	100/130	BA9s	T-10	Clear				Any		28	Neon Indicator Ext Res 0.03mA	
996-1103	0.25	100/250	BA9s	T-10	Clear			50,000	Any		27	Post Office Neon 31A	Commercial
996-1105	0.125	200/600	BA9s	TL-10	Clear	Swan Neck			Any		30	Neon Indicator Ext Res 680K	RRE 31820
996-1106	0.06	200/250	E10s	T-11	Green				Any		28.9	Green Neon Ext Res 180K	Commercial
996-1107	0.25	220	E10s	TL-10	Clear				Any		29	Neon Indicator Int Res 150K	Commercial
996-1109	0.6mA	100/250	BA9s	T-11	Clear				Any		30	Neon Indicator Ext Res 270K	Commercial
996-1110	0.6mA	100/250	E10s	T-11	Clear				Any		30	Neon Indicator Ext Res 270K	Commercial
996-1111	0.04	440	Wires	T-6.35	Clear				Any		54	Neon Indicator Ext Res 470K	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-1112	0.375	105/125	E10s	T-10	Clear				Any		29	Neon Indicator Ext Res 200K	Commercial
996-1113	0.25	220	E10s	TL-10	Clear				Any		28	Neon Indicator Ext Res 150K	Commercial
996-1114	0.25	220/250	Wires	T-5.95	Clear				Any		17.5	Neon Indicator Ext Res 470K	Commercial
996-1115	0.04	150 (DC)	BA9s	T-11	Clear				Any		30	Type 17 Radar Neon, Res 120K	Classified
996-1116	3.6	60	T7 Gy/Wh	T-6.5	Clear	CC-3M	9	1,000	Any		44.4	Telephone Indicator	Commercial
996-1117	2000	240/250	Fa4	T-12	Clear Quartz	C-8	44,000	2,000	Horiz ±15°		334.4	K/6 Halogen Floodlighting	Commercial
996-1118	0.25	200/250	Wires	T-5.95	Clear				Any		16	Neon Indicator Int Res 270K	Commercial
996-1119	0.5	110/250	E10s	T-10	Clear				Any		29	Neon Indicator Ext Res 270K	Commercial
996-1120	3.6	60	T7 Black	T-6.5	Clear	C-2F	12.5 / 17.5	1,000	Any		43.7	Telephone Indicator	BS 1050
996-1121	60	200/250	B22d	PS-60	Fireglow	C-7A		1,000	Any		108.5	Electric Fires	Commercial
996-1123	150	220/230	B22d	PS-68	Clear	CC-9	2,160	1,000	Any	90	128.5	General Lighting service	BS 161
996-1124	150	240	B22d	PS-80	Pearl	CC-9	2,140	1,000	Any	120	165	General Lighting service	BS 161
996-1125	150	250	B22d	PS-68	Pearl	CC-9	2,040	1,000	Any	90	165	General Lighting service	Commercial
996-1126	150	240	E27s	PS-80	Pearl	CC-9	2,140	1,000	Any	121.5	166.5	General Lighting service	BS 161
996-1127	150	250	E27s	PS-68	Pearl	CC-9	2,040	1,000	Any	91.5	166.5	General Lighting service	Commercial
996-1129	200	200/250	G13 x2	T-39.5	Clear		20,000	6,000	Any		900	SLI/H Linear Sodium	BS 3767
996-1130	40	230/250	E14s	G-45	Silverflight	CC-9	350	1,000	Any	57	72	Decorative Round Bulb	Commercial
996-1131	750	240	R7s-21	T-13.3	Frosted Quartz		58,500	5,000	Horiz.		254	MBIL Metal Halide Floodlighting	Commercial
996-1132	160	240	E27s	E-75	Phosphored		3,000	6,000	Vert ±30°		177	MBTF Mercury Blended	Commercial
996-1133	250	100	E40s	ED-90	Diffusing		23,500	8,000	Any		227	SON-E Street Lighting	BS 6193
996-1134	3.6	60	T7 Mauve	T-6.5	Clear	Any	8.1 / 13.5	1,000@62V	Any		43.7	Telephone Indicator	Use 996-2530
996-1135	39	91.7	Special	T-15	Light Blue		13.8W@2537	7,500	Any		914	Germicidal Water Purification	Proprietary
996-1136	1.5mA	220	T5.5	T-5.4	Clear				Any		31	Neon Indicator Int Res 0.1K	Commercial
996-1137	8000	200/250	R-7s	Coil 60	Clear		170,000	300	Any		118	XOP Pulsed Xenon Photoprinting	Commercial
996-1138	140	200/250	GY13 x2	T-39.5	Clear		28,000	4,000	Horiz ±20°		900	SLI/H Low Pressure Sodium	BS 3767
996-1139	1500	105	Special	T-12	Clear Quartz		30,000	300	Any		392	XB Linear Pulsed Xenon	Commercial
996-1140	0.5	100/250	Wires	T-5.95	Clear				Any		16	Neon Indicator Ext Res 330K	Commercial
996-1141	60		G10q	T-32	Warm White		3,500 (min)	5,000	Any		406	Circular Fluorescent MCF/U	BS 1853 Part2
996-1142	6		G5 x2	T-16	Black			5,000	Any		225	MCF/H Plotting tables, UV 'A'	Commercial
996-1143	15	130	B22d	ST-28	Clear	C-7A	110	1,000	Any		57	Indicator	Use 996-5227
996-1144	1.2	60	T5.5	T5.1	Clear	C-2V support	2	500	Any		31	Telephone Indicator	Commercial
996-1146	400	240/250	E40s	ED-120	Phosphored		28,300	6,000	Any		292	MBIF Metal Halide	BS 3677
996-1147	75 / 85		G13 x2	T-38	White		6,050 / 6,550	7,500	Any		1800	Fluorescent General Service	Commercial
996-1148	4000	500	Special	U-25	Clear		. . .	50 (min)	Vert.		145	MBI Platemaker FT66 UPNS	Proprietary
996-1151	1.8mA	100/250	Wires	T-6.35	Clear				Any		38	Neon Indicator Ext Res 100K	Commercial
996-1152		100/250	Wires	T-4	Clear				Any		10	Neon Indicator Int Res 270K	Commercial
996-1153	8	220-400	Wires	T-6U	Clear		0.35 per sec	5000000	Any		40	XA Xenon, Life in no of flashes	Commercial
996-1154	2	185/280	Wires	T-9	Yellow				Any		30.4	Neon Indicator Ext Res 270K	Commercial
996-1156	125	240	B22d-3	E-75	Woods Glass			2,000	Any		177	MBW/U for Technical Applications	Proprietary
996-1157	300	230/250	GX16d	PAR-56	Clear	CC-6	10,000cd	2,000	Any		131	PAR 56 Floodlight	Commercial
996-1158	100	240/250	E27s	PAR-38	Clear	CC-9	1,000cd	1,000	Any		135	R125 Display Spotlight	Commercial
996-1160	800	240	R7s	T-17	Clear Quartz	CC-8	21,600	75	Horiz ±4°		78.3	P2/13 Photographic	Commercial
996-1161	800	240	R7s	T-17	Clear Quartz	C-8	21,600	75	Horiz ±4°		117.6	P2/11 Photographic	Commercial
996-1162	1.2	60	T5.5	T5.1	Clear	C-2V support	2	500	Any		31	Telephone Indicator	Commercial
996-2101	0.5	100/110	B15d	TL-16	Clear			3,000	Any		54	Neon Indicator Ext. Res. 33K	Commercial
996-2102	10	100/130	B15d	ST-28	Clear	Any	56 (min)	1,000@130V	Any		67	Indicator	DefStan 62-10 #27

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-2103	0.5	200/220	B15d	TL-16	Clear				Any		54	Neon Indicator Int Res 33K	Commercial
996-2104	2.5mA	220	B15d	TL-16	Clear				Any		54	Neon Indicator Ext Res 33K	Commercial
996-2105	0.5	230/240	B15d	TL-16	Clear				Any		54	Neon Indicator Int Res 33K	Commercial
996-2106	0.2	200/260	E14s	T-12	White			10,000	Any		28	Neon Indicator Ext Res 200K	Commercial
996-2107													
996-2108													
996-2110	0.25	100/250	E10s	T-5.95	Clear			50,000	Any		27	Neon Indicator Ext Res 270K	Commercial
996-2111	0.5	200/260	E14s	T-18	Clear				Any		56	Neon Indicator Int Res 68K	Commercial
996-2112	0.5	110/130	B15d	T-15	Clear				Any		56	Neon Indicator Int Res 180K	Commercial
996-2113	6	100/130	E12s	G-20	Clear	Any	25	1,000	Any	35	46	Pilot Light	Commercial
996-2114	15	200	E14s	ST-28	Red	Any		1,000	Any		65	Indicator	Commercial
996-2116	0.5	110/130	B15d	T-15	Clear				Any		56	Neon Indicator Ext Res 430K	Commercial
996-2117	0.2	110/130	E14s	TL-14	Clear				Any		30	Neon Indicator Int Res 27K	Commercial
996-2118	8		G5 x2	T-16	White		420	5,000	Any		300	Fluorescent General Service	BS 1853
996-2119	1.8mA	100/250	SX6s	T-5.95	Clear			50,000	Any		22.8	Neon Indicator Ext Res 100K	Commercial
996-2120	8		G5 x2	T-16	Daylight		400	5,000	Any		300	Type K Fluorescent Handlamp	Use 996-5277
996-2121	8		G5 x2	T-16	Warm White		420	5,000	Any		300	Avro 748 MF	BS 1853
996-2122	0.5	220	B15d	TL-16	Clear				Any		54	Neon Indicator Int Res 33K	Commercial
996-2123	0.55mA	200/250	Wires	T-5.95	Clear				Any		107	Neon Indicator Ext Res 270K	Commercial
996-2124	1.8mA	100/250	Wires	T-5.95	Clear			50,000	Any		16	Neon Indicator Ext Res 100K	Commercial
996-2125	0.04	150 (DC)	BA9s	T-11	Clear				Any		30	RF Neon Indicator, Ext Res 122K	Commercial
996-2126	0.108	110	Wires	T-9	Red				Any		28.7	Neon Indicator Ext Res 33K	Proprietary
996-2127	0.25	220/250	BA9s	TL-11	Clear			5,000	Any		30	Neon Indicator Int Res 68K	Commercial
996-2129	60	240/250	B15d	T-37	Opal	2C-8	390	1,000	Any		302	Longlite / Colorenta Lamp	Commercial
996-2130	13		G5 x2	T-16	Daylight		700	5,000	Any		525	Fluorescent General Service	BS 1853
996-2131	40		G13 x2	T-38	White		2,800 (min)	5,000	Any		1200	Fluorescent General Service	BS 1853
996-2132	13		G5 x2	T-16	Warm White		750	5,000	Any		525	Fluorescent General Service	BS 1853
996-2133	40	240/250	B15d	G-45	Opal	CC-9	360	1,000	Any		74	Decorative Round Lamp	Commercial
996-2201	10	100/130	E12s	S-19	Clear	Any	65	1,000	Any		46	General Service	Commercial
996-2202	10	100/130	B15d	ST-28	Clear	Any		1,000	Any		62	Indicator	
996-2203													
996-2204													
996-2205													
996-2206													
996-2207	0.8	200/260	B15d	ST-28	Clear	Any	45	1,000	Any		62	Switchboard Indicator	Commercial
996-2208													
996-2209	15	110/120	B15d	ST-28	Clear	Any	105	1,000	Any		62	Pygmy Sign	Commercial
996-2210													
996-2211	15	115	E14s	ST-28	Clear	Any	105	1,000	Any		64	Pygmy Sign	
996-2212													
996-2213	15	220	B15d	ST-28	Clear	Any	95	1,000	Any		62	Pygmy Sign	
996-2214		230?	B15d	T-25	Clear	2x Carbon							
996-2215													
996-2216	15	230	B15s	ST-28	Clear	Any	95	1,000	Any		62	Pygmy Sign	
996-2217													
996-2218	15	250	B15d	ST-28	Clear	Any	95	1,000	Any		62	Pygmy Sign	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-2219	20	100	B15d	T-25	Clear	Any	115	850	Any		89	Instruments	DefStan 62-10 #102
996-2220	20	110	B15d	T-25	Clear	Any	115	850	Any		92	Instruments	DefStan 62-10 #102
996-2221	20	220	B15d	T-25	Clear	Any	115	700	Any		92	Instrument Lighting	DefStan 62-10 #102
996-2222	20	230	B15d	T-25	Clear	Any	115	700	Any		92	Instrument Lighting	DefStan 62-10 #102
996-2223	20	115	B15d	T-25	Clear	Any	115	850	Any		92	Instruments	DefStan 62-10 #102
996-2224	~12	200/260	B15d	ST-28	Red	Any		1,000	Any		62	Pygmy Sign	
996-2225	15	120	B15d	T-23	Clear	. . .	. . .	. . .	Any	. . .	65	Sewing Machine Light	
996-2226	15	200	B15d	PS-55	Clear	C-9	120	1,000	Any		69	General Lighting Service	
996-2227	15	200/210	B15d	PS-60	Red	C-9		1,000	Any		105	General Service	Commercial
996-2228	15	230	B15d	ST-28	Red	Any		1,000	Any		62	Pygmy Sign	
996-2229	15	240	B15d	ST-28	Clear	Any	95	1,000	Any		62	Pygmy Sign	
996-2230	10	85	B15d	G-33	Red	Any		1,000	Any		50	Signal Indicator	
996-2231	10	85	B15d	G-33	Green	Any		1,000	Any		50	Signal Indicator	
996-2233	10	100/130	B15d	S-19	Clear	Any	65	500	Any		43	Indicator	Commercial
996-2234	10	200/250	E12s	T-18	Clear	Any	40	1,000	Any		48	Indicator	Commercial
996-2235	4		G5 x2	T-16	Red			5,000	Any		150	Fluorescent Aircraft Lamp	Commercial
996-2236	4		G5 x2	T-16	White		130	5,000	Any		150	Fluorescent Aircraft Lamp	BS 1853
996-2237	4		G5 x2	T-16	Ultra-Violet			5,000	Any		150	Fluorescent Aircraft Lamp	Commercial
996-2240	6		G5 x2	T-16	WarmWhite		250	5,000	Any		225	Fluorescent General Service	BS 1853
996-2241	10	200/250	B15d	T-18	Clear	Any	50	1,000	Any		41	Indicator	Use 996-2250
996-2245	15	200/250	B15d	ST-28	Amber	Any		1,000	Any		65	Pygmy Sign	Commercial
996-2250	10	200/250	B15d	T-20	Clear	C-7A	75	1,000	Any	35	40	Indicator	Commercial
996-2251	6		G5 x2	T-16	Ultra-Violet			5,000	Any		225	Plotting Tables	Commercial
996-2252	6		G5 x2	T-16	Red			5,000	Any		225	Ship Lighting	NES 2003/592
996-2253	15	200/250	B15d	ST-28	Ext. Frosted	Any		1,000	Any		65	Pygmy Sign	Commercial
996-2254	6		G5 x2	T-16	Daylight		250	5,000	Any		225	Fluorescent	BS1853
996-2255	10	200/250	B15d	T-20	Pearl	C-7A	38	1,000	Any	29	41	Indicator	Commercial
996-2256	15	200/250	E14s	ST-28	Clear	C-22	97	1,000	Any		66	Rough Service Pygmy	Commercial
996-2259	280	28	Harley	G-100	Clear	C-6	5,800	100@26V	BDTH	73	155	Belfast Aircraft (10B/94)	Proprietary
996-2260	20		G13 x2	T-38	White		1,000	5,000	Any		600	Motor Transport	Commercial
996-2261	60	240/250	S15s x2	T-25	Amber	C-8	450	1,000	Any		284	Coloured Striplight	Commercial
996-2296	60	240/250	S15s x2	T-25	Amber	C-8	450	1,000	Any		221	Coloured Striplight	Commercial
996-2301													
996-2302													
996-2303													
996-2304													
996-2305	25	100	B15d	T-25	Clear	Any	190	1,000	Any		92	General Service	
996-2306													
996-2307													
996-2308	25	110	B15d	T-25	Clear	Any	190	1,000	Any		92	General Service	
996-2309													
996-2310													
996-2311	25	115	B15d	T-25	Clear	Any	190	1,000	Any		92	General Service	
996-2312	25	120	E14s	T-25	Clear	Any	190	1,000	Any		94	Subs. for US Pilot lamp	
996-2313	25	120	B15d	T-25	Clear	Any	190	1,000	Any		92	General Service	
996-2314													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-2315	15	130	B22d	PS-55	Pearl	Any	135	1,000	Any	65	92.5	General Lighting Service	
996-2316													
996-2317	25	200	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	
996-2318													
996-2319	25	210	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	
996-2320													
996-2321	25	220	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	
996-2322	25	220	B15d	T-25	Clear	Any	180	1,000	Any		82.5	Instrument Lighting	DefStan 62-10 #103
996-2323													
996-2324	25	230	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	
996-2325	25	230	B15d	T-25	Clear	Any	152 (min)	1,000	Any		82.5	Instrument Lighting	DefStan 62-10 #103
996-2326													
996-2327	25	240	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	
996-2328													
996-2329	25	250	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	Commercial
996-2330													
996-2331	25	260	B15d	T-25	Clear	Any	180	1,000	Any		92	General Service	
996-2332	25	130	E14s	C-35	Clear	Any	200	1,000	Any		119	General Service	
996-2333	25	220	E14s	C-35	Clear	Any	200	1,000	Any		119	General Service	
996-2334	25	230	B15d	CF-35	Clear	Any	200	1,000	Any		122	General Service	
996-2338	40	200/250	B22d	ST-44	Pearl	C-7A	280	1,000	Any	67	90	Inspection Light	Commercial
996-2339	30	115	S15s x2	T-25	Clear	C-8	245	1,000	Any		152	Picture Lighting	Commercial
996-2340	300	240/250	R7s-15	T-12	Clear Quartz	CC-8	5,000	2,000	Horiz ±15°		117.6	K/9 Halogen Floodlighting	Commercial
996-2341	1200	115	G17q	T-38	Black Top	C-13		10	VBD	39.7	118	Projector lamp A1/208	Commercial
996-2361	60	220/240	B22d	ST-64	Clear	S-1	540	1,000	Any	84	140	Ships Navigation	Commercial
996-2362	0.3mA	105/260	BA9s	T-10	Clear				Any		30.5	Neon Indicator Ext Res 470K	Commercial
996-2363	40	110/120	B22d	PS-60	Pearl	C-22	355	1,000	Any		105	Ships Lighting	STANAG 1006
996-2364	60	110/120	B22d	PS-60	Pearl	C-22	545	1,000	Any	75	105	Ships Lighting	STANAG 1006
996-2365	100	110/120	B22d	PS-60	Pearl	C-22	1,180	1,000	Any	90	105	Ships Lighting	STANAG 1006
996-2366	100	110/120	E27s	PS-60	Pearl	C-22	1,190	1,000	Any	91.5	106.5	Ships Lighting	Commercial
996-2401	30	110/120	S15s x2	T-25	Clear	C-8	250	1,000	Any		221	Striplight, General Service	Commercial
996-2402	30	110/120	S15s x2	T-25	Clear	C-8	250	1,000	Any		284	Striplight, General Service	Commercial
996-2403	30	220	S15s x2	T-25	Clear	C-8	230	1,000	Any		221	Striplight, General Service	
996-2404	30	220	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2405	30	230	S15s x2	T-25	Clear	C-8	230	1,000	Any		221	Striplight, General Service	
996-2406	30	230	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2407													
996-2408	8 CP	230	B15d	T-15	Clear	Carbon	75	100	Any		84	Inspection lamp	
996-2409	30	240/250	S15s x2	T-25	Clear	C-8	225	1,000	Any		284	Striplight, General Service	Commercial
996-2410	40	130	E14s	C-45	Clear	Any	320	1,000	Any		130	General Service	
996-2411	40	220	E14s	C-45	Clear	Any	320	1,000	Any		130	General Service	
996-2412	30	100	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2413	30	115	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2414	30	130	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2415	30	200	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2416	30	210	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-2417	30	240	S15s x2	T-25	Clear	C-8	230	1,000	Any		221	Striplight, General Service	
996-2418	30	240	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2419	30	260	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	
996-2420	30	240/250	S15s x2	T-25	Clear	C-8	225	1,000	Any		221	Striplight, General Service	Commercial
996-2422	40	240	B15d	C-35	Pearl	Any	320	1,000	Any	40	96	Plain Candle	Commercial
996-2423	30	240/250	S15s x2	T-25	Opal	C-8		1,000	Any		284	Striplight, General Service	Commercial
996-2427	60	120	S15s x2	T-25	Clear	C-8	525	1,000	Any		284	Striplight, General Service	Commercial
996-2428	100	110/120	B22d	PS-60	½Silver ½Fros	C-9	1,400	1,000	Any		105	Medical	Commercial
996-2429	500	240/250	R7s-15	T-10	Clear Quartz	CC-8	950	2,000	Horiz ±15°		117.6	K/1 Halogen Floodlighting	Commercial
996-2430	40		G13 x2	T-38	Warm White		2,800 (min)	5,000	Horiz.		1200	Fluorescent General Service	BS 1853
996-2431	85		G13 x2	T-38	White		6,900 (min)	7,500	Any		2400	Fluorescent General Service	BS 1853
996-2432	8		G5 x2	T-16	Natural		280	5,000	Any		300	Fluorescent General Service	BS 1853
996-2433	15mA	500/600	Octal	T-37.5	Clear	Neon			Any		165	Manganese Spectrophotometer	Propriatry
996-2434	10mA	500/600	Octal	T-37.5	Clear	Neon			Any		165	Calcium Spectrophotometer	Propriatry
996-2435	100	200/250	B22d	PS-68	Amber	C-9		1,000	Any		125	General Service	Commercial
996-2501	50	250	B15s	T-25	Clear	C-13	700	50	VBD	34.5	70	Projector lamp, Class A1	
996-2502	60	100	S15s x2	T-25	Clear	C-8	485	1,000	Any		284	Striplight, General Service	Commercial
996-2503	60	110	S15s x2	T-25	Clear	C-8	525	1,000	Any		284	Striplight, General Service	
996-2504	60	220/230	S15s x2	T-25	Clear	Any	500	1,000	Any		284	Striplight, General Service	
996-2505	60	230	S15s x2	T-25	Clear	Any	510	1,000	Any		284	Striplight, General Service	
996-2506	60	240	S15s x2	T-25	Clear	C-8	510	1,000	Any		284	Striplight, General Service	
996-2507	60	240/250	S15s x2	T-25	Clear	C-8	500	1,000	Any		284	Striplight, General Service	Commercial
996-2508	60	220	E14s	C-45	Clear	Any	480	1,000	Any		130	General Service	
996-2509	60	200	S15s x2	T-25	Clear	C-8	510	1,000	Any		284	Striplight, General Service	
996-2510	60	210	S15s x2	T-25	Clear	C-8	510	1,000	Any		284	Striplight, General Service	
996-2511	60	220	S15s x2	T-25	Clear	C-8	510	1,000	Any		284	Striplight, General Service	
996-2512	60	260	S15s x2	T-25	Clear	C-8	510	1,000	Any		284	Striplight, General Service	
996-2513	60	250	S15s x2	T-25	White	C-8		1,000	Any		284	Striplight, General Service	
996-2514	60	230	S15s x2	T-25	Opal	C-8		1,000	Any		221	Striplight, General Service	
996-2515	60	230	S15s x2	T-25	Opal	C-8		1,000	Any		284	Striplight, General Service	
996-2517	60	240	S15s x2	T-25	Opal	C-8		1,000	Any		284	Striplight, General Service	Commercial
996-2518	30	200/230	S15s x2	T-25	Clear	C-8	230	1,000	Any		221	Striplight, General Service	Use 996-2420
996-2519	30	200/230	S15s x2	T-25	Clear	C-8	230	1,000	Any		284	Striplight, General Service	Commercial
996-2520	60	200/230	S15s x2	T-25	Clear	C-8	510	1,000	Any		284	Striplight, General Service	Use 996-4895
996-2521	25	200/230	B15d	T-25	Clear	Any	180	1,000	Any		85	Single Ended Tubular	Commercial
996-2522	25	220/230	B22d	T-25	Clear	Any	180	1,000	Any		85	Single Ended Tubular	Commercial
996-2523	60	125	E27s	T-30	Clear	C-9		1,000	Any	61.5	102	Halogen Resistance Lamp	Proprietary
996-2524	40	120	B22d	ST-58	Clear	S-1	370	1,000	Any	84	123	Ships Navigation	Commercial
996-2525	8	70	E10s	T-17.5	Clear	. . .	50	1,000	Any	30	44.5	Repeater Compass	Commercial
996-2526	8	70	E10s	T-17.5	Amber	. . .	50	1,000	Any	30	44.5	Repeater Compass	Commercial
996-2527	10	200/250	E14s	T-18	Clear	Any	43	1,000	Any		49	Indicator	Commercial
996-2528	3.6	60	E10s	T-7	Clear	CC-2F	15	1,000	Any		33	Indicator	BS 1050
996-2529	60	230/250	B22d	C-35	Clear	CC-9	540	1,000	Any		97	Plain Candle	Commercial
996-2530	60	200/250	B22d	PS-60	Red Laquer	C-7A	498	1,000	Any		108.5	Electric Fires	Commercial
996-2531	60	200/250	B22d	PS-60	Red	C-9 or CC-9		1,000	Any		108.5	General Service	Commercial
996-2532	25	220/230	E14s	C-35	Pearl	CC-9	219	1,000	Any		104	Plain Candle	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-2533	40	220/230	E14s	C-35	Pearl	CC-9	422	1,000	Any		104	Plain Candle	Commercial
996-2534	60	220/230	E14s	C-35	Pearl	CC-9	639	1,000	Any		124	Plain Candle	Commercial
996-2535	30	115	S15s x2	T-25	Clear	C-8	245	1,000	Any		284	Striplight, General Service	Commercial
996-2536	1mA	110/130	BA9s	TL-10	Clear				Any		26	Neon Indicator Ext Res 56K	Commercial
996-2601	100	220/230	S15s x2	T-46	Clear	C-8	890	1,000	Any		308	Striplight, General Service	Commercial
996-2602	100	115	BA15s	T-25	Clear	2CC-8	1,850	50	VBD	P34.5	76	Projector lamp A1/21	Use 996-4914
996-2603	200	115	P30d	T-25	Clear	CC-13	4,600	25	VBD	31.5	87	Projector lamp A1/27	Commercial
996-2605	200	115	B15d	T-25	Black Top	CC-13		25	VBD	35	87	Projector lamp A1/25	Commercial
996-2607	200	15	B15s	T-25	Clear	CC-13	4,400	25	VBD	35	87	Projector lamp A1/26	Use 996-9830
996-2608	125	200/250	B22d-3	A-90	Woods Glass			1,500	Any		178	UV Blacklight Source	Commercial
996-2609	2mA	220	Wires	T-9	Red				Any		30.4	Neon Indicator Ext Res 270K	Commercial
996-2610	160	240	B22d	E-75	Phosphored		3,000	6,000	Vert ±30°		173	MBTF Mercury Blended	Commercial
996-2611	85		G13 x2	T-38	°Kolor-Rite		3,950	7,500	Any		1800	Electronics Workshops	Proprietary
996-2612	40		G13 x2	T-38	°Kolor-Rite		1,800	7,500	Any		1200	Electronics Workshops	Proprietary
996-2901													
996-2902													
996-2903													
996-2904	5mA	200/260	B15d	T-15	Clear				Any		52	Neon, Internal Resistor	
996-2914	6		G5 x2	T-16	Daylight		260	5,000	Any		225	Fluorescent GWS 25	BS 1853
996-3265	16	26	BA15s	S-25	Clear	C-6	216	400	Any	P28.5	46	Fighting Vehicles	
996-4101	0.5	110	B22d	ST-28	Clear				Any		56	Neon, Internal Resistor	
996-4102	0.5	200/220	B22d	ST-28	Clear				Any		56	Neon, Internal Resistor	
996-4103	0.5	230/240	B22d	ST-28	Clear				Any		56	Neon, Internal Resistor	
996-4104	0.5	200/260	B22d	ST-28	Clear				Any		56	Neon Indicator, Ext Res 1MEG	Commercial
996-4105	0.5	250/260	B22d	ST-28	Clear				Any		56	Neon, Internal Resistor	
996-4106	0.7	220	B22d	ST-28	Clear				Any		56	Neon Indicator, Int Res 27K	Commercial
996-4107	0.5	110/130	B15d	T-18	Clear				Any		54	Neon, Internal Resistor 10K	Commercial
996-4108	5	200/260	B22d	PS-60	Clear	Beehive			Any		110	Beehive Neon Lamp	Commercial
996-4109	0.625	100/250	E10s	T-11	Clear				Any		30	Neon Indicator, Int Res 100K	Commercial
996-4110	0.25	100/250	Wires	T-5.95	Clear			50,000	Any		16	Neon Indicator, Ext Res 330K	Commercial
996-4111	1.8mA	100/250	Wires	T-5.95	Clear			50,000	Any		16	Neon Indicator, Ext Res 100K	Commercial
996-4113	0.35A	100/250	S6s	T-5.7	Clear				Any		19.8	Neon Indicator, Ext Res 470K	Commercial
996-4115	1mA	110/220	SX6s	T-5.7	Clear				Any		15.9	Neon Indicator, Ext Res 150K	Commercial
996-4116	500	240	P28s	G-100	Clear	C-13	10,000	200	VBD ±45°	55.5	140	T/1 Theatre Spotlight	Commercial
996-4117	40	230/250	B15d	CF-47	Clear	CC-9	390	1,000	Any	70	135	Large Twisted Candle	Commercial
996-4118	30	220/230	S15s x2	T-25	Opal	C-8	220	1,000	Any		284	Striplight, General Service	Commercial
996-4201	10	100/130	B22d	ST-28	Clear	Any	50 @ 130V	1,000	Any		56	Indicator	DefStan 62-10 #104
996-4202	10	100/130	B22d	ST-28	Ruby Glass	Any		1,000	Any		61	Indicator	DefStan 62-10 #104
996-4203	11	100	B22d	T-25	Clear	Any	22	1,000	Any		86	Indicator	
996-4204	11	100	B22d	T-25	Ruby Glass	Any		1,000	Any		86	Indicator	DefStan 62-10 #105
996-4205	11	110	B22d	T-25	Clear	Any	22	1,000	Any		86	Indicator	DefStan 62-10 #105
996-4206	11	220	B22d	T-25	Clear	Any	22	1,000	Any		86	Indicator	DefStan 62-10 #105
996-4207	110	220	B22d	T-25	Red glass	Any		1,000	Any		86	Indicator	DefStan 62-10 #105
996-4208	12 or 15	200/260	B22d	ST-28	Yellow	Any		1,000	Any		56	Indicator	
996-4209	12 or 15	200/260	B22d	ST-28	Pearl	Any	37 (min)	1,000	Any		56	Indicator	DefStan 62-10 #104
996-4210	15	65	B22d	ST-28	Clear	Any	90	1,000	Any		56	Indicator	



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4211	. . .	85	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	Resistance lamp	
996-4212	15	100	B22d	ST-28	Clear	Any	105	1,000	Any		54	. . .	
996-4213	15	110/120	B22d	ST-28	Blue	Any		1,000	Any		54	Pygmy Sign	DefStan 62-10 #95
996-4214													
996-4215	15	110/120	B22d	PS-60	Clear	C-9	140	1,000	Any	72.5	105	General Lighting Service	Commercial
996-4216	15	100	B22d	PS-55	Pearl	C-9	140	1,000	Any	65	92.5	General Lighting Service	
996-4217													
996-4218	15	100	B22d	PS-55	Green	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4219	15	100	B22d	PS-55	Orange	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4220	15	100	B22d	PS-55	Red	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4221	15	110	E27s	ST-28	Clear	Any	105	1,000	Any		58	Pygmy Sign	DefStan 62-10 #9
996-4222	15	110	E27s	ST-28	Amber glass	Any		1,000	Any		58	Pygmy Sign	
996-4223	15	110	E27s	ST-28	Ruby glass	Any		1,000	Any		58	Pygmy Sign	
996-4224	15	110	E27s	PS-55	Clear	C-9 / C-7A	140	1,000	Any	65	92.5	General Lighting Service	
996-4225	15	110/120	E27s	PS-60	Pearl	C-9 / C-7A	140	1,000	Any		106.5	General Lighting Service	Commercial
996-4226	15	110	B22d	ST-28	Clear	Any	105	1,000	Any		56	Pygmy Sign	
996-4227	15	110/120	B22d	ST-28	White	Any		1,000	Any		56	Pygmy Sign	STANAG 1006
996-4228	15	110	B22d	ST-28	Ruby Glass	Any		1,000	Any		90	Photo. Darkroom lamp	
996-4229	15	110	B22d	PS-55	Clear	Any	140	1,000	Any	65	92.5	General Lighting Service	
996-4230	15	110	B22d	PS-55	Pearl	C-9 / C-7A	140	1,000	Any	65	92.5	General Lighting Service	
996-4231	15	110	B22d	PS-55	Blue	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4232	15	110	B22d	PS-55	Green	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4233	15	110	B22d	PS-55	Orange	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4234	15	110	B22d	PS-55	Red	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4235													
996-4236													
996-4237													
996-4238													
996-4239	15	115	B22d	PS-55	Pearl	C-9 / C-7A	140	1,000	Any	65	92.5	General Lighting Service	
996-4240	15	110/120	B22d	ST-28	Clear	Any	105	1,000	Any		56	Indicator	DefStan 62-10 #10
996-4241	15	120	B22d	ST-44	Ruby Glass	Any		1,000	Any		90	Photo. Darkroom lamp	
996-4242													
996-4243	15	120	B22d	PS-55	Blue	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4244	15	130	B22d	PS-55	Pearl	C-9 / C-7A	135	1,000	Any	65	92.5	General Lighting Service	
996-4245	15	130	B22d	PS-55	Blue	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4246													
996-4247													
996-4248													
996-4249	15	200	B22d	PS-55	Clear	C-9 / C-7A	120	1,000	Any	65	92.5	General Lighting Service	
996-4250	15	200	B22d	PS-55	Blue	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4251	15	210	B22d	ST-28	Clear	Any	95	1,000	Any		56	Pygmy Sign	
996-4252													
996-4253	15	210	B22d	ST-44	Ruby Glass	Any		1,000	Any		90	Photo. Darkroom lamp	
996-4254	15	210	B22d	PS-55	Clear	Any	120	1,000	Any	65	92.5	General Lighting Service	
996-4255	15	210	B22d	PS-55	Blue	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4256	15	220	E27s	PS-55	Clear	C-9 / C-7A	120	1,000	Any	65	92.5	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4257	15	220	B22d	ST-28	Clear	Any	95	1,000	Any		56	Pygmy Sign	
996-4258	15	220	B22d	ST-28	White	Any		1,000	Any		56	Pygmy Sign	
996-4259	15	220	B22d	ST-44	Ruby Glass	Any		1,000	Any		90	Photo. Darkroom lamp	
996-4260	15	220	B22d	PS-55	Clear	Any	120	1,000	Any	65	92.5	General Lighting Service	
996-4261	15	220	B22d	PS-55	Pearl	C-9 / C-7A	120	1,000	Any	65	92.5	General Lighting Service	
996-4262	15	220	B22d	PS-55	Blue	C-9 / C-7A		1,000	Any		92.5	General Service	
996-4263	15	230	B22d	ST-28	Clear	Any	95	1,000	Any		56	Pygmy Sign	
996-4264	15	230	B22d	ST-28	Clear	C-7A	95	1,000	Any	Special	56	Airfield Lighting	DefStan 62-10 #106
996-4265	15	200/250	B22d	ST-28	Red	Any		1,000	Any		56	Pygmy Sign	Commercial
996-4266	15	200/250	B22d	ST-28	White	Any		1,000	Any		56	Pygmy Sign	Commercial
996-4267	15	230	B22d	ST-60	Ruby Glass	Any		1,000	Any	75	105	Photo. Darkroom lamp	Commercial
996-4268	15	230	B22d	PS-55	Clear	Any	120	1,000	Any	65	92.5	General Lighting Service	
996-4269	15	230	B22d	PS-55	Pearl	Any	120	1,000	Any	65	92.5	General Lighting Service	
996-4270	15	230	B22d	PS-55	Blue	C-9		1,000	Any		92.5	General Service	
996-4271	15	230	B22d	PS-55	Green	C-9		1,000	Any		92.5	General Service	
996-4272	15	230	B22d	PS-55	Orange	C-9		1,000	Any		92.5	General Service	
996-4273	15	230	B22d	PS-55	Red	C-9		1,000	Any		92.5	General Service	
996-4274	15	230	B22d	PS-60	Daylight glass	C-9		1,000	Any		105	General Service	Commercial
996-4275													
996-4276	15	240	B22d	ST-28	Clear	Any	95	1,000	Any		56	Pygmy Sign	
996-4277	15	240	B22d	ST-28	White	Any		1,000	Any		56	Pygmy Sign	
996-4278	15	240	B22d	PS-60	Ruby Glass	Any		1,000	Any		105	Photo. Darkroom lamp	Commercial
996-4279	15	240	B22d	PS-55	Clear	Any	115	1,000	Any	65	92.5	General Lighting Service	
996-4280	15	240	B22d	PS-60	Pearl	C-7A	115	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #1
996-4281	15	240	B22d	PS-55	Blue	C-7A		1,000	Any		92.5	General Service	
996-4282	15	240	B22d	PS-55	Green	C-7A		1,000	Any		92.5	General Service	
996-4283	15	240	B22d	PS-55	Orange	C-7A		1,000	Any		92.5	General Service	
996-4284	15	240	B22d	PS-55	Red	C-7A		1,000	Any		92.5	General Service	
996-4285	15	250	B22d	ST-28	Clear	Any	95	1,000	Any		56	Pygmy Sign	
996-4286	15	250	B22d	ST-28	White	Any		1,000	Any		56	Pygmy Sign	
996-4287	15	250	B22d	ST-44	Ruby Glass	Any		1,000	Any		90	Photo. Darkroom lamp	
996-4288	15	250	B22d	PS-55	Clear	Any	115	1,000	Any	65	92.5	General Lighting Service	
996-4289	15	250	B22d	PS-60	Pearl	C-7A	115	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #1
996-4290	15	250	B22d	PS-55	Blue	C-7A		1,000	Any		92.5	General Service	
996-4291	15	250	B22d	PS-55	Orange	C-7A		1,000	Any		92.5	General Service	
996-4292	15	260	B22d	ST-28	Clear	CC-9	95	1,000	Any		56	Pygmy Sign	DefStan 62-10 #10
996-4293	15	260	B22d	PS-55	Pearl	C-7A	115	1,000	Any	65	92.5	General Lighting Service	
996-4294	15	260	B22d	PS-55	Blue	C-7A		1,000	Any		92.5	General Service	
996-4295	20	110	B22d	T-25	Clear	Any	115	850	Any		86		
996-4296	20	220	B22d	T-25	Clear	Any	115	700	Any		86	General Service	DefStan 62-10 #26
996-4297	15	110/120	B22d	PS-60	Pearl	C-9 / C-7A	140	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #1
996-4298	5	200/220	B22d	PS-60	Clear	Beehive			Any		125	Neon General Service	
996-4299	5	230/240	B22d	PS-60	Clear	Beehive			Any		125	Neon General Service	
996-4300													
996-4301													
996-4302													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4303													
996-4304													
996-4305													
996-4306													
996-4307													
996-4308													
996-4309													
996-4310													
996-4311													
996-4312													
996-4313	25	85	B22d	T-25	Clear	Any	190	1,000	Any		86		
996-4314													
996-4315													
996-4316													
996-4317													
996-4318	25	100	B22d	PS-60	Clear	C-7A	245	1,000	Any	70	100	General Lighting Service	
996-4319	25	100	B22d	PS-60	Pearl	C-7A	245	1,000	Any	70	100	General Lighting Service	
996-4320	25	100	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4321	25	100	B22d	PS-60	Green	C-7A		1,000	Any		100	General Service	
996-4322	25	100	B22d	PS-60	Orange	C-7A		1,000	Any		100	General Service	
996-4323	25	100	B22d	PS-60	Red	C-7A		1,000	Any		100	General Service	
996-4324													
996-4325													
996-4326													
996-4327	25	110	E27s	PS-60	Pearl	C-7A	240	1,000	Any	70	100	General Lighting Service	
996-4328													
996-4329	25	110	B22d	PS-60	Pearl	C-7A	240	1,000	Any	70	100	General Lighting Service	
996-4330	25	110	E27s	PS-60	Pearl	C-7A	240	1,000	Any	70	100	General Lighting Service	
996-4331	25	110	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4332	25	110/120	B22d	PS-60	Green	C-7A		1,000	Any		105	General Service	Commercial
996-4333	25	110	B22d	PS-60	Orange	C-7A		1,000	Any		100	General Service	
996-4334	25	110/120	B22d	PS-60	Red	C-7A		1,000	Any		105	General Service	Commercial
996-4335	25	110	B22d	PS-60	Pearl	C-7A	190	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #107
996-4336													
996-4337													
996-4338													
996-4339													
996-4340													
996-4341													
996-4342													
996-4343	25	110/120	B22d	T-25	Clear	Any	190	1,000	Any		86	General Service	Commercial
996-4344													
996-4345	25	115	B22d	PS-60	Pearl	C-7A	240	1,000	Any	70	100	General Lighting Service	
996-4346													
996-4347													
996-4348													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4349	25	110/120	B22d	PS-60	Pearl	C-7A	235	1,000	Any	75	108.5	General Lighting Service	BS161
996-4350	25	120	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4351													
996-4352													
996-4353	25	130	B22d	PS-60	Pearl	C-7A	230	1,000	Any	70	100	General Lighting Service	
996-4354	25	130	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4355	25	150	E27s	PS-60	Pearl	C-7A	205	1,000	Any	70	100	General Lighting Service	
996-4356													
996-4357													
996-4358													
996-4359	25	200/210	B22d	PS-60	Clear	C-7A	220	1,000	Any	75	108.5	General Service	BS 161
996-4360	25	200	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4361													
996-4362	25	210	B22d	T-25	Clear	Any	180	1,000	Any		86	General Service	
996-4363	25	210	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4364	25	210	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4365													
996-4366	25	220	E27s	PS-60	Clear	C-7A	225	1,000	Any	70	100	General Lighting Service	
996-4367	25	220	E27s	PS-60	Pearl	C-7A	225	1,000	Any	70	100	General Lighting Service	
996-4368													
996-4369	25	220	B22d	PS-60	Clear	C-7A	225	1,000	Any	70	100	General Lighting Service	
996-4370	25	220	B22d	PS-60	Pearl	C-7A	225	1,000	Any	70	100	General Lighting Service	
996-4371	25	220	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-4372	25	220	B22d	PS-60	Pearl	C-7A	175	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #107
996-4373													
996-4374													
996-4375													
996-4376	25	230	B22d	T-25	Clear	Any	180	1,000	Any		86	General Service	
996-4377	25	230	B22d	PS-60	Clear	C-7A	220	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4378	25	230	B22d	PS-60	Pearl	C-7A	220	1,000	Any	70	100	General Lighting Service	
996-4379	25	230	B22d	PS-60	Blue	C-7A		1,000	Any		105	General Service	Commercial
996-4380	25	230	B22d	PS-60	Green	C-7A		1,000	Any		105	General Service	Commercial
996-4381	25	230	B22d	PS-60	Amber	C-7A		1,000	Any		105	General Service	Commercial
996-4382	25	200/250	B22d	PS-60	Red	C-7A		1,000	Any		105	General Service	Commercial
996-4383	25	230	B22d	PS-60	Daylight glass	C-7A		1,000	Any		105	General Service	Commercial
996-4384	25	230	B22d	PS-60	Pearl	C-7A	175	1,000	Any	75	108.5	Ships Lighting	DefStan 62-10 #107
996-4385	25	230	B22d	PS-60	Blue glass	. . .	17	1,000	Any		100	General Service	
996-4386													
996-4387	25	240	B22d	T-25	Clear	Any	180	1,000	Any		86	General Service	
996-4388	25	240	B22d	PS-60	Clear	C-7A	225	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4389	25	240	B22d	PS-60	Pearl	C-9	215	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4390	25	240	B22d	PS-60	Blue	C-9 / C-7A		1,000	Any		100	General Service	
996-4391	25	240	B22d	PS-60	Green	C-9 / C-7A		1,000	Any		100	General Service	
996-4392	25	240	B22d	PS-60	Orange	C-9 / C-7A		1,000	Any		100	General Service	
996-4393	25	240	B22d	PS-60	Red	C-9 / C-7A		1,000	Any		100	General Service	
996-4394													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4395	25	250	B22d	T-25	Clear	Any	180	1,000	Any		86	General Service	
996-4396	25	250	B22d	PS-60	Clear	C-9	220	1,000	Any	70	100	General Lighting Service	
996-4397	25	250	B22d	PS-60	Pearl	C-9	215	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4398	25	250	B22d	PS-60	Blue	C-9		1,000	Any		100	General Service	
996-4399													
996-4401													
996-4402	8 CP	110	B22d	PS-60	Clear	Carbon		800	Any		110	General Service	
996-4403													
996-4404													
996-4405													
996-4406													
996-4407	8 CP	230	B22d	PS-60	Clear	Carbon		800	Any		110	General Service	
996-4408													
996-4409													
996-4410													
996-4411													
996-4412	35	110	B22d	PS-60	Deep Blue IF	C-9						Admiralty deep blue	
996-4413													
996-4414													
996-4415													
996-4416													
996-4417													
996-4418													
996-4419													
996-4420													
996-4421													
996-4422													
996-4423													
996-4424	40	100	B22d	PS-60	Clear	C-2V	475	1,000	Any	80	110	General Lighting Service	
996-4425	40	100	B22d	PS-60	Pearl	C-9	475	1,000	Any	80	110	General Lighting Service	
996-4426													
996-4427	40	100	B22d	PS-60	Green	C-9		1,000	Any		110	General Service	
996-4428	40	100	B22d	PS-60	Orange	C-9		1,000	Any		110	General Service	
996-4429	40	100	B22d	PS-60	Red	C-9		1,000	Any		110	General Service	
996-4430													
996-4431													
996-4432	40	110	E27s	PS-60	Pearl	CC-9	470	1,000	Any	80	110	General Lighting Service	
996-4433													
996-4434	40	110	B22d	PS-60	Pearl	C-9	470	1,000	Any	80	110	General Lighting Service	
996-4435													
996-4436	40	110	B22d	PS-60	Green	C-9		1,000	Any		110	General Service	
996-4437	40	110	B22d	PS-60	Orange	C-9		1,000	Any		110	General Service	
996-4438	40	110/120	B22d	PS-60	Red	C-9		1,000	Any		105	General Service	Commercial
996-4439	40	110	B22d	PS-60	Clear	C-9	335	1,000	Any	80	110	General Service	
996-4440	40	110/120	B22d	PS-60	Green	C-9		1,000	Any		105	General Service	Commercial
996-4441	40	110	B22d	PS-60	Pearl	C-9	350	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #25

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4442	40	110	B22d	PS-60	Ruby Glass	Any		1,000	Any		108.5	Ship Lighting	Use 996-5452
996-4443													
996-4444	40	115	B22d	PS-60	Pearl	C-9	460	1,000	Any	80	110	General Lighting Service	
996-4445													
996-4446													
996-4447	40	115	E27s	PS-60	Red	C-9		1,000	Any	76.5	106.5	General Service	Commercial
996-4448	40	115	E27s	PS-60	Pearl	C-9	360	1,000	Any	76.5	110	Ship Lighting	DefStan 62-10 #108
996-4449													
996-4450	40	120	E27s	PS-60	Clear	C-9	455	1,000	Any	80	110	General Lighting Service	
996-4451	40	110/120	E27s	PS-60	Pearl	C-9	455	1,000	Any	76.5	110	General Lighting Service	DefStan 62-10 #4
996-4452													
996-4453	40	110/120	B22d	PS-60	Pearl	C-9	455	1,000	Any	75	108.5	General Lighting Service	BS161
996-4454	40	120	B22d	PS-60	Pearl	C-22	335	1,000	Any		105	Rough Service	Commercial
996-4455													
996-4456	2000	22 (DC)	Leads	BT-64.8	Clear Quartz	N/A	6,400	100	Horiz.		316	XE/D XenonLight Projector No. 2 Mk3	MVEE FV497930 #4
996-4456	40	130	B22d	PS-60	Pearl	C-9	450	1,000	Any	80	110	General Lighting Service	
996-4457													
996-4458	40	150	E27s	PS-60	Pearl	C-9	400	1,000	Any	76.5	110	General Lighting Service	DefStan 62-10 #4
996-4462	40	200	B22d	PS-60	Pearl	CC-9	440	1,000	Any	80	110	General Lighting Service	
996-4463	40	200	B22d	PS-60	Blue	C-9		1,000	Any		110	General Service	
996-4464													
996-4465													
996-4466													
996-4467	40	210	B22d	PS-60	Pearl	CC-9	435	1,000	Any	80	110	General Lighting Service	
996-4467	40	240	B22d	PS-60	Orange	C-9		1,000	Any		105	General Service	Commercial
996-4468	40	210	B22d	PS-60	Blue	C-9		1,000	Any		110	General Service	
996-4469	40	210	B22d	PS-60	Clear	C-22	300	1,000	Any		110	Rough Service	
996-4470	40	220	B22d	PS-60	Clear	CC-9	435	1,000	Any	80	110	General Lighting Service	
996-4471	40	220	E27s	PS-60	Pearl	CC-9	435	1,000	Any	80	110	General Lighting Service	
996-4472													
996-4473													
996-4474	40	220	B22d	PS-60	Clear	CC-9	435	1,000	Any	80	110	General Lighting Service	
996-4475	40	220	B22d	PS-60	Pearl	CC-9	435	1,000	Any	80	110	General Lighting Service	
996-4476													
996-4477	40	220	B22d	PS-60	Blue	C-9		1,000	Any		110	General Service	
996-4478	40	220	B22d	PS-60	Clear	C-22	295	1,000	Any		110	Rough Service	
996-4479	40	220	B22d	PS-60	Pearl	C-22	295	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #25
996-4480	40	220	B22d	PS-60	Ruby Glass	Any		1,000	Any		108.5	Ship Lighting	DefStan 62-10 #146
996-4481	40	230	E27s	PS-60	Clear	CC-9	430	1,000	Any	80	110	General Lighting Service	
996-4482	40	230	E27s	PS-60	Pearl	C-9	430	1,000	Any	80	110	General Lighting Service	
996-4483													
996-4484	40	220/230	B22d	PS-60	Clear	CC-9	415	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4485	40	230	B22d	PS-60	Pearl	CC-9	430	1,000	Any	80	110	General Lighting Service	
996-4486	40	230	B22d	PS-60	Blue	C-9		1,000	Any		110	General Service	
996-4487	40	230	B22d	PS-60	Green	C-9		1,000	Any		110	General Service	
996-4488	40	230	B22d	PS-60	Orange	C-9		1,000	Any		110	General Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4489	40	230	B22d	PS-60	Red	C-9		1,000	Any		110	General Service	
996-4490	40	230	B22d	PS-60	Ruby Glass	C-22	290	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #25
996-4491													
996-4492													
996-4493													
996-4494	40	240	B22d	PS-60	Pearl	CC-9	410	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4495	40	240	B22d	PS-60	Blue	C-9		1,000	Any		105	General Service	Commercial
996-4496	40	240	B22d	PS-60	Green	C-9		1,000	Any		105	General Service	Commercial
996-4498	40	200/250	B22d	PS-60	Red	C-9		1,000	Any		105	General Service	Commercial
996-4499	40	240	B22d	PS-60	Daylight Glass	C-9		1,000	Any	80	110	General Service	
996-4501													
996-4502	16 CP	110	B22d	PS-60	Clear	Carbon		800	Any		110	General Service	
996-4503													
996-4504													
996-4505	60	60	B22d	PS-60	Pearl	C-9		790	1000	80	110	General Lighting Service	
996-4506													
996-4507													
996-4508													
996-4509													
996-4510													
996-4511													
996-4512	60	100	B22d	PS-65	Pearl	C-9	810	1,000	Any	85	117.5	General Lighting Service	
996-4513	60	100	B22d	PS-65	Pearl	C-9	810	1,000	Any	85	117.5	General Lighting Service	
996-4514	60	110/120	B22d	PS-60	Red	C-9		1,000	Any		105.0	General Service	Commercial
996-4515													
996-4516													
996-4517	60	110	E27s	PS-65	Pearl	CC-9	790	1,000	Any	85	117.5	General Lighting Service	
996-4518	60	110	E27s	PS-65	Daylight Glass	C-9		1,000	Any	85	117.5	General Service	
996-4519	60	110	B22d	PS-65	Clear	C-9	790	1,000	Any	85	117.5	General Lighting Service	
996-4520	60	110	B22d	PS-65	Pearl	C-9	790	1,000	Any	85	117.5	General Lighting Service	
996-4521	60	110	B22d	PS-65	Daylight Glass	C-9		1,000	Any	85	117.5	General Service	
996-4522	60	110	B22d	PS-65	Clear	C-22	515	1,000	Any		117.5	Rough Service	
996-4523	60	110	B22d	PS-60	Pearl	C-9	535	1,000	Any	76.5	108.5	Ship Lighting	DefStan 62-10 #109
996-4524													
996-4525													
996-4526	60	115	E27s	PS-60	Pearl	C-9	530	1,000	Any	76.5	110.0	Ship Lighting	DefStan 62-10 #108
996-4527													
996-4528	60	115	B22d	PS-65	Pearl	C-9	785	1,000	Any	85	117.5	General Lighting Service	
996-4529													
996-4530	60	110/120	E27s	PS-60	Pearl	C-9	780	1,000	Any	76.5	110	General Lighting Service	DefStan 62-10 #4
996-4531													
996-4532	60	110/120	B22d	PS-60	Pearl	C-9	780	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4533	60	120	B22d	PS-65	Clear	C-22	515	1,000	Any		117.5	Rough Service	
996-4534	. . .	125	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	Resistance lamp	
996-4535													
996-4536	60	130	B22d	PS-65	Pearl	C-9	765	1,000	Any	85	117.5	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4537	60	150	E27s	PS-65	Pearl	C-9	685	1,000	Any	85	117.5	General Lighting Service	
996-4538													
996-4539	60	200/210	E27s	PS-60	Pearl	CC-9	720	1,000	Any	76.5	110.0	General Lighting Service	BS 161
996-4540													
996-4541	60	200	B22d	PS-65	Pearl	CC-9	740	1,000	Any	85	117.5	General Lighting Service	
996-4542	60	200	B22d	PS-65	Blue	C-9		1,000	Any		117.5	General Service	
996-4543													
996-4544		200/210	E27s	PS-60	Pearl	C-9	640	1,000	Any	76.5	108.5	General Lighting Service	DefStan 62-10 #4
996-4545													
996-4546	60	210	B22d	PS-65	Pearl	CC-9	735	1,000	Any	85	117.5	General Lighting Service	
996-4547	60	210	B22d	PS-65	Blue	C-9		1,000	Any		117.5	General Service	
996-4548	60	210	B22d	PS-65	Clear	C-22	515	1,000	Any		117.5	Rough Service	
996-4549	60	220	E27s	PS-65	Clear	CC-9	730	1,000	Any	85	117.5	General Lighting Service	
996-4550	60	220	E27s	PS-65	Pearl	CC-9	730	1,000	Any	85	117.5	General Lighting Service	
996-4551													
996-4552	60	220	B22d	PS-65	Pearl	CC-9	730	1,000	Any	85	117.5	General Lighting Service	
996-4553	60	220	B22d	PS-65	Blue	C-9		1,000	Any		117.5	General Service	
996-4554	60	220	B22d	PS-65	Clear	C-22	510	1,000	Any		117.5	Rough Service	
996-4555	60	220	B22d	PS-60	Pearl	C-22	510	1,000	Any	76.5	108.5	Ship Lighting	DefStan 62-10 #109
996-4557	60	220/230	E27s	PS-60	Pearl	CC-9	710	1,000	Any	76.5	110.0	General Lighting Service	BS 161
996-4558	60	240	E27s	PS-60	White	C-9		1,000	Any		106.5	Photographic lamp	Commercial
996-4559													
996-4559													
996-4560													
996-4560													
996-4561													
996-4561	60	230	B22d	PS-65	Pearl	CC-9	725	1,000	Any	85	117.5	General Lighting Service	
996-4562	60	230	B22d	PS-65	Blue	C-9		1,000	Any		117.5	General Service	
996-4563	60	220/230	B22d	PS-60	Clear	C-22	505	1,000	Any		108.5	Rough Service GLS	Commercial
996-4564	60	230	B22d	PS-60	Pearl	C-22	505	1,000	Any		105.0	Rough Service GLS	Commercial
996-4565	60	230	B22d	PS-60	Pearl	C-22	505	1,000	Any	76.5	108.5	Ship Lighting	DefStan 62-10 #109
996-4566	60	230	B22d	PS-60	Ruby IF Glass	C-22		1,000	Any	76.5	108.5	Ship Lighting	DefStan 62-10 #109
996-4567	60	240	E27s	PS-60	Clear	CC-9	715	1,000	Any	85	117.5	General Lighting Service	
996-4568	60	240	E27s	PS-60	Pearl	CC-9	700	1,000	Any	76.5	110.0	General Lighting Service	BS 161
996-4569													
996-4570	60	240	B22d	PS-60	Pearl	CC-9	70	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4571	60	240	B22d	PS-65	Blue	C-9		1,000	Any		117.5	General Service	
996-4572													
996-4573													
996-4574													
996-4575	60	250	B22d	PS-60	Pearl	CC-9	695	1,000	Any	75	108.5	General Lighting Service	BS161
996-4576	60	250	B22d	PS-65	Blue	C-9		1,000	Any		117.5	General Service	
996-4577	60	250	B22d	PS-60	Clear	C-22	480	1,000	Any		105.0	Rough Service	Commercial
996-4578													
996-4579													
996-4580													



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4581	60	260	B22d	PS-60	Pearl	C-9	600	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #1
996-4582	60	100/260	B22d Cer	T-50	Clear	N/A	3,400	3,000	Horiz.		300	SO/H Sodium Vapour	
996-4583	60	200	E27s	PS-65	Clear	C-22	525	1,000	Any		117.5	Rough Service	
996-4584	60	200	B22d	PS-65	Clear	C-22	490	1,000	Any		117.5	Rough Service	
996-4585	60	115	B22d	PS-60	Pearl	C-9	530	1,000	Any	76.5	108.5	Ship Lighting	DefStan 62-10 #109
996-4586	60	200	B22d	PS-65	Pearl	C-9	645	1,000	Any	85	117.5	General Lighting Service	
996-4587	60	210	B22d	PS-65	Pearl	C-9	640	1,000	Any	85	117.5	General Lighting Service	
996-4588	60	220	B22d	PS-65	Pearl	C-9	630	1,000	Any	85	117.5	General Lighting Service	
996-4589	60	230	E27s	PS-65	Pearl	C-9	620	1,000	Any	85	117.5	General Lighting Service	
996-4590	60	230	B22d	PS-65	Pearl	C-9	620	1,000	Any	85	117.5	General Lighting Service	
996-4591	60	240	B22d	PS-60	Pearl	C-9	610	1,000	Any	75	108.5	General Lighting Service	Commercial
996-4592	60	250	B22d	PS-60	Pearl	C-9	600	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4593	45	100/260	B22d Cer	T-50	Clear	N/A	2,200	3,000	Horiz.		238	SO/H Sodium Vapour	
996-4594	60	220/230	B22d	PS-60	Daylight glass	CC-9 / C-9		1,000	Any	75	105.0	General Service	Commercial
996-4597	60	200/210	E27s	PS-60	Pearl	C-22	515	1,000	Any		110.0	Rough Service	Commercial
996-4599	60	260	B22d	PS-60	Clear	C-7A	485	1,000	Any	75	105.0	Rough Service	Commercial
996-4601													
996-4602	16 CP	210	B22d	PS-60	Clear	Carbon		800	Any		110	General Service	
996-4604	16 CP	230	B22d	PS-60	Clear	Carbon	16CP	800	Any		100	General Service	
996-4605	16 CP	240	B22d	PS-60	Clear	Carbon	16CP	800	Any		110	General Service	
996-4606	16 CP	250	B22d	PS-60	Clear	Carbon	16CP	1,000	Any		110	General & Medical Service	
996-4607													
996-4608													
996-4609													
996-4610													
996-4611	75	110	E27s	PS-70	White	C-9		1,000	Any		125	Photographic	
996-4612	75	200	E27s	PS-70	White	C-9		1,000	Any		125	Photographic	
996-4613	75	210	E27s	PS-70	White	C-9		1,000	Any		125	Photographic	
996-4614	75	220	E27s	PS-68	White	C-9		1,000	Any		129	Photographic	Commercial
996-4615	75	230	E27s	PS-68	White	C-9	690	1,000	Any		129	Photographic	Commercial
996-4616	75	230	B22d	PS-70	Clear	CC-9	960	1,000	Any	90	125	General Lighting Service	
996-4617	75	230	B22d	PS-70	Pearl	CC-9	960	1,000	Any	90	125	General Lighting Service	
996-4618	75	240	E27s	PS-60	White	C-9	690	1,000	Any		129	Photographic	Commercial
996-4619	75	240	B22d	PS-60	Pearl	CC-9	930	1,000	Any	76.5	108	General Lighting Service	Commercial
996-4620	75	250	E27s	PS-68	White	C-9	690	1,000	Any		129	Photographic	Commercial
996-4621													
996-4622													
996-4623													
996-4624													
996-4625													
996-4626													
996-4627													
996-4628													
996-4629													
996-4630													
996-4631													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4632													
996-4633													
996-4634	100	100	E27s	PS-75	Pearl	C-9	1,510	1,000	Any	100	137.5	General Lighting Service	
996-4635													
996-4636	100	100	B22d	PS-75	Pearl	C-9	1,510	1,000	Any	100	137.5	General Lighting Service	
996-4637													
996-4638													
996-4639													
996-4640	100	100	P28s	T-25	Clear	C-13	1,850	50	VBD	55.5	133	Projector lamp, Class A1	
996-4641													
996-4642													
996-4643	100	110/120	E27s	PS-70	Pearl	C-9	1,500	1,000	Any	91.5	130	General Lighting Service	DefStan 62-10 #7
996-4644	100	110	B22d	PS-75	Clear	C-9	1,500	1,000	Any	100	137.5	General Lighting Service	
996-4645	100	110	B22d	PS-75	Pearl	C-9	1,500	1,000	Any	100	137.5	General Lighting Service	
996-4646	100	110	B22d	PS-70	White	C-9 / CC-9		1,000	Any		125.0	Photographic lamp	Commercial
996-4647	100	110	B22d	PS-70	Pearl	C-9	1,155	1,000	Any	90	128.5	Ship Lighting	DefStan 62-10 #110
996-4648													
996-4649	100	110	B22d	ST-96	Clear	S-1	770	1,000	Any		171	Ships Navigation	DefStan 62-10 #111
996-4650	100	110	P28s	T-25	Clear	C-13	1,850	50	VBD	55.5	133	Projector lamp, Class A1	
996-4651													
996-4652													
996-4653													
996-4654	100	115	E27s	G-80	Clear	C-5	1,100	800	VBD ±135°	76	125	Projector lamp B1/1	Commercial
996-4655													
996-4656	100	115	B22d	PS-75	Pearl	C-9	1,490	1,000	Any	100	137.5	General Lighting Service	
996-4657	100	115	P28s	T-25	Clear	2CC-8	1,850	50	VBD	55.5	133	Projector lamp A1/4	Commercial
996-4658													
996-4659													
996-4660													
996-4661	100	120	B22d	PS-75	Pearl	C-9	1,480	1,000	Any	100	137.5	General Lighting Service	
996-4662													
996-4663	100	130	B22d	PS-75	Pearl	C-9	1,460	1,000	Any	100	137.5	General Lighting Service	
996-4664	100	150	E27s	PS-75	Pearl	C-9	1,310	1,000	Any	100	137.5	General Lighting Service	
996-4665	100	115	E27s	PS-70	Pearl	C-9	1,200	1,000	Any	91.5	130	Ship Lighting	DefStan 62-10 #112
996-4666													
996-4667	100	200/210	E27s	PS-60	Pearl	CC-9	1,360	1,000	Any	75	108.5	General Lighting Service	BS 161
996-4668													
996-4669	100	200	B22d	PS-75	Pearl	CC-9	1,410	1,000	Any	100	137.5	General Lighting Service	
996-4670	100	210	E27s	PS-75	Pearl	C-9	1,260	1,000	Any	100	137.5	General Lighting Service	
996-4671													
996-4672													
996-4673	100	210	B22d	PS-75	Pearl	CC-9	1,400	1,000	Any	100	137.5	General Lighting Service	
996-4674													
996-4675													
996-4676													
996-4677	100	220	B22d	PS-75	Pearl	CC-9	1,390	1,000	Any	100	137.5	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4678	100	220	B22d	PS-75	Daylight glass	C-9		1,000	Any	100	137.5	General Service	
996-4679	100	220	B22d	PS-70	Pearl	C-9 or CC-9	1,000	1,000	Any	90	128.5	Ship Lighting	DefStan 62-10 #110
996-4680	100	220	B22d	ST-96	Clear	S-1	720	1,000	Any		171.0	Ships Navigation	DefStan 62-10 #111
996-4681													
996-4682													
996-4683	100	230	E27s	PS-75	Clear	C-9	1,380	1,000	Any	100	137.5	General Lighting Service	
996-4684	100	230	E27s	PS-75	Pearl	CC-9	1,380	1,000	Any	100	137.5	General Lighting Service	
996-4685	100	230	E27s	PS-70	Amber	C-9		1,000	Any		126.5	Photographic lamp	Commercial
996-4686													
996-4687	100	230	E27s	T-25	Clear	CC-13	1,500	50	VBD	75	128	Projector lamp A1/23	Commercial
996-4688	100	230	B22d	PS-75	Clear	CC-9	1,380	1,000	Any	100	137.5	General Lighting Service	
996-4689	100	230	B22d	PS-65	Pearl	CC-9	1,380	1,000	Any	100	137.5	General Lighting Service	
996-4690	100	230	B22d	PS-68	White	C-9		1,000	Any		128.5	Photographic lamp P3/2	Commercial
996-4691	100	230	B22d	PS-70	Pearl	C-9 or CC-9	990	1,000	Any	90	128.5	Ship Lighting	DefSatn 62-10 #110
996-4692	100	230	B22d	ST-96	Clear	S-1	720	1,000	Any		171	Ships Navigation	DefSatn 62-10 #111
996-4693													
996-4694	100	230	P28s	T-25	Clear	C-13	1,600	50	VBD	55.5	133	Projector lamp, Class A1	
996-4695													
996-4696	100	240	E27s	PS-75	Pearl	CC-9	1,370	1,000	Any	100	137.5	General Lighting Service	
996-4697	100	240	E27s	T-25	Clear	C-13	1,600	50	VBD	75	128	Projector lamp, Class A1	
996-4698	100	240	P28s	T-25	Clear	CC-13	1,650	25	VBD	55.5	133	Projector lamp A1/4	Commercial
996-4699													
996-4701													
996-4702													
996-4703													
996-4704													
996-4705													
996-4706													
996-4707	32 CP	230	B22d	PS-65	Clear	Carbon	32 CP	800	Any		117.5	General Service	
996-4708													
996-4709	32 CP	250	B22d	PS-65	Clear	Carbon	32 CP	800	Any		117.5	General Service	
996-4710													
996-4711	. . .	220	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	Battery Charging	
996-4712													
996-4713													
996-4714													
996-4715													
996-4716													
996-4717													
996-4718													
996-4719	150	100	E27s	PS-80	Pearl	C-9	2,400	1,000	Any	120	160	General Lighting Service	
996-4720	150	100	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4721													
996-4722	150	100	B22d	PS-80	Pearl	C-9	2,400	1,000	Any	120	160	General Lighting Service	
996-4723													
996-4724													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4725	150	110	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4726	150	110	B22d	PS-80	Clear	C-9	2,370	1,000	Any	120	160	General Lighting Service	
996-4727	150	110	B22d	PS-80	Pearl	C-9	2,370	1,000	Any	120	160	General Lighting Service	
996-4728													
996-4729	150	115	B22d	PS-80	Clear	C-9	2,360	1,000	Any	120	160	General Lighting Service	
996-4730	150	115	B22d	PS-80	Pearl	C-9	2,360	1,000	Any	120	160	General Lighting Service	
996-4731	150	120	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4732	150	120	B22d	PS-80	Clear	C-9	2,340	1,000	Any	120	160	General Lighting Service	
996-4733	150	110/120	B22d	PS-80	Pearl	C-9	2,340	1,000	Any	120	160	General Lighting Service	Commercial
996-4734	150	130	B22d	PS-80	Clear	C-9	2,310	1,000	Any	120	160	General Lighting Service	
996-4735	150	130	B22d	PS-80	Pearl	C-9	2,310	1,000	Any	120	160	General Lighting Service	
996-4736	150	200	E27s	PS-80	Clear	C-9	2,190	1,000	Any	120	160	General Lighting Service	
996-4737	150	200	E27s	PS-80	Pearl	C-9	2,190	1,000	Any	120	160	General Lighting Service	
996-4738	150	200	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4739	150	200	B22d	PS-80	Clear	C-9	2,190	1,000	Any	120	160	General Lighting Service	
996-4740	150	200	B22d	PS-80	Pearl	C-9	2,190	1,000	Any	120	160	General Lighting Service	
996-4741	150	200/210	E27s	PS-80	Clear	C-9	2,100	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4742	150	200/210	E27s	PS-80	Pearl	C-9	2,100	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4743	150	210	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4744	150	200/210	B22d	PS-80	Clear	C-9	2,100	1,000	Any	120	165	General Lighting Service	BS 161
996-4745	150	210	B22d	PS-80	Pearl	C-9	2,180	1,000	Any	120	160	General Lighting Service	
996-4746	150	220	E27s	PS-80	Clear	C-9	2,160	1,000	Any	120	160	General Lighting Service	
996-4747	150	220	E27s	PS-80	Pearl	C-9	2,160	1,000	Any	120	160	General Lighting Service	
996-4748	150	220	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4749	150	220	B22d	PS-80	Clear	C-9	2,160	1,000	Any	120	160	General Lighting Service	
996-4750	150	220	B22d	PS-80	Pearl	C-9	2,160	1,000	Any	120	160	General Lighting Service	
996-4751	150	230	E27s	PS-80	Clear	C-9	2,150	1,000	Any	120	160	General Lighting Service	
996-4752	150	230	E27s	PS-80	Pearl	C-9	2,150	1,000	Any	120	160	General Lighting Service	
996-4753	150	230	E27s	PS-80	White	C-9		1,000	Any		161.5	Photographic lamp	Commercial
996-4754	150	220/230	B22d	PS-80	Clear	C-9	2,070	1,000	Any	120	165	General Lighting Service	BS 161
996-4755	150	230	B22d	PS-80	Pearl	C-9	2,150	1,000	Any	120	160	General Lighting Service	
996-4756	150	240	E27s	PS-80	Clear	C-9	2,130	1,000	Any	120	160	General Lighting Service	
996-4757	150	240	E27s	PS-80	Pearl	C-9	2,060	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4758	150	240	E27s	PS-80	White	C-9		1,000	Any		160	Photographic lamp	
996-4759	150	240	B22d	PS-80	Clear	C-9	2,130	1,000	Any	120	160	General Lighting Service	
996-4760	150	240	B22d	PS-80	Pearl	C-9	2,060	1,000	Any	120	165	General Lighting Service	BS 161
996-4761	150	250	E27s	PS-80	Clear	C-9	2,040	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4762	150	250	E27s	PS-80	Pearl	C-9	2,040	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4763	150	250	E27s	PS-80	White	C-9		1,000	Any		161.5	Photographic lamp	Commercial
996-4764	150	250	B22d	PS-80	Clear	C-9	2,040	1,000	Any	120	165	General Lighting Service	BS 161
996-4765	150	250	B22d	PS-80	Pearl	C-9	2,040	1,000	Any	120	165	General Lighting Service	BS 161
996-4766	150	260	E27s	PS-80	Pearl	C-9	2,010	1,000	Any	121.5	166.5	General Lighting Service	Commercial
996-4767													
996-4768													
996-4769	150	260	B22d	PS-80	Pearl	C-9	2,120	1,000	Any	120	160	General Lighting Service	
996-4770	32 CP	100	B22d	PS-65	Clear	Carbon		800	Any		117.5	General Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4771	32 CP	110	B22d	PS-65	Clear	Carbon		800	Any		117.5	General Service	
996-4772													
996-4773													
996-4774													
996-4775													
996-4776													
996-4777	200	100	E27s	A-90	Clear	C-9	3,340	1,000	Any	133	178	General Lighting Service	
996-4778	200	100	E27s	A-90	Pearl	C-9	3,340	1,000	Any	133	178	General Lighting Service	
996-4779	200	100	B22d-3	T-32	Clear	C-13 Offset	4,600	25	VBD	P51	82	Projector lamp A1/80	Commercial
996-4780	200	110	E27s	A-90	Clear	C-9	3,330	1,000	Any	133	178	General Lighting Service	
996-4781	200	110/120	E27s	PS-80	Pearl	C-9	3,250	1,000	Any	121.5	166.5	General Lighting Service	STANAG 1006
996-4782	200	110	B22d	A-90	Clear	Any	2,950	300	Vert.	77	100	Signalling lamp	
996-4783	200	110/120	B22d	PS-80	Clear	C-9	3,300	1,000	Any	133	160	General Lighting Service	Commercial
996-4784	200	110	P28s	T-32	Clear	2CC-8	4,250	50	VBD	55.5	133	Projector lamp A1/13	Commercial
996-4785	200	115	E27s	A-90	Clear	C-9	3,280	1,000	Any	133	178	General Lighting Service	
996-4786	200	200	E27s	A-90	Clear	C-9	3,020	1,000	Any	133	178	General Lighting Service	
996-4787	200	200	E27s	A-90	Pearl	C-9	3,020	1,000	Any	133	178	General Lighting Service	
996-4788	200	200/210	E27s	PS-80	Clear	C-9	2,940	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4789	200	200/210	E27s	A-90	Pearl	C-9	2,940	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4790	200	220	E27s	A-90	Clear	C-9	2,980	1,000	Any	133	178	General Lighting Service	
996-4791	200	220	E27s	A-90	Pearl	C-9	2,980	1,000	Any	133	178	General Lighting Service	
996-4792	200	220	B22d	A-90	Pearl	C-9	2,900	1,000	Any	133	178	General Lighting Service	
996-4793	200	230	E27s	A-90	Clear	C-9	2,960	1,000	Any	133	178	General Lighting Service	
996-4794	200	230	E27s	A-90	Pearl	C-9	2,960	1,000	Any	133	178	General Lighting Service	
996-4795	200	240	E27s	PS-80	Clear	C-9	2,880	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4796	200	240	E27s	PS-80	Pearl	C-9	2,880	1,000	Any	130	170.5	General Lighting Service	DefStan 62-10 #5
996-4797	200	250	E27s	PS-80	Clear	C-9	2,860	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-4798	200	250	E27s	PS-80	Pearl	C-9	2,860	1,000	Any	127.5	166.5	General Lighting Service	BS 161
996-4799	200	260	E27s	A-90	Clear	C-9	2,900	1,000	Any	133	178	General Lighting Service	
996-4802	500	115	E27s	T-64	Clear	C-13	11,500	50	VBD	75	128	Projector lamp A1/42	Commercial
996-4803													
996-4804	500	115	P28s	T-64	Clear	C-13	11,500	50	VBD	55.5	133	Projector lamp A1/8	Commercial
996-4805	500	115	P28s	T-64	Silver Backed	C-13		50	VBD	55.5	133	Projector lamp A1/8	Commercial
996-4806	500	115	P28s	G-100	Clear	C-13	11,000	100	VBU	60	145	Epidiascope lamp E/1	Commercial
996-4807	500	100/110	E27s	PS-80	Pearl	Any	15,000	6 to 8	Any		161.5	Photoflood lamp	Commercial
996-4808	500	110	E27s	T-64	Clear	C-13	12,500	50	VBD	75	128	Projector lamp A1/42	E&I 321
996-4809	500	110	E27s	A-90	Pearl	Any	11,000	100	Any	125	178	Photographic lamp	E&I 563
996-4810	500	115	P28s	T-64	Silver Backed	C-13		50	VBD	55.5	133	Projector lamp A1/8	Commercial
996-4811	500	110	P28s	T-32	Clear	C-13D	12,500	2	VBD	55.5	133	Projector lamp , Class A1	
996-4812	500	115	P28s	G-100	Clear	C-13	11,000	100	VBU	60	145	Epidiascope Lamp E/1	Commercial
996-4813	500	110	B22d-3	T-37	Clear	C-13D Offset	12,500	25	VBU	95	142	Projector lamp A1/46	Commercial
996-4814													
996-4815	500	115	P28s	T-32	Clear	C-13D	12,500	25	VBD	55.5	133	Projector lamp A1/7	Commercial
996-4816													
996-4817	500	200	E27s	T-64	Clear	C-13	11,500	50	VBD	75	128	Projector lamp , Class A1	
996-4818													

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4819	500	200/210	E27s	PS-80	Pearl	Any	15,000	6 to 8	Any		160	Photoflood lamp	
996-4820	500	210	E27s	T-64	Clear	C-13	11,500	50	VBD	75	128	Projector lamp , Class A1	
996-4821	500	210	E27s	A-90	Pearl	Any	11,750	100	Any	125	178	Photographic lamp	
996-4822	500	220	E27s	T-64	Clear	C-13	11,500	50	VBD	75	128	Projector lamp A1/42	E&I 321
996-4823	500	220	E27s	A-90	Pearl	Any	11,750	100	Any	125	178	Photographic lamp	
996-4824	500	240	P28s	T-64	Clear	C-13	11,000	50	VBD	55.5	133	Projector lamp A1/8	Use 995-835
996-4825	500	220/230	E27s	PS-80	Pearl	Any	15,000	6 to 8	Any		166	Photoflood lamp P1/2	Commercial
996-4826	500	230	E27s	T-64	Clear	C-13	115,000	50	VBD	75	128	Projector lamp , Class A1	
996-4827	500	230	E27s	T-64	Silver Backed	C-13		50	VBD	75	128	Projector lamp A1/42	Commercial
996-4828	500	230	E27s	G-100	Silver Backed	C-13		100	VBD	85	135	Epidiascope Lamp E/3	DEE10600 R/1
996-4829	500	250	E27s	G-100	Silver Backed	C-13		100	VBD	85	135	Epidiascope	
996-4830	500	230	E27s	A-90	Pearl	Any	11,750	100	Any	125	178	Photo Enlarger P2/1	E&I 563
996-4831	500	240	P28s	T-64	Clear	C-13	11,000	50	VBD	55.5	133	Projector lamp A1/8	Use 996-4835
996-4832	500	230	P28s	G-100	Clear	C-13	11,000	100	VBD	60	135	Epidiascope E/3	DEE10600 R/1
996-4833	500	240	E27s	T-64	Clear	C-13	11,000	50	VBD ±15°	75	128	Projector lamp A1/42	Commercial
996-4834	500	240	E27s	A-90	Pearl	Any	10,000	100	Any	125	178	Photo Enlarger P2/1	E&I 563
996-4835	500	240	P28s	T-64	Clear	C-13	11,000	50	VBD ±15°	55.5	133	Projector lamp A1/8	Commercial
996-4836	500	240	P28s	G-100	Clear	C-13	11,000	100	VBD	60	133	Epidiascope	
996-4837	500	240/250	E27s	PS-80	Pearl	Any	15,000	6 to 8	Any		166.5	Photoflood lamp P1/2	Commercial
996-4838	500	250	E27s	T-64	Clear	C-13	11,000	50	VBD ±15°	75	125	Projector lamp A1/42	E&I 321
996-4839	500	250	E27s	T-64	Silver Backed	C-13		50	VBD	75	128	Projector lamp , Class A1	
996-4840	500	240	E27s	A-90	Pearl	Any	11,750	100	Any	125	178	Photo. Enlarger	E&I 563
996-4841	750	115	P28s	T-38	Black Top	C-13D	19,500	25	VBD	55.5	133	Projector lamp A1/9	Commercial
996-4842	750	110	P28s	T-38	Clear	C-13D	19,500	25	VBD	55.5	133	Projector lamp , Class A1	
996-4843	750	115	P28s	T-38	Black Top	C-13D	19,500	25	VBD	55.5	133	Projector lamp A1/9	Commercial
996-4844													
996-4845	750	120	P28s	T-38	Black Top	C-13D		25	VBD	55.5	133	Projector lamp , Class A1	
996-4846	1000	110	E40s	T-64	Clear	C-13	26,500	50	VBD	120	230	Projector lamp , Class A1	
996-4847	500	230	E27s	PS-110	Clear	C-9	8,160	100	Any		270	General Lighting Service	Commercial
996-4849	500	230	P28s	T-32	Clear	C-13D	12,500	25	VBD	55.5	135	Projector lamp A1/7	Commercial
996-4850	1000	240	P28s	T-64	Clear	C-13D	25,000	25	VBD ±15°	55.5	140	Projector lamp A1/58	Commercial
996-4851	1000	240/250	P28s	T-38	Black Top	C-13D	26,500	25	VBD ±15°	55.5	140	Projector lamp A1/59	Commercial
996-4852	1000	200	E27s	TG-100	Clear	C-7A	16,000	300	Any	129	179	Underwater Diving Lamp	Proprietary
996-4853	500	240	P28s	G-100	Clear	C-13	10,300	100	VBD ±45°	60	145	Epidiascope lamp E/1	Commercial
996-4855	1000	110	E27s	TG-100	Clear	C-7A	23,500	50	Any	129	179	Underwater Diving Lamp	Proprietary
996-4856	1000	220	E27s	TG-100	Clear	C-7A	16,000	300	Any	129	179	Underwater Diving Lamp	Proprietary
996-4857	500	115	P28s	G-100	Half Silvered	C-13		100	VBD	60	145	Epidiascope lamp E/1	Commercial
996-4858	500	115	B22d	PS-80	Pearl	C-9 or CC-9	16,500	6	Any		166	Photographic	Commercial
996-4859	750	115	G17q	T-38	Clear	C-13		25	BD	39.7	118	Projector lamp A1/206	Commercial
996-4860	1000	115	G17q	T-38	Black Top	C-13		25	BD	39.7	118	Projector lamp A1/207	Commercial
996-4861	750	240	G17q	T-38	Black Top	C-13D		25	VBD	39.7	118	Projector lamp A1/206	Commercial
996-4862	1000	240	G17q	T-38	Black Top	C-13D		25	VBD ±15°	39.7	118	Projector lamp A1/207	Commercial
996-4864	500	240	G17q	T-32	Black Top	C-13D	11,400	25	VBD ±15°	39.7	102.5	Projector lamp A1/180	Commercial
996-4865	25	230/250	B15d	C-35	Clear	CC-9	205	1,000	Any	56	98	Plain Candle	Commercial
996-4866	75	240	B22d	R-95	Diffuse	CC-9	1,000	1,000	Any		129	R95 Reflector Lamp	Commercial
996-4867	50 / 40	12	P36d	T-28	Clear	C-6 & C-2V	750 / 580	75 & 100	Horiz.	21.5	62	M.T. LH Drive, No. 446	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4868	28		Special	T-14	Cool White		560	15,000	Horiz.		171	Fluorescent General Service	Commercial
996-4869	85		G13 x2	T-38	Cool White		6,400 (min)	7,500	Any		2400	Fluorescent	BS 1853
996-4870	85		G13 x2	T-38	Cool White		5,800 (min)	7,500	Any		1800	Fluorescent	Commercial
996-4871	25	240/250	B22d	T-25	Clear	Any	180	1,000	Any		86	General Service	Commercial
996-4872	109mA	100/250	Wires	T-6	Clear			5,000	Any		17.5	Neon Indicator Ext Res 100K	Commercial
996-4873	40	100/110	E27s	PS-60	Pearl	C-9	475	1,000	Any	76.5	106.5	General Lighting Service	Commercial
996-4874	100	100/110	E27s	PS-60	Pearl	C-9	1,400	1,000	Any	76.5	106.5	General Lighting Service	Commercial
996-4875	25	220/230	E27s	PS-60	Pearl	C-7A	220	1,000	Any	76.5	110	General Lighting Service	BS 161
996-4876	60	250	E27s	PS-60	Pearl	C-9	600	1,000	Any	76.5	110	General Lighting Service	BS 161
996-4877	100	250	E27s	PS-60	Pearl	C-9	1,220	1,000	Any	76.5	110	General Lighting Service	BS 161
996-4878	125		G13 x2	T-38	Natural		8,000 (min)	7,500	Any		2400	Fluorescent General Service	BS 1853
996-4879	85		G13 x2	T-38	Natural		5,800 (min)	7,500	Any		1800	Fluorescent General Service	BS 1853
996-4880	30		G13 x2	T-38	Daylight		1,860 (min)	5,000	Any		900	Fluorescent	BS 1853
996-4881	30		G13 x2	T-38	Warm White		1,930 (min)	5,000	Any		900	Fluorescent General Service	BS 1853
996-4882	30		G13 x2	T-38	White		1,930 (min)	5,000	Any		900	Fluorescent General Service	BS 1853
996-4883	25	230/250	B22d	C-35	Clear	C-9	180	1,000	Any		103	Plain Candle	Commercial
996-4884	40	230/250	B15d	C-35	Clear	CC-9	315	1,000	Any		103	Plain Candle	Commercial
996-4885	40	230/250	B22d	C-35	Clear	CC-9	315	1,000	Any		97	Plain Candle	Commercial
996-4886	60	230/250	B15d	C-35	Clear	CC-9	540	1,000	Any		103	Plain Candle	Commercial
996-4887	60	200/250	E27s	PS-60	Red	C-9 or CC-9		1,000	Any		106.5	General Service	Commercial
996-4888	1000	220/240	E40s	ED-180	Phosphored		55,000	7,500	Any		400	MBF/U Mercury	BS 3677
996-4889	650	240/250	G6.35	T-16.5	Clear Quartz	CC-8	20,000	15	Any	40	67	Halogen Photographic P1/14	Commercial
996-4890	12	200/260	B22d	ST-28	Red laquered	Any	45	1,000	Any		57	Indicator	Commercial
996-4891	40	240	B22d	PS-60	Pearl	C-22	300	1,000	Any	64	108.5	Rough Service	Commercial
996-4892	60	240	B22d	PS-60	Pearl	C-22	480	1,000	Any	64	108.5	Rough Service	Commercial
996-4893	30	200/250	S15s x2	T-25	Clear	C-8	225	1,000	Any		221	Striplight, General Service	Commercial
996-4894	30	200/250	S15s x2	T-25	Clear	C-8	225	1,000	Any		284	Striplight, General Service	Commercial
996-4895	60	200/250	S15s x2	T-25	Clear	C-8	450	1,000	Any		284	Striplight, General Service	Commercial
996-4897	0.5	230	Quickfit	T-12.9	Red Lens				Any		36	Neon Indicator, Int Res 150K	Proprietary
996-4901													
996-4902													
996-4903													
996-4904	50CP	230	B22d	PS-	Clear	Carbon		800	Any			. . .	
996-4905													
996-4906													
996-4907													
996-4908	3000	230	G38	T-150	Clear	C-8	54,000	800	Horiz.		375	Airfield Floodlight	
996-4909	200	220/230	B22d	PS-68	Clear	Carbon	410	800	Any		125	Carbon Heater	Commercial
996-4911	40	240	B22d	ST-58	Clear	S-1	345	1,000	Any	84	123	Ships Navigation	Commercial
996-4912	60	240/250	B22d	PS-60	Pearl	Any	490	1,000	Any		105	Rough Service	Commercial
996-4913	150	240/250	BA15s	T-26	Opaque Top	C-13	2,700	25	VBD ±15°	35	90	Projector lamp A1/167	Commercial
996-4914	100	115	BA15s	T-26	Clear	2CC-8	1,850	25	VBD	P34.5	78	Projector lamp A1/21	Commercial
996-4916	160	240/250	B22d	E-75	Woods Glass			8,000	BU ±45°		180	MBWT/V Blended Blacklight	Commercial
996-4917	125	220/250	B22d-3	E-75	Phosphored		6,200	10,000	Any		178	MBF/U High Pressure Mercury	Commercial
996-4918	750	240	E40s	PS-150	Clear	C-7A	13,100	1,000	Any	225	300	General Lighting Service	Commercial
996-4919	25	200/220	B15d	CF-35	Clear	CC-9	219	1,000	Any		108	Twisted Candle	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-4920	40	200/220	B15d	CF-35	Clear	CC-9	250	1,000	Any		108	Twisted Candle	Commercial
996-4921	1000	240/250	R7s-15	T-12	Frosted Quart	C-8	21,000	2,000	Horiz ±15°		189.1	K/4 Halogen Floodlighting	Commercial
996-4922	750	240/250	R7s-15	T-12	Frosted Quart	CC-8	15,000	2,000	Horiz ±15°		189.1	K/3 Halogen Floodlighting	Commercial
996-4923	100	200/250	B22d	PS-68	Pearl	C-22	980	1,000	Any		128.5	Rough Service	Commercial
996-4924	100	240/250	E27s	PAR-38	Clear	CC-6	1,600cd	2,000	Any		135	Sealed Beam Floodlight	Commercial
996-5201	5	250/260	B22d	PS-60	Clear	Beehive			Any		125	Neon General Service	
996-5202	10	60	B15d	P-19	Clear	Any	65	1,000	Any		43	Indicator	Commercial
996-5203	15	110	B22d	ST-28	Ruby Glass	Any		1,000	Any		57	Photographic	Commercial
996-5204	15	115	B22d	ST-28	Clear	Any	105	1,000	Any		56	Pygmy Sign	
996-5205	15	110/120	B22d	ST-28	Red	Any		1,000	Any		56	Pygmy Sign	Commercial
996-5206	15	200/210	B22d	PS-60	Pearl	Any	120	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #1
996-5207	15	200/250	B22d	ST-28	Green	Any		1,000	Any		56	Pygmy Sign	Commercial
996-5208	15	200/250	B22d	ST-28	Amber	Any		1,000	Any		56	Pygmy Sign	Commercial
996-5209	15	230	B22d	PS-55	White	Any		1,000	Any	65	92.5	General Service	
996-5210	15	230	B22d	PS-55	Yellow	Any		1,000	Any	65	92.5	General Service	
996-5211	15	250	B22d	PS-55	White	C-9 / C-7A		1,000	Any		92.5	General Service	
996-5212	15	250	B22d	PS-55	Red	C-9 / C-7A		1,000	Any		92.5	General Service	
996-5213	20		G13 x2	T-38	Warm White		620	5,000	Any		600	Fluorescent General Service	
996-5214	15		G13 x2	T-26	Daylight		420	5,000	Any		450	Fluorescent General Service	
996-5215	15	210	B22d	PS-55	Pearl	C-9 / C-7A	120	1,000	Any	65	92.5	General Lighting Service	
996-5216	15	60	B22d	PS-55	Pearl	C-9 / C-7A	140	1,000	Any	65	92.5	General Lighting Service	
996-5217	15	60	B22d	PS-55	Red	C-9 / C-7A		1,000	Any		92.5	General Service	
996-5218	15	200/250	B22d	ST-28	Blue	Any		1,000	Any		56	Pygmy Sign	Commercial
996-5219	15	240	B22d	ST-28	Red	Any		1,000	Any		56	Pygmy Sign	
996-5220	20		G13 x2	T-38	Daylight		660	5,000	Any		600	Fluorescent General Service	
996-5221	0.8	200/260	B22d	ST-28	Ruby Glass	Any		1,000	Any		56	Indicator	DefStan 62-10 #104
996-5222	20	115	B22d	T-25	Clear	Any	115	850	Any		86	General Service	DefStan 62-10 #26
996-5223	11	115	B22d	T-25	Clear	Any	22	1,000	Any		86	Indicator	DefStan 62-10 #105
996-5224	15	230	B22d	PS-55	Amber	C-9 / C-7A		1,000	Any		92.5	General Service	
996-5225	15	250	B22d	ST-28	Red	Any		1,000	Any		56	Pygmy Sign	
996-5226	15	50	B22d-3	PS-60	Pearl	Any	123 (min)	1,000	Any	75	108.5	General Service	DefStan 62-10 #12
996-5227	15	130	B22d	ST-28	Clear	C-7A	105	1,000	Any		57	Pygmy Sign	Commercial
996-5230	15	200/250	B15d	ST-28	Clear	Any	98	1,000	Any		65	Pygmy Sign	Commercial
996-5233	15	220/230	E27s	ST-28	Clear	Any	95	1,000	Any		60	Pygmy Sign	Commercial
996-5235	15		G13 x2	T-26	Natural		650	5,000	Any		450	Fluorescent General Service	Use 996-5260
996-5236	15		G13 x2	T-26	Warm White		725	5,000	Any		450	Fluorescent General Service	BS 1853 Part. 2
996-5237	15		G13 x2	T-26	Daylight		500 (min)	5,000	Any		450	Fluorescent	BS 1853 Part. 2
996-5238	15		G13 x2	T-26	Natural		650	5,000	Any		450	Fluorescent General Service	Commercial
996-5239	15		G13 x2	T-26	Deluxe Warm		550	5,000	Any		450	Fluorescent General Service	Commercial
996-5240	15		G13 x2	T-26	White		800	5,000	Any		450	Fluorescent General Service	BS 1853 Part. 2
996-5241	15		G13 x2	T-26	Northlight		550	5,000	Any		450	Fluorescent General Service	Commercial
996-5243	15		G13 x2	T-26	Warm White		725	5,000	Any		450	Fluorescent General Service	BS 1853 Part. 2
996-5245	20		G13 x2	T-38	Blacklight Blue			5,000	Any		600	Fluorescent General Service	Commercial
996-5246	20		G13 x2	T-38	°Kolor-Rite		750	5,000	Any		600	Fluorescent (for Sick Bays)	Proprietary
996-5247	40		G13 x2	T-38	Radar Red		300	5,000	Any		600	Radar Operations Room	Commercial
996-5248	40		G13 x2	T-38	Radar Blue			5,000	Any		600	Radar Operations Room	Commercial



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5249	13		G5 x2	T-16	Warm White		750	5,000	Any		525	VC10 Aircraft Fluorescent	BS 1853
996-5250	15		G13 x2	T-26	Red		30	5,000	Any		450	Ships Lighting	NES 2003
996-5251	0.8	200/260	B22d	ST-28	Clear	Any	45	1,000	Any		59	Indicator	Commercial
996-5252	15	200/250	B15d	ST-28	Blue	Any		1,000	Any		65	Pygmy Sign	Commercial
996-5253	50		Special	T-14	Cool White		1,500	8,000	Any		225	Photographic Cold Cathode	Proprietary
996-5254	15		G13 x2	T-38	Cool White		600	5,000	Any		450	Fluorescent	Commercial
996-5255	15		G13 x2	T-38	Northlight		405	5,000	Any		450	Fluorescent General Service	Use 996-5241
996-5256	80		G13 x2	T-38	Red		250	7,500	Any		1500	Ship Lighting	Commercial
996-5257	4		G5 x2	T-16	Northlight		88	5,000	Any		150	Fluorescent General Service	BS 1853
996-5258	13		G5 x2	T-16	White		750	5,000	Any		525	Fluorescent General Service	BS 1853
996-5259	4		G5 x2	T-16	Warm White		140	5,000	Any		150	Fluorescent General Service	BS 1853
996-5260	15		G13 x2	T-26	Natural		590	7,500	Any		450	VC10 Aircraft (Special Cathode)	Proprietary
996-5261	30		G13 x2	T-26	Natural		1,525	7,500	Any		900	VC10 Aircraft (Special Cathode)	Proprietary
996-5262	40		G13 x2	T-26	Natural		1,900	7,500	Any		1200	VC10 Aircraft (Special Cathode)	Proprietary
996-5263	15		G13 x2	T-38	Northlight		550	5,000	Any		450	Photographic Viewer	Use 996-5241
996-5264	8		G5 x2	T-16	Red			5,000	Any		300	Ship Lighting	NES 2003/592
996-5265	85		G13 x2	T-38	Warm White		6,000 (min)	7,500	Any		1800	Fluorescent General Service	BS 1853
996-5266	4		G5 x2	T-16	Daylight		140	5,000	Any		150	Fluorescent Nimrod Simulator	BS 1853
996-5267	6		G5 x2	T-16	Daylight		260	5,000	Any		225	Fluorescent Nimrod Simulator	BS 1853
996-5268	85		G13 x2	T-38	Natural		6,400 (min)	7,500	Any		2400	Fluorescent General Service	BS 1853
996-5269	65 / 80		G13 x2	T-38	°Kolor-Rite		3,000 / 3,400	7,500	Any		1500	Fluorescent General Service	Proprietary
996-5270	130	230/250	B22d	PS-68	Clear	Carbon	312	800	Any		128.5	Carbon Heater	Commercial
996-5271	40		G13 x2	T-38	Trucolor		1,900	7,500	Any		1200	Fluorescent General Service	Proprietary
996-5272	65	230/250	B22d	PS-60	Clear	Carbon	112	800	Any		113.5	Carbon Heater	Commercial
996-5273	1.2	60	BA7s	T-6.6	Clear	CC-6F	2	5,000	Any		24	Hercules Aircraft Simulator	Commercial
996-5274	40		G13 x2	T-38	ropicalDaylight		1,400	7,500	Any		600	Braodcasting Studio	Commercial
996-5275	40		G13 x2	T-38	ropicalDaylight		2,210	7,500	Any		1200	Braodcasting Studio	Commercial
996-5276	65 / 80		G13 x2	T-38	ropicalDaylight		3,400 / 4000	7,500	Any		1500	Braodcasting Studio	Commercial
996-5277	8		G5 x2	T-16	Daylight		400	5,000	Any		300	Vehicle Interior Fluorescent	BS 1853
996-5301	25	260	B22d	T-25	Clear	Any	180	1,000	Any		86	General Service	
996-5302	25	260	B22d	PS-60	Pearl	C-7A	215	1,000	Any		100	General Lighting Service	
996-5303	25	260	B22d	PS-60	Blue	C-7A		1,000	Any		100	General Service	
996-5304	25	130	E27s	PS-60	Pearl	C-7A	230	1,000	Any	70	100	General Lighting Service	
996-5305	25	200/250	B22d	PS-60	White	C-7A		1,000	Any		105	General Service	Commercial
996-5306	25	230	B22d	PS-60	Flame	C-7A		1,000	Any		100	General Service	
996-5307	25	250	B22d	PS-60	White	C-7A		1,000	Any		100	General Service	
996-5308	25	250	B22d	PS-60	Red	C-7A		1,000	Any		100	General Service	
996-5309	25	210	B22d	PS-60	Pearl	C-7A	225	1,000	Any	70	100	General Lighting Service	
996-5310	25	200/210	B22d	PS-60	Pearl	C-7A	225	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5311	25	240	B22d	T-25	Ext. Frosted	Any	180	1,000	Any		86	Spectrograph + Medical	
996-5312	25	120	B22d	PS-60	Pearl	. . .	215	1,000	Any	70	100	Kiosk Lamp	
996-5313	25	200	B22d	PS-60	Pearl	. . .	210	1,000	Any	70	100	Kiosk Lamp	
996-5314	25	210	B22d	PS-60	Pearl	. . .	210	1,000	Any	70	100	Kiosk Lamp	
996-5315	25	220	B22d	PS-60	Pearl	. . .	210	1,000	Any	70	100	Kiosk Lamp	
996-5316	25	230	B22d	PS-60	Amber	C-7A		1,000	Any		100	General Service	
996-5317	25	240	B22d	PS-60	Pearl	. . .	205	1,000	Any	70	100	Kiosk Lamp	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5318	25	250	B22d	PS-60	Pearl	. . .	205	1,000	Any	70	100	Kiosk Lamp	
996-5319	25	260	B22d	PS-60	Pearl	. . .	205	1,000	Any	70	100	Kiosk Lamp	
996-5320	25	110	B22d	PS-60	Pearl	. . .	220	1,000	Any	70	100	Kiosk Lamp	
996-5321	25	115	B22d	PS-60	Pearl	C-7A	190	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #107
996-5322	25	230	B22d	PS-60	Pearl	. . .	210	1,000	Any	70	100	Kiosk Lamp	
996-5323	25	200/250	B22d	PS-60	Yellow	C-7A		1,000	Any		105	General Service	Commercial
996-5324	25	50	B22d-3	PS-60	Pearl	Any	234 (min)	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #12
996-5325	20		G13 x2	T-38	Warm White		1,060 (min)	5,000	Any		600	Ship Lighting	BS 1853
996-5332	20		G13 x2	T-38	Daylight		1,020 (min)	5,000	Any		600	Fluorescent	BS 1853
996-5333	20		G13 x2	T-38	Natural		1,020 (min)	5,000	Any		600	Fluorescent General Service	BS 1853
996-5334	20		G13 x2	T-38	Warm White		1,060 (min)	5,000	Any		600	Fluorescent General Service	BS 1853
996-5335	20		G13 x2	T-38	Deluxe Warm		540	5,000	Any		600	Fluorescent General Service	Commercial
996-5336	20		G13 x2	T-38	White		1,060 (min)	5,000	Any		600	Fluorescent Ships (DC Use)	BS 1853
996-5337	20		G13 x2	T-38	Northlight		880 (min)	5,000	Any		600	Fluorescent General Service	BS 1853
996-5341	40	200/210	B22d	PS-60	Pearl	C-7A	355	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5342	40	220/230	B22d	PS-60	Pearl	C-9	345	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5343	40	220/230	E27s	PS-60	Pearl	C-9	345	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5344	60	200/210	B22d	PS-60	Pearl	C-9	640	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5345	60	220/230	B22d	PS-60	Pearl	C-9	620	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5346	60	220/230	E27s	PS-60	Pearl	C-9	620	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5347	75	220/230	B22d	PS-60	Pearl	C-9	810	1,000	Any	75	108.5	General Lighting Service	Commercial
996-5350	150	220/230	E27s	PS-80	Pearl	C-9	2,070	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-5351	200	220/230	E27s	PS-80	Clear	C-9	2,900	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-5352	200	220/230	E27s	PS-80	Pearl	C-9	2,900	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-5353	500	220/230	E40s	PS-110	Clear	C-9	8,250	1,000	Any	178	233	General Lighting Service	Commercial
996-5354	750	220/230	E40s	PS-150	Clear	C-7A	13,200	1,000	Any	225	300	General Lighting Service	Commercial
996-5355	1500	220/230	E40s	PS-170	Clear	C-7A	29,400	1,000	Any	250	335	General Lighting Service	Commercial
996-5356	15	220/230	B22d	PS-60	Pearl	C-7A	120	1,000	Any		105	General Lighting Service	Commercial
996-5357	15	220/230	E27s	PS-60	Clear	C-7A	120	1,000	Any	76.5	106.5	General Lighting Service	Commercial
996-5358	25	220/230	B22d	PS-60	Pearl	C-7A	220	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5359	15	200/250	B15d	ST-28	Clear	Any	95	1,000	Any		65	Pygmy Sign	Commercial
996-5360	15	200/250	B22d	ST-28	Clear	Any	95	1,000	Any		59	Pygmy Sign	Commercial
996-5361	25	200/250	B15d	CF-35	Clear	Any	200	1,000	Any		99	Twisted Candle	Commercial
996-5362	150	220/230	B22d	PS-80	Pearl	C-9	2,070	1,000	Any	120	165	General Lighting Service	BS 161
996-5363	40	200/210	B22d	PS-60	Pearl	CC-9	420	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5364	40	220/230	B22d	PS-60	Pearl	CC-9	415	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5365	60	200/210	B22d	PS-60	Pearl	CC-9	720	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5366	60	220/230	B22d	PS-60	Pearl	CC-9	710	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5369	150	200/210	B22d	PS-80	Pearl	C-9	2,100	1,000	Any	120	165	General Lighting Service	BS 161
996-5370	150	220/230	E27s	PS-80	Clear	C-9	2,070	1,000	Any	121.5	166.5	General Lighting Service	BS 161
996-5371	200	220/230	B22d	PS-80	Clear	C-9	2,716	1,000	Any	120	164.5	General Lighting Service	DefStan 62-10 #145
996-5372	300	220/230	E40s	PS-110	Clear	C-9	4,580	1,000	Any	178	233	General Lighting Service	Commercial
996-5373	1000	220/230	E40s	PS-150	Clear	C-7A	18,500	1,000	Any	225	300	General Lighting Service	Commercial
996-5374	15	220/230	B22d	PS-60	Clear	C-7A	120	1,000	Any	75	105	General Lighting Service	Commercial
996-5375	15	220/230	E14s	ST-28	Pearl	Any	95	1,000	Any		66	Pygmy Sign	Commercial
996-5376	15	110	E14s	ST-28	Clear	Any	95	1,000	Any		64	Pygmy Sign	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5377	40	240	B22d	G-45	Pearl	CC-9	400	1,000	Any	50	74	Indicator	Commercial
996-5378	100	220/230	E27s	PS-60	Pearl	C-9	1,240	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5379	100	110/120	B22d	PS-60	Pearl	C-9	1,400	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5380	100	200/210	B22d	PS-60	Pearl	C-9	1,260	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5381	100	220/230	B22d	PS-60	Pearl	C-9	1,240	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5382	100	240	B22d	PS-60	Pearl	C-9	1,230	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5383	100	250	B22d	PS-60	Pearl	C-9	1,220	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5384	100	110/120	E27s	PS-60	Pearl	C-9	1,400	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5385	100	240	E27s	PS-60	Pearl	CC-9	1,330	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5386	100	240	E27s	PS-60	Pearl	C-9	1,230	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5387	100	200/210	B22d	PS-60	Pearl	CC-9	1,360	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5388	100	220/230	B22d	PS-60	Pearl	CC-9	1,340	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5389	100	240	B22d	PS-60	Pearl	CC-9	1,330	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5390	100	250	B22d	PS-60	Pearl	CC-9	1,320	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5391	100	250	E27s	PS-60	Pearl	CC-9	1,320	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5392	1500	240/250	R7s-15	T-12	Frosted Quart	C-8	33,000	2,000	Horiz ±15°		254.1	K/5 (for Phantom Simulator)	Commercial
996-5393	1500	240/250	R7s-15	T-12	Clear Quartz	C-8	33,000	2,000	Horiz ±15°		254.1	K/5 Halogen Floodlighting	Commercial
996-5394	6	100/130	B15d	T-18	Clear	C-9	33	500@130V	Any		41	Indicator	Commercial
996-5395	15	220/240	E27s	E-75	Phosphored		6,200	10,000	Any		178	MBF/U Mercury	Commercial
996-5396	10	240/250	E27s	PAR-38	Clear	CC-6	6,200cd	2,000	Any		135	Sealed Beam Spotlight 20deg	Commercial
996-5397	100	240/250	B22d	R-95	Difuse	CC-9	960 cd	1,000	Any		136.5	R95 Reflector Lamp	Commercial
996-5401	40	230	B22d	PS-60	Clear	C-22	290	1,000	Any		110	Rough Service	
996-5402													
996-5403													
996-5404													
996-5405	40	250	B22d	PS-60	Pearl	CC-9	410	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5406	40	250	B22d	PS-60	Blue	C-9		1,000	Any		110	General Service	
996-5407	40	250	B22d	PS-60	Red	C-9		1,000	Any		110	General Service	
996-5408	40	250	B22d	PS-60	Clear	C-22	280	1,000	Any		110	Rough Service	
996-5409													
996-5410													
996-5411													
996-5412	40	260	B22d	PS-60	Pearl	C-9	340	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #1
996-5413	40	80-105	B22d-3	ST-54	Clear		800	1,500	Any		135	MBM/U Mercury Hand Lamp	Proprietary
996-5414	40	240	B22d	PS-60	Clear	C-22	285	1,000	Any		110	Rough Service	
996-5415	30		G13 x2	T-26	Natural		1,080	5,000	Any		900	Fluorescent General Service	
996-5416	30		G13 x2	T-26	Warm White		1,200	5,000	Any		900	Fluorescent General Service	
996-5417	15		G13 x2	T-26	Natural		380	500	Any		450	Fluorescent General Service	
996-5418	8		B15d x2	T-9/16"	Daylight		210	1,500	Any		300	Plotting Tables	
996-5419	15		G13 x2	T-26	Warm White		420	500	Any		450	Fluorescent General Service	
996-5420													
996-5421													
996-5422	40	200	B22d	PS-60	Pearl	C-9	370	1,000	Any	80	110	General Lighting Service	
996-5423	40	210	B22d	PS-60	Pearl	C-9	365	1,000	Any	80	110	General Lighting Service	
996-5424	40	220	B22d	PS-60	Pearl	C-9	360	1,000	Any	80	110	General Lighting Service	
996-5425	40	230	E27s	PS-60	Pearl	C-9	355	1,000	Any	80	110	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5426	40	230	B22d	PS-60	Pearl	C-9	355	1,000	Any	80	110	General Lighting Service	
996-5427	40	240	B22d	PS-60	Pearl	C-9	340	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5428	40	250	B22d	PS-60	Pearl	C-9	335	1,000	Any	75	108.5	General Lighting Service	BS 161
996-5429	40	130	E27s	PS-60	Pearl	C-9	450	1,000	Any	80	110	General Lighting Service	
996-5430	40		G13 x2	T-38	Mellow		850	5,000	Any		600	Fluorescent General Service	
996-5430	40		G13 x2	T-38	Warm White		1,150	5,000	Any		600	Fluorescent General Service	
996-5432	30		G13 x2	T-26	Daylight		1,200	5,000	Any		900	Fluorescent General Service	
996-5433	40		G13 x2	T-38	Mellow		1,300	5,000	Any		1200	Fluorescent Metal Strip	
996-5434	40		G13 x2	T-38	Warm White		1,700	5,000	Any		1200	Fluorescent Metal Strip	
996-5435	40		G13 x2	T-38	Daylight		1,700	5,000	Any		1200	Fluorescent Metal Strip	
996-5436	40		G13 x2	T-38	Natural		1,500	5,000	Any		1200	Fluorescent General Service	
996-5437	40	260	B22d	PS-60	Clear	C-22	275	1,000	Any		110	Rough Service	
996-5438	8 CP	110	B22d	T-25	Clear	Carbon			Any		90		
996-5439	40	110	B22d	PS-60	Pearl	C-22	335	1,000	Any		110	Rough Service	
996-5440	40	200	B22d	PS-60	Pearl	C-22	300	1,000	Any		110	Rough Service	
996-5441	40	200/210	B22d	PS-60	Pearl	C-22	300	1,000	Any		108.5	Rough Service	Commercial
996-5442	40	220	B22d	PS-60	Pearl	C-22	295	1,000	Any		110	Rough Service	
996-5443	40	220/230	B22d	PS-60	Pearl	C-22	290	1,000	Any		105	Rough Service	Commercial
996-5444	40	240	B22d	PS-60	Pearl	C-22	285	1,000	Any		110	Rough Service	
996-5445	40	240/250	B22d	PS-60	Pearl	C-22	280	1,000	Any		105	Rough Service	Commercial
996-5446	40	260	B22d	PS-60	Pearl	C-22	275	1,000	Any		110	Rough Service	
996-5447	40	230	B22d	PS-60	Amber	C-9		1,000	Any		110	General Service	
996-5448	40		G13 x2	T-38	Daylight		1,080	5,000	Any		600	Fluorescent General Service	
996-5449	40		G13 x2	T-38	Northlight		1,200	5,000	Any		1200	Fluorescent General Service	
996-5450	35	115	B22d	PS-60	Blue IF glass		0	1,000	Any	80	110	General Service	
996-5451	40	115	B22d	PS-60	Pearl	C-9 or C-7A	345	1,000	Any	75	108.5	Ship Lighting	DefStan 62-10 #25
996-5452	40	115	B22d	PS-60	Ruby IF glass	C-22		1,000	Any		105	Ship Lighting	DefStan 62-10 #146
996-5453	40		G13 x2	T-38	Peach			5,000	Any		1200	Fluorescent General Service	
996-5454	30		G13 x2	T-26	Peach			5,000	Any		900	Fluorescent General Service	
996-5455	40	240	E27s	PS-60	Pearl	C-9	340	1,000	Any	76.5	110	General Lighting Service	BS 161
996-5459	40	50	B22d-3	PS-60	Pearl	Any	417 (min)	1,000	Any	75	108.5	General Lighting Service	DefStan 62-10 #12
996-5465	40		G13 x2	T-38	Blue		600 (min)	5,000	Any		1200	Radar Operations Room	Commercial
996-5466	40		G13 x2	T-38	Green		2,700 (min)	5,000	Any		1200	Radar Operations Room	Commercial
996-5467	40		G13 x2	T-38	Red		145 (min)	5,000	Any		1200	Radar Operations Room	Commercial
996-5469	40	230	B22d	PS-60	Ruby Glass	C-9		1,000	Any		105.0	Photographic	Commercial
996-5470	40	230	B22d	PS-60	Amber	C-9		1,000	Any		105.0	Photographic	Commercial
996-5478	40		G13 x2	T-38	Radar Red		480 / 600	5,000	Any		1200	Radar Operations Room	Commercial
996-5480	40		G13 x2	T-38	Warm White		2,800 (min)	7,500	Any		1200	Fluorescent General Service	BS 1853
996-5481	40		G13 x2	T-38	Deluxe Warm		1,800	7,500	Any		1200	Fluorescent General Service	Commercial
996-5482	40		G13 x2	T-38	White		2,800 (min)	5,000	Any		1200	Fluorescent General Service	BS 1853
996-5484	30		G13 x2	T-26	Cool White		2,120 (min)	5,000	Any		900	Fluorescent	BS 1853
996-5485	30		G13 x2	T-26	Natural		1,940 (min)	5,000	Any		900	Fluorescent General Service	BS 1853
996-5486	30		G13 x2	T-26	Warm White		2,020 (min)	5,000	Any		900	Fluorescent General Service	BS 1853
996-5487	30		G13 x2	T-26	Deluxe Warm		960	5,000	Any		900	Fluorescent General Service	Commercial
996-5488	30		G13 x2	T-26	White		2,020 (min)	5,000	Any		900	Fluorescent General Service	BS 1853
996-5489	30		G13 x2	T-26	Northlight		1,650 (min)	5,000	Any		900	Fluorescent General Service	BS 1853

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5490	40		G13 x2	T-38	Cool White		2,100	5,000	Any		600	Fluorescent General Service	Commercial
996-5491	40		G13 x2	T-38	Natural		1,300	5,000	Any		600	Fluorescent	Commercial
996-5492	40		G13 x2	T-38	Warm White		2,000	5,000	Any		600	Fluorescent General Service	Commercial
996-5493	40		G13 x2	T-38	Deluxe Warm		880	5,000	Any		600	Fluorescent General Service	Commercial
996-5494	40		G13 x2	T-38	White		2,050	5,000	Any		600	Fluorescent General Service	Commercial
996-5495	40		G13 x2	T-38	Northlight		1,235	5,000	Any		600	Fluorescent General Service	Commercial
996-5496	40		G13 x2	T-38	Cool White		2,700 (min)	5,000	Any		1200	Fluorescent	BS 1853
996-5497	40		G13 x2	T-38	Natural		2,700 (min)	5,000	Any		1200	Fluorescent General Service	Commercial
996-5498	40		G13 x2	T-38	Northlight		2,300 (min)	5,000	Any		1200	Fluorescent General Service	Commercial
996-5601	100	240	B22d	PS-75	Pearl	CC-9	1,370	1,000	Any	100	137.5	General Lighting Service	
996-5602													
996-5603	100	250	E27s	PS-75	Pearl	CC-9	1,355	1,000	Any	100	137.5	General Lighting Service	
996-5604													
996-5605	100	250	B22d	PS-75	Pearl	CC-9	1,355	1,000	Any	100	137.5	General Lighting Service	
996-5606	100	250	B22d	PS-68	White	CC-9	1,000	1,000	Any	90	125.0	Photographic lamp	Use 996-5813
996-5607													
996-5608													
996-5609													
996-5610	100	260	B22d	PS-75	Pearl	CC-9	1,346	1,000	Any	100	137.5	General Lighting Service	
996-5611													
996-5612													
996-5613													
996-5614	80		B22d x2	T-38	Daylight		3,000	5,000	Any		1500	Fluorescent General Service	
996-5615	80		B22d x2	T-38	Warm White		3,000	5,000	Any		1500	Fluorescent General Service	
996-5616													
996-5617													
996-5618													
996-5619													
996-5620													
996-5621													
996-5622	80	230	P28s	T-48	Clear		2,400	1,500	BU	115	185	Special Mercury Projector	
996-5623													
996-5624													
996-5625	80		B22d x2	T-38	Mellow		2,400	5,000	Any		1500	Fluorescent General Service	
996-5626	100	200	B22d	PS-75	Pearl	C-9	1,270	1,000	Any	100	137.5	General Lighting Service	
996-5627	150	220	B22d	PS-80	Clear	C-9	2,160	1,000	Any	120	160	General Lighting Service	
996-5628	100	220	B22d	PS-75	Pearl	C-9	1,250	1,000	Any	100	137.5	General Lighting Service	
996-5629	100	230	E27s	PS-75	Pearl	C-9	1,240	1,000	Any	100	137.5	General Lighting Service	
996-5630	100	230	B22d	PS-75	Pearl	C-9	1,240	1,000	Any	100	137.5	General Lighting Service	
996-5631	100	240	B22d	PS-75	Pearl	C-9	1,230	1,000	Any	100	137.5	General Lighting Service	
996-5632	100	250	B22d	PS-75	Pearl	C-9	1,220	1,000	Any	100	137.5	General Lighting Service	
996-5633	100	220/230	B22d	PS-70	Daylight glass	C-9	1,320	1,000	Any		125.0	General Service	Commercial
996-5634	60	130	E27s	PS-65	Pearl	C-9	450	1,000	Any	85	117.5	General Lighting Service	
996-5635	40	220	E27s	PS-60	Pearl	C-9	360	1,000	Any	80	110	General Lighting Service	
996-5636	60	220	E27s	PS-65	Pearl	C-9	630	1,000	Any	85	117.5	General Lighting Service	
996-5637	100	220	E27s	PS-75	Pearl	C-9	1,250	1,000	Any	100	137.5	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5638	75	230	B22d	PS-70	Pearl	C-9	840	1,000	Any	90	125	General Lighting Service	
996-5639	75	240	B22d	PS-60	Pearl	C-9	800	1,000	Any	75	105	General Lighting Service	Commercial
996-5640	75	250	B22d	PS-60	Pearl	C-9	790	1,000	Any	75	108.5	General Lighting Service	Commercial
996-5641	100	260	B22d	PS-70	Pearl	C-9	1,210	1,000	Any	90	125.0	General Lighting Service	Commercial
996-5642	80		B22d x2	T-38	Warm White		3,000	5,000	Any		1500	Fluorescent Metal Strip	
996-5643	80		B22d x2	T-38	Daylight		3,000	5,000	Any		1500	Fluorescent Metal Strip	
996-5644	80		B22d x2	T-38	Natural		2,700	5,000	Any		1500	Fluorescent General Service	
996-5645	60	220/230	E27s	PS-60	Clear	C-22	505	1,000	Any		106.5	Rough Service	Commercial
996-5646	75	250	B22d	PS-70	Clear	C-9	820	1,000	Any	90	125	Air Obstruction lighting	
996-5647	75	200	B22d	PS-70	Pearl	C-9	865	1,000	Any	90	125	General Lighting Service	
996-5648	75	210	B22d	PS-70	Pearl	C-9	855	1,000	Any	90	125	General Lighting Service	
996-5649	75	220	E27s	PS-70	Pearl	C-9	845	1,000	Any	90	125	General Lighting Service	
996-5650	85	100/260	B22d Cer	T-50	Clear	N/A	5,400	3,000	Horiz.		415	SO/H Sodium Vapour	
996-5651	80		B22d x2	T-38	Mellow		2,400	5,000	Any		1500	Fluorescent Metal Strip	
996-5652													
996-5653	100	200	P28s	T-25	Clear	C-13	1,600	50	VBD	55.5	133	Projector lamp, Class A1	
996-5654	100	250	P28s	T-25	Clear	CC-13	1,650	25	VBD ±15°	55.5	133	Projector lamp A1/4	Commercial
996-5655	100	210	P28s	T-25	Clear	C-13	1,500	50	VBD	55.5	133	Projector lamp, Class A1	
996-5656	100	220	P28s	T-25	Clear	C-13	1,500	50	VBD	55.5	133	Projector lamp, Class A1	
996-5657	80		B22d x2	T-38	Green			5,000	Any		1500	Control Tower Lighting	
996-5658	80		B22d x2	T-38	Red			5,000	Any		1500	Control Tower Lighting	
996-5659	80		B22d x2	T-38	Blue			5,000	Any		1500	Control Tower Lighting	
996-5660	60	240	E27s	PS-60	Clear	Any	510	C-7A	Any	62	106.5	Road Traffic Signal	Commercial
996-5661	150	110	E27s	R-125	Silver Backed	C-13	. . .	1,000	Any		176	Reflector Spotlight	
996-5662	100	220/230	B22d	PS-68	Pearl	C-22	990	1,000	Any	90	137.5	Rough Service	Commercial
996-5663	80		B22d x2	T-38	Northlight		2,200	5,000	Any		1500	Fluorescent General Service	
996-5664	100	115	BA15d	T-25	Clear	C-13	1,850	50	VBD	P34.5	76	Projector lamp A1/121	Commercial
996-5665	100	100	P28s	T-25	Black Top	C-13	1,090	50	VBD ±15°	55.5	133	Projector lamp A1/4	Commercial
996-5666	100	115	B22d	PS-70	Pearl	C-9 or C-7A	1,145	1,000	Any	90	128.5	Ship Lighting	DefStan 62-10 #110
996-5667	80		B22d x2	T-38	Peach			5,000	Any		1500	Fluorescent General Service	
996-5668	80	200/220	B22d-3	A-80	Pearl		2,500	2,500	BU	113	160	MB/U Mercury	
996-5669	80	230/240	B22d-3	A-80	Pearl		2,500	2,500	BU	113	160	MB/U Mercury	
996-5670	80	250	B22d-3	A-80	Pearl		2,500	2,500	BU	113	160	MB/U Mercury	
996-5671	80	200/220	B22d-3	A-80	Phosphor		2,500	2,500	BU	113	160	MBF/U Mercury	
996-5672	80	230/240	B22d-3	A-80	Phosphor		2,500	2,500	BU	113	160	MBF/U Mercury	
996-5673	80	250	B22d-3	PS-80	Phosphor		3,800	10,000	Any	113	166.5	MBF/U Mercury	BS 3677
996-5674	80	200/220	B22d-3	PS-80	Clear		2,480	5,000	Any	113	160	MB/U Mercury	Commercial
996-5675	80	230/240	B22d-3	A-80	Clear		2,500	2,500	BU	113	160	MB/U Mercury	
996-5676	80	200/220	B22d-3	A-90	Woods glass			1,500	BU	128	178	MBW/U Mercury	
996-5677	80	230/240	B22d-3	A-90	Woods glass			1,500	BU	128	178	MBW/U Mercury	
996-5678	125	200/220	B22d-3	A-90	Woods glass			1,500	BU	128	178	MBW/U Mercury	
996-5679	125	230/240	B22d-3	A-90	Woods glass			1,500	BU	128	178	MBW/U Mercury	
996-5683	125	220/250	P28s	T-50	Clear		4,000	1,500	VBD		185	MB/D Radar Trainers (Mercury)	Commercial
996-5684	100	230	E27s	G-80	Clear	C-5	900	800	VBD	75	125	Floodlighting Lamp B1/1	Commercial
996-5691	65	220/250	B22d	PS-60	Clear	Carbon	114	800	Any		110	Carbon Heater	Commercial
996-5692	65	240/250	B22d	PS-60	Clear	Carbon	114	900	Any		110	Carbon - Medical Service	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5695	80		B22d x2	T-38	Warm White		4,850	5,000	Any		1500	Fluorescent General Service	Commercial
996-5696	80		B22d x2	T-38	Deluxe Warm		2,720	5,000	Any		1500	Fluorescent General Service	Commercial
996-5697	80		B22d x2	T-38	White		5,200	7,500	Any		1500	Fluorescent General Service	Commercial
996-5698	100	230	E27s	PS-70	Clear	C-11	1,050	300	Horiz.	95	115	Projector Lamp A3/1	Commercial
996-5699	80		B22d x2	T-38	White		5,200	7,500	Any		1500	Dimmable Fluorescent	Commercial
996-5701	200	260	E27s	A-90	Pearl	C-9	2,900	1,000	Any	133	178	General Lighting Service	
996-5702													
996-5703													
996-5704	240	110	P28s	PS-75	Clear	C-13D	4,800	50	Horiz.	78.5	141	Signalling lamp	
996-5705	250	110	E27s	T-32	Silver Backed	C-13		50	VBD	75	128	Projector lamp, Class A1	
996-5706	250	115	E27s	T-32	Clear	CC-13D	5,500	50	VBD	75	128	Projector lamp A1/14	Commercial
996-5707	250	115	P28s	T-32	Clear	C-13	5,500	50	VBD	55.5	133	Projector lamp, Class A1	Commercial
996-5708													
996-5709	250	220	E27s	T-32	Clear	C-13	4,750	100	VBD	75	128	Projector lamp, Class A1	
996-5710	250	250	E27s	G-80	Clear	C-5	3,100	800	BD	75	125	Floodlighting lamp B1/2	Commercial
996-5711	250	230	E27s	T-32	Clear	CC-13	5,250	50	VBD	75	128	Projector lamp A1/14	Commercial
996-5712	250	230	E27s	T-32	Silver Backed	CC-13		50	VBD	75	128	Projector lamp A1/14	Commercial
996-5713	250	230	P28s	T-32	Clear	CC-13	4,900	50	VBD	55.5	133	Projector lamp A1/5	Commercial
996-5714													
996-5715	250	230/250	B22d x2	T-57	Clear	Any		1,000	Any		272	Radiator lamp	
996-5716													
996-5717	250	250	P28s	T-32	Clear	CC-13	5,200	50	VBD	55.5	133	Projector lamp A1/5	Commercial
996-5718	275	100/110	E27s	PS-65	Pearl	Any	10,000	2 to 3	Any		106.5	Photoflood lamp	
996-5719	275	220/230	E27s	PS-60	Pearl	Any	8,000	2 to 3	Any	76.5	105.0	Photoflood lamp P1/1	Commercial
996-5720	275	220/230	B22d	PS-60	Pearl	Any	8,000	2 to 3	Any	75	104.0	Photoflood lamp P1/1	Commercial
996-5721	275	240/250	E27s	PS-60	Pearl	C-9	7,500	2 to 3	Any		110.0	Photoflood lamp P1/1	Commercial
996-5722	275	240/250	B22d	PS-60	Pearl	C-9	7,500	2 to 3	Any		108.5	Photoflood lamp P1/1	Commercial
996-5723	300	115	P28s	T-32	Clear	C-13D	7,400	25	VBD	55.5	133	Projector lamp A1/6	Use 996-5725
996-5724	300	110	P28s	T-32	Clear	C-13	7,200	25	VBD	55.5	133	Projector lamp, Class A1	
996-5725	300	115	P28s	T-32	Black Top	C-13	7,400	25	VBD	55.5	133	Projector lamp A1/6	Commercial
996-5726													
996-5727		125	B22d-3	PS-90	Clear				Vert.				MB/V Mercury
996-5728													
996-5729													
996-5730													
996-5731													
996-5732	140	100/260	B22d	T-50	Clear		9,000	3,000	Horiz.		518	SO/H Sodium Vapour	
996-5733	250	55	P28s	T-32	Clear	C-13 ofset	6,000	50	VBD	55.5	133	Projector lamp, Class A1	
996-5734	200	240	B22d	PS-80	Clear	C-9	2,880	1,000	Any	120	165	General Lighting Service	BS 161
996-5735	100	130	E27s	PS-75	Pearl	C-9	1,460	1,000	Any	100	137.5	General Lighting Service	
996-5736	200	250	B22d	PS-80	Pearl	C-9	2,860	1,000	Any	128.5	168.5	General Lighting Service	Commercial
996-5737	200	120	E27s	A-90	Pearl	C-9	3,260	1,000	Any	133	178	General Lighting Service	
996-5738	200	130	E27s	A-90	Pearl	C-9	3,220	1,000	Any	133	178	General Lighting Service	
996-5739	250	230/250	B22d	T-65	Flame	Carbon	. . .	800	Any		285	Radiator	
996-5740	250	200/250	E27s	R-125	Silver Backed	Any		5,000	Any		176	Infra-red Reflector	
996-5741	250	100/130	E27s	R-125	Silver Backed	Any		5,000	Any		176	Infra-red Reflector	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-5742	300	230	P28s	T-32	Clear	CC-13	6,900	25	VBD	55.5	133	Projector lamp A1/6	Commercial
996-5743	150	230	E27s	R-125	Silver Backed	CC-9		1,000	Any		177	Reflector Spotlight	Commercial
996-5744	150	230	E27s	R-125	Silver Backed	Grid		1,000	Any		177	Reflector Spotlight	
996-5745	200	230	B22d	A-90	Pearl	C-9	2,960	1,000	Any	133	178	General Lighting Service	
996-5746	200	240	B22d	PS-80	Pearl	C-9	2,880	1,000	Any	120	165	General Lighting Service	Commercial
996-5747	200	210	B22d	A-90	Clear	C-9	3,000	1,000	Any	133	178	General Lighting Service	
996-5748	200	230	B22d	A-90	Clear	C-9	2,960	1,000	Any	133	178	General Lighting Service	
996-5749	160	240	E27s	TG-90	Pearl		2,400	2,000	Any	128,33	178	MBT/U Merc. Tungsten	
996-5750	150	230	B22d	PS-80	White	C-9		1,000	Any		160	Photographic	
996-5751	150	230	B22d	PS-70	White	Any		100	Any		125	Photo. Enlarger	Commercial
996-5752	250	230	E27s	G-95	Clear	C-5	3,120	800	BD	75	125	Class B1 Floodlighting	
996-5753	200	115	E27s	A-90	Pearl	C-9	3,280	1,000	Any	133	178	General Lighting Service	
996-5754	250	200	P28s	T-32	Clear	C-13	5,000	50	VBD	55.5	133	Projector lamp, Class A1	
996-5755	250	210	P28s	T-32	Clear	C-13	5,000	50	VBD	55.5	133	Projector lamp, Class A1	
996-5756	250	220	P28s	T-32	Clear	C-13	5,000	50	VBD	55.5	133	Projector lamp, Class A1	
996-5757	250	240	P28s	T-32	Clear	C-13	5,000	50	VBD	55.5	133	Projector lamp, Class A1	
996-5758	150	50	B22d	PS-80	Clear	Any					160	General Lighting Service	
996-5759	250	230	P28s	G-80	Clear	C-5	3350?	500?	VBD ±135°	55.5?	130?	Airfield Lighting?	
996-5760	125	200/220	B22d-3	A-90	Pearl		4,100	2,500	BU	128	178	MB/U Mercury	
996-5761	125	230/240	B22d-3	A-90	Pearl		4,100	2,500	BU	128	178	MB/U Mercury	
996-5762	125	220/250	B22d-3	E-90	Pearl		3,875	6,000	Any	128	178	MB/U Mercury	Use 996-4917
996-5763	125	250	B22d-3	A-90	Pearl		4,100	2,500	BU	128	178	MB/U Mercury	
996-5766	500	115	E27s	T-64	Silver Backed	C-13		50	VBD	75	128	Projector lamp A1/42	Commercial
996-5767	500	230	E27s	G-100	Clear	C-13	11,000	100	VBD	85	135	Epidiascope lamp E/3	Commercial
996-5768	500	250	P28s	G-100	Clear	C-13	10,300	100	VBD	60	145	Epidiascope lamp E/1	Commercial
996-5769	250	115	E27s	T-32	Black Top	CC-13	5,500	50	VBD	75	128	Projector lamp A1/14	Commercial
996-5770	250	250	E27s	T-32	Black Top	CC-13	5,200	50	VBD	75	128	Projector lamp A1/14	Commercial
996-5774	130	220/230	B22d	PS-68	Clear	Carbon	402	800	Any		125	Carbon Heater	Commercial
996-5775	130	240/250	B22d	PS-68	Clear	Carbon	312	800	Any		128.5	Carbon Heater	Use 996-5270
996-5776	250	240	P28s	G-80	Clear	C-5	3,125	500	VBD ±135°	55.5	120	Airfield Lighting EL/38	DofE M&E 2137
996-5777	500	240	E27s	G-100	Part Silvered	C-13	10,300	100	VBD ±45°	85	145	Epidiascope lamp E/3	Commercial
996-5779	300	240	P28s	T-32	Black Top	CC-13	6,900	25	VBD ±15°	55.5	135	Projector lamp A1/6	Commercial
996-5781	125		G13 x2	T-38	Warm White		8,150 (min)	7,500	Any		2400	Fluorescent General Service	BS1853
996-5782	80		B22d x2	T-38	Cool White		4,650	5,000	Any		1500	Fluorescent	Commercial
996-5783	80		B22d x2	T-38	Natural		3,600	5,000	Any		1500	Fluorescent General Service	Commercial
996-5784	80		B22d x2	T-38	Northlight		3,100	5,000	Any		1500	Fluorescent General Service	Commercial
996-5793	125		G13 x2	T-38	Cool White		8,000 (min)	7,500	Any		2400	Fluorescent General Service	BS1853
996-5794	125		G13 x2	T-38	White		8,150 (min)	7,500	Any		2400	Fluorescent General Service	BS1853
996-5798	75	250	B22d	R-95	Diffuse	CC-9	670cd	1,400	Any	82	133.5	R95 Reflector Lamp 35 deg	Commercial
996-5803	75	120	E27s	PS-60	Pearl	C-9	900	1,000	Any	91.5	106.5	General Lighting Service	Commercial
996-5804	100	110	E27s	PS-70	White	C-9 / CC-9		1,000	Any		125	Photographic	Commercial
996-5809	150	240	E27s	PS-68	White	Any	2,500	1,000	Any		129	Photographic	Commercial
996-5810	100	220/230	E27s	PS-68	White	C-9	1,330	1,000	Any	91.5	126.5	Photographic	Commercial
996-5813	100	240/250	B22d	PS-68	White	CC-9	1,000	1,000	Any	90	125	Photographic	Commercial
996-5815	300	250	P28s	T-32	Black Top	CC-13	6,300	50	VBD ±15°	55.5	133	Projector lamp A1/154	Commercial
996-6495	40	230/240	B15d	G-45	Clear	CC-9	390	1,000	Any	58	71	Flameproof Inspection lamp	Commercial



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-6701	300	100	E40s	A-110	Clear	C-9	5,350	1,000	Any	178	233	General Lighting Service	
996-6702	300	100	E40s	A-110	Pearl	C-9	5,350	1,000	Any	178	233	General Lighting Service	
996-6703	300	110	E40s	A-110	Clear	C-9	5,300	1,000	Any	178	233	General Lighting Service	
996-6704	300	110	E40s	A-110	Pearl	C-9	5,300	1,000	Any	178	233	General Lighting Service	
996-6705	300	115	E40s	PS-110	Clear	C-9	5,250	1,000	Any	178	233	General Lighting Service	DefStan 62-10 #113
996-6706	300	115	E40s	A-110	Pearl	C-9	5,250	1,000	Any	178	233	General Lighting Service	
996-6707	300	110/120	E40s	PS-110	Clear	C-9	4,980	1,000	Any	178	233	General Lighting Service	Commercial
996-6708	300	120	E40s	A-110	Pearl	C-9	5,200	1,000	Any	178	233	General Lighting Service	
996-6709	300	130	E40s	A-110	Clear	C-9	5,150	1,000	Any	178	233	General Lighting Service	
996-6710	300	130	E40s	A-110	Pearl	C-9	5,150	1,000	Any	178	233	General Lighting Service	
996-6711	300	200	E40s	A-110	Pearl	C-9	4,770	1,000	Any	178	233	General Lighting Service	
996-6712	300	200	E40s	A-110	Clear	C-9	4,770	1,000	Any	178	233	General Lighting Service	
996-6713	300	200/210	E40s	PS-110	Clear	C-9	4,650	1,000	Any	178	233	General Lighting Service	Commercial
996-6714	300	210	E40s	A-110	Pearl	C-9	4,740	1,000	Any	178	233	General Lighting Service	
996-6715	300	220	E40s	A-110	Clear	C-9	4,700	1,000	Any	178	233	General Lighting Service	
996-6716	300	220	E40s	A-110	Pearl	C-9	4,700	1,000	Any	178	233	General Lighting Service	
996-6717	300	230	E40s	PS-110	Clear	C-9	4,680	1,000	Any	178	233	General Lighting Service	
996-6718	300	230	E40s	PS-110	Pearl	C-9	4,680	1,000	Any	178	233	General Lighting Service	
996-6719	300	240	E40s	PS-110	Clear	C-9	4,550	1,000	Any	178	233	General Lighting Service	Commercial
996-6720	300	240	E40s	PS-110	Pearl	C-9	4,650	1,000	Any	178	233	General Lighting Service	
996-6721	300	250	E40s	PS-110	Clear	C-9	4,530	1,000	Any	178	233	General Lighting Service	Commercial
996-6722	300	250	E40s	PS-110	Pearl	C-9	4,530	1,000	Any	178	233	General Lighting Service	Commercial
996-6723	300	260	E40s	PS-110	Clear	C-9	4,510	1,000	Any	178	233	General Lighting Service	Commercial
996-6724	300	260	E40s	PS-110	Pearl	C-9	4,600	1,000	Any	178	233	General Lighting Service	
996-6725													
996-6726													
996-6727													
996-6728													
996-6729													
996-6730													
996-6731	300	220	E40s	PS-110	Clear	C-9 or C-7A	4,250	1,000	Any	178	233	Ship Lighting	DefStan 62-10 #113
996-6732	500	220	E40s	PS-110	Clear	C-9 or C-7A	7,600	1,000	Any	178	233	Ship Lighting	DefStan 62-10 #114
996-6733	250	230/240	E40s	T-48	Clear		8,750	5,000	BU		290	Street Lighting MA/V	Use 996-6761
996-6734													
996-6735													
996-6736	200	230	E40s	A-90	Clear	C-9	2,950	1,000	Any	145	190	General Lighting Service	
996-6737	250	200/220	E40s	T-48	Clear		8,000	3,000	BU	170	290	MA/V Mercury	
996-6738	250	230/240	E40s	T-48	Clear		8,000	3,000	BU	170	290	MA/V Mercury	
996-6739	250	250	E40s	T-48	Clear		8,000	3,000	BU	170	290	MA/V Mercury	
996-6740	250	200/220	E40s	T-48	Clear		7,250	3,000	Any	170	290	MA/U Mercury	
996-6741	250	230/240	E40s	T-48	Clear		7,250	3,000	Any	170	290	MA/U Mercury	
996-6742	250	250	E40s	T-48	Clear		7,500	5,000	Any	170	290	MA/U Mercury	Commercial
996-6743	125	200/220	E40s	A-90	Phopshored		4,100	2,500	BU		190	MBF/U Mercury	
996-6744	125	230/240	E40s	A-90	Phopshored		4,100	2,500	BU		190	MBF/U Mercury	
996-6745	125	250	E40s	E-90	Phopshored		6,260	10,000	Any		186	MBF/U Mercury	BS 3677
996-6746	300	240	E40s	TG-85	Clear		5,400	3,000	VBV		285	MAT/V Mercury Blended	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-6750	300	220	E40s	PS-110	Red	C-9		1,000	Any		233	Ships Lighting	DNEE/VI/2317
996-6751	300	115	E40s	PS-110	Red	C-9		1,000	Any	178	233	Ships Lighting	DNEE/VI/2317 (69)
996-6753	400	220/240	E40s	ED-120	Phopshored		22,700	10,000	Any		292	MBF/U Hangar Lighting	BS 3677
996-6754	125	220/250	B22d-3	E-90	Phopshored		6,200	10,000	Any		186	MBF/U Street Lighting	BS 3677
996-6755	250	220/240	E40s	E-90	Phopshored		13,000	8,000	Any		227	MBF/U Street Lighting	BS 3677
996-6757	1000	200/250	S22s x2	T-38	Clear		43,000	5,000	Horiz.		476	MA/H Street Lighting	Commercial
996-6758	250	200/250	E40s	T-51	Clear		11,000	7,500	Any		255	MB/U Mercur Vapour	Commercial
996-6759	220	200/250	3 Pin	U-15	Clear		. . .	1,000	Any		130	Mercury Physiotherapeutic	Proprietary
996-6760	220	200/250	2 Pin	U-14	Clear		. . .	5,000	Any		103	Mercury Physiotherapeutic	Proprietary
996-6761	250	220/250	E40s	T-48	Clear		8,750	5,000	VBU		290	MA/V Mercury	Commercial
996-6762	250	220/250	E40s	T-51	Clear		11,000	8,000	Any		290	MB/U Mercury	Commercial
996-6763	45	200/250	BY22d	T-52	Clear		2,250	4,000	Horiz. ±20°		257	SOI/H Low Pressure Sodium	Commercial
996-6764	60	200/250	BY22d	T-52	Clear		3,420	4,000	Horiz. ±20°		310	SOI/H Low Pressure Sodium	Commercial
996-6765	85	200/250	BY22d	T-52	Clear		5,525	4,000	Horiz. ±20°		425	SOI/H Low Pressure Sodium	Commercial
996-6766	140	200/250	BY22d	T-67	Clear		9,100	4,000	Horiz. ±20°		528	SOI/H Low Pressure Sodium	Commercial
996-6767	65 / 80		G13 x2	T-38	Cool White		4,500 / 4,850	7,500	Any		1500	Fluorescent General Service	BS1853
996-6768	65 / 80		G13 x2	T-38	White		4,600 / 5,000	7,500	Any		1500	Fluorescent General Service	BS1853
996-6769	50		G13 x2	T-26	Warm White		3,250 (min)	7,500	Any		1500	Fluorescent General Service	BS 1853 Part 2
996-6770	20		G13 x2	T-26	Blue		270	5,000	Any		600	Fluorescent General Service	Commercial
996-6771	400	200/250	E40s	T-51	Clear		20,000	5,000	Any		285	MB/U Street Lighting	Commercial
996-6772	65 / 80		G13 x2	T-38	Natural		3,550 / 3,875	7,500	Any		1500	Fluorescent General Service	BS1853
996-6773	65 / 80		G13 x2	T-38	Deluxe Warm		3,200 / 3,700	7,500	Any		1500	Fluorescent General Service	Commercial
996-6774	65 / 80		G13 x2	T-38	Northlight		2,700 / 3,100	7,500	Any		1500	Fluorescent General Service	BS1853
996-6776	55	200/250	BY22d	T-52	Clear		7,500	6,000	Horiz. ±20°		425	SOX Low Pressure Sodium	BS 3767
996-6777	90	200/250	BY22d	T-68	Clear		12,500	6,000	Horiz. ±20°		528	SOX Low Pressure Sodium	BS 3767
996-6778	135	200/250	BY22d	T-68	Clear		21,500	6,000	Horiz. ±20°		775	SOX Low Pressure Sodium	BS 3767
996-6781	400	100	G6.35	T-20	Clear Quartz		28,800	500	Any		55	CSI Signalling Projector	Proprietary
996-6782	400	240	E40s	ED-120	Phopshored		22,000	7,500	BU ±30°		280	MBIF/BU Metal Halide	BS 3677
996-6783	30	100/250	4-pin Valve	T-40	Clear		. . .	500	VBD		238	Mercury Spectral Lamp	Proprietary
996-6784	30	200/250	4-pin Valve	T-40	Clear		. . .	500	VBD		238	Cadmium Spectral Lamp	Proprietary
996-6785	25	220/230	E27s	C-35	Pearl	CC-9	205	1,000	Any		95.5	Plain Candle	Commercial
996-6786	40	220/230	E27s	C-35	Pearl	CC-9	395	1,000	Any		95.5	Plain Candle	Commercial
996-6787	60	220/230	E27s	C-35	Pearl	CC-9	665	1,000	Any		124	Plain Candle	Commercial
996-6788	1500	90-110	Special	T-12	Clear Quartz		37,500	300/500	Any		392	XB Pulsed Xenon Photographic	Commercial
996-6789	250	100/130	E27s	T-26	Clear	. . .	2,000	50	BU ±30°	55	135	Photographic Equipment	Proprietary
996-6790	100	100/130	E27s	T-26	Clear	. . .	2,000	50	VBD ±15°	55	135	Photographic Equipment	Proprietary
996-6791	30	240/250	S15s x2	T-25	Clear	C-8	230	1,000	Any		152	Picture Light	Commercial
996-6792	40		G13 x2	T-38	Light Blue		1,160	5,000	Any		600	Fluorescent General Service	Commercial
996-6793	1000	250	E40s	ED-165	Phosphored		85,000	7,500	Vert ±30°		400	MBIF/V Metal Halide	Proprietary
996-6794	20		G13 x2	T-38	Daylight		1,060	5,000	Any		600	Fluorescent General Service	Commercial
996-6795	250	240	E40s	ED-91	Phosphored		5,700	6,000	Vert ±45°		227	MBTF Mercury Blended	BS 3677
996-6796	40		G10q	T-34	Warm White		2,300 / 2,480	5,000	Any		406	Circular Fluorescent	Commercial
996-6797	4		G5 x2	T-16	Blacklight Blue			5,000	Any		150	Plotting Tables	Commercial
996-6798	50	95	E27s	E-55	Phosphored		1,750	8,000	Any		130	MBF/U High Pressure Mercury	Use 996-7877
996-6799	220	105	E40s	T-52	Clear		2,400	9,000	Any		257	SON-T Retrofit for 250W Mercury	Commercial
996-6801	500	100	E40s	PS-150	White			1,000	Any		300	Photographic	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-6802	500	115	E40s	G-130	Clear	C-5	8,000	800	VBD	115	180	Floodlighting lamp B1/3	Commercial
996-6803	500	100	E40s	A-130	Clear	C-9	9,650	1,000	Any	202	267	General Lighting Service	
996-6804													
996-6805	500	110	E40s	PS-150	Opal	C-9		1,000	BU		300	Photo. Enlarger	E&I 354
996-6806	500	110	P40s	T-64	Clear	C-13	12,500	50	VBD	50	140	Projector lamp, Class A1	
996-6807	500	110	P40s	G-130	Clear	C-5	8,400	800	BD	80	185	Signalling Beacon B1	Commercial
996-6808	500	110	E40s	A-130	Clear	C-9	9,550	1,000	Any	202	267	General Lighting Service	
996-6809													
996-6810	500	115	E40s	A-130	Clear	C-9	9,500	1,000	Any	202	267	General Lighting Service	
996-6811													
996-6812													
996-6813	500	110/120	E40s	PS-110	Clear	C-9	9,050	1,000	Any	178	233	General Lighting Service	Commercial
996-6814													
996-6815	500	130	E40s	A-130	Clear	C-9	9,350	1,000	Any	202	267	General Lighting Service	
996-6816													
996-6817	500	200	E40s	PS-150	White	C-9		1,000	Any		300	Photographic lamp	
996-6818	500	200	E40s	A-130	Clear	C-9	8,550	1,000	Any	202	267	General Lighting Service	
996-6819													
996-6820													
996-6821	500	200/210	E40s	PS-110	Clear	C-9	8,350	1,000	Any	178	233	General Lighting Service	Commercial
996-6822													
996-6823	500	220	E40s	A-130	Clear	C-9	8,450	1,000	Any	202	267	General Lighting Service	
996-6824													
996-6825	500	220	P40s	G-130	Clear	C-5	7,250	800	VBD	80	185	Floodlighting, Class B1	DEE10600. R/1
996-6826	500	220	E40s	PS-150	White	Any		1,000	Any		300	Photo. Enlarger (P3/8)	E&I 354
996-6827	500	230	E40s	G-130	Clear	C-5	7,250	800	BD	115	180	Floodlighting lamp B1/3	Commercial
996-6828	500	230	E40s	PS-150	White	Any		1,000	Any		300	Photo. Enlarger	E&I 354
996-6829	500	230	E40s	PS-130	Clear	C-9	8,400	1,000	Any	202	267	General Lighting Service	
996-6830													
996-6831	500	240	E40s	G-130	Clear	C-5	7,250	800	BD	115	180	Floodlighting	
996-6832	500	240	E40s	PS-150	White	Any		1,000	Any		300	Photo. Enlarger	
996-6833	500	240	E40s	PS-110	Clear	C-9	8,200	1,000	Any	178	233	General Lighting Service	Commercial
996-6834	500	240	E40s	A-130	Pearl	C-9	8,350	1,000	Any	202	267	General Lighting Service	
996-6835	500	250	E40s	PS-150	White	C-9		1,000	Any		300	Photographic	E&I 354
996-6836	500	250	E40s	PS-110	Clear	C-9	8,150	1,000	Any	202	267	General Lighting Service	Commercial
996-6837													
996-6838	500	260	E40s	PS-130	Clear	C-9	8,100	1,000	Any	202	267	General Lighting Service	Commercial
996-6839													
996-6840													
996-6841													
996-6842													
996-6843													
996-6844													
996-6845	750	200	E40s	A-150	Clear	C-7A	13,700	1,000	Any	225	300	General Lighting Service	
996-6846													
996-6847	750	200/210	E40s	PS-150	Clear	C-7A	13,400	1,000	Any	225	300	General Lighting Service	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-6848													
996-6849	750	220	E40s	A-150	Clear	C-7A	13,600	1,000	Any	225	300	General Lighting Service	
996-6850													
996-6851	750	230	E40s	PS-150	Clear	C-7A	13,500	1,000	Any	225	300	General Lighting Service	
996-6852													
996-6853	750	240	E40s	PS-150	Clear	C-7A	13,450	1,000	Any	225	300	General Lighting Service	
996-6854													
996-6855	750	250	E40s	PS-150	Clear	C-7A	13,000	1,000	Any	225	300	General Lighting Service	Commercial
996-6856													
996-6857													
996-6858													
996-6859	1000	100	E40s	T-64	Clear	C-13	24,500	100	VBD	120	230	Projector lamp , Class A1	
996-6860	1000	100	P40s	T-64	Clear	C-13D	24,500	100	VBD	84	235	Projector lamp , Class A1	
996-6861	1000	115	E40s	T-64	Clear	C-13	25,000	100	VBD	120	230	Projector lamp A1/57	Commercial
996-6862	1000	100	E40s	A-150	Clear	C-7A	21,200	1,000	Any	225	300	General Lighting Service	
996-6863	1000	110	P40s	T-64	Clear	C-13D	24,500	100	VBD	84	235	Projector lamp , Class A1	
996-6864	1000	110	P40s	T-64	Clear	C-13	26,500	50	VBD	84	235	Projector lamp , Class A1	
996-6865	1000	115	E40s	T-64	Clear	C-13	25,000	100	VBD	120	230	Projector lamp A1/57	Use 996-6861
996-6866	1000	110/120	E40s	PS-150	Clear	C-7A	19,300	1,000	Any	225	300	General Lighting Service	Commercial
996-6867													
996-6868													
996-6869													
996-6870	1000	120	P40s	T-64	Clear	C-13	26,500	50	VBD	84	235	Projector lamp , Class A1	
996-6871													
996-6872													
996-6873	1000	120	E40s	A-150	Clear	C-7A	19,200	1,000	Any	225	300	General Lighting Service	
996-6874	1000	120	E40s	T-64	Clear	C-13	25,000	50	VBD	120	230	Projector lamp , Class A1	
996-6875	1000	210/220	E40s	PS-150	Clear	C-7A	18,700	1,000	Any	225	300	General Lighting Service	Commercial
996-6876	1000	220	P40s	T-64	Clear	C-13	20,500	50	VBD	84	235	Projector lamp , Class A1	
996-6877	1000	220	E40s	A-150	Clear	C-7A	18,950	1,000	Any	225	300	General Lighting Service	
996-6878	1000	230	E40s	T-64	Clear	C-13	23,000	100	VBD	120	230	Projector lamp A1/57	Commercial
996-6879	1000	230	E40s	T-90	Clear	C-8	24,000	200	Horiz.		390	Horizon lamp	
996-6880	1000	230	P40s	T-90	Clear	C-8	24,000	200	Horiz.		415	Horizon lamp	Commercial
996-6881	1000	230	E40s	PS-150	Clear	C-7A	8,900	1,000	Any	225	300	General Lighting Service	
996-6882	1000	240	E40s	PS-150	Clear	C-7A	18,400	1,000	Any	225	300	General Lighting Service	Commercial
996-6883	1000	240	E40s	T-64	Clear	C-13	23,000	100	VBD ±15°	120	230	Projector lamp A1/57	Commercial
996-6884	1000	250	E40s	T-64	Clear	C-13	25,000	50	VBD	120	230	Projector lamp , Class A1	
996-6885	1000	250	E40s	PS-150	Clear	C-7A	18,300	1,000	Any	225	300	General Lighting Service	Commercial
996-6886													
996-6887													
996-6888													
996-6889													
996-6890													
996-6891													
996-6892	1500	200	E40s	PS-170	Clear	C-7A	30,500	1,000	Any	250	335	General Lighting Service	
996-6893	1500	210	E40s	PS-170	Clear	C-7A	30,400	1,000	Any	250	335	General Lighting Service	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-6894	1500	220	E40s	PS-170	Clear	C-7A	30,200	1,000	Any	250	335	General Lighting Service	
996-6895	1500	230	E40s	PS-170	Clear	C-7A	30,000	1,000	Any	250	335	General Lighting Service	
996-6896	1500	240	E40s	PS-170	Clear	C-7A	28,700	1,000	Any	250	335	General Lighting Service	Commercial
996-6897	1500	250	E40s	PS-170	Clear	C-7A	29,800	1,000	Any	250	335	General Lighting Service	
996-6898													
996-6899	2000	115	E40s	G-150	Clear		52,000	100			220	Photographic	
996-6901	500CP	200/250	E40d	S-100	Clear	Pointolite	500CP		VBD		173	Pointolite' Tungsten Arc	
996-6903	6	400-650	Wires	T-6	Clear		5-1000 /sec.	250	Any		65	Xenon Stroboscope Tube	Commercial
996-7801	2000	230	P40s	T-90	Clear	C-8	45,000	200	Horiz.		425	Horizon lamp	
996-7802	3000	80	E40s	TG-240	Clear	Cruciform	52,500	800	VBD	305	470	Aerial Lighthouse	
996-7803	3000	220	E40s	T-150	Clear	C-8	75,000	200	Horiz.		365	Horizon lamp	
996-7804	5000	100	E40s	TG-295	Clear	C-13	130,000	100	VBD	333	488	Aerodrome Floodlight	E&I 285
996-7805													
996-7806													
996-7807													
996-7808													
996-7809													
996-7810													
996-7811	500	210	E40s	TG-100	Clear		10,500	2,000	BU	195/330	380	MAT/V Merc. Tungsten	
996-7812	500	230	E40s	TG-100	Clear		10,500	2,000	BU	195/330	380	MAT/V Merc. Tungsten	Commercial
996-7813	500	250	E40s	TG-100	Clear		10,500	2,000	BU	195/330	380	MAT/V Merc. Tungsten	
996-7814	1000	230	E40s	G-130	Clear	C-5	16,000	800	BD	115	180	Floodlighting	
996-7815	500	240	E40s	TG-100	Clear		10,500	2,000	BU	195/330	380	MAT/V Merc. Tungsten	
996-7816	500	230	E40s	R-183	Clear			750	Any	115	262	Reflector Spotlamp	
996-7817	1000	210	E40s	G-130	Clear	C-5	16,500	800	BD	115	180	Floodlighting, Class B1	
996-7818	1000	230	E40s	G-130	Clear	C-5	16,500	800	BD	115	180	Floodlighting, Class B1	
996-7819	1000	240	E40s	G-130	Clear	C-5	16,500	800	BD	115	180	Floodlighting, Class B1	
996-7820	1000	200	E40s	A-150	Clear	C-5		800	Any	225	300	Floodlighting, Class B2	
996-7821	1000	230	E40s	T-90	Clear	C-8	17,600	1,000	Horiz.		390	Tubular Floodlight	
996-7822	500	210	E40s	G-130	Clear	C-5	7,500	800	BD	115	180	Floodlighting, Class B1	
996-7823	500	230	E40s	T-90	Clear	C-8	8,100	1,000	Horiz.		355	Tubular Floodlight	
996-7824	500	220	E40s	T-90	Clear	C-8	9,000	1,000	Horiz.		355	Horizon Lamp FL/1	Commercial
996-7825	400	200/220	E40s	T-48	Clear		14,400	3,000	BU	190	330	MA/V Mercury	
996-7826	400	230/240	E40s	T-48	Clear		14,400	3,000	BU	190	330	MA/V Mercury	
996-7827	400	250	E40s	T-48	Clear		14,400	3,000	BU	190	330	MA/V Mercury	
996-7828	400	200/220	E40s	BT-165	Clear		12,800	2,500	BU		335	MAF/V Mercury	
996-7829	400	230/240	E40s	BT-165	Clear		12,800	2,500	BU		335	MAF/V Mercury	
996-7830	400	250	E40s	BT-165	Clear		12,800	2,500	BU		335	MAF/V Mercury	
996-7831	1000	240	E40s	T-64	Clear	C-13	23,000	100	VBD	120	240	Projector Lamp A1/57	Commercial
996-7835	3000	210	P40s	-170	Part Silvered	Cylindrical	38,000 (min)	100	VBD	160	285	Masthead Signalling Lamp	Commercial
996-7836	1000	220	E40s	PS-150	Clear	C-7A	18,600	1,000	Any	225	300	GLS (Hard Glass)	Commercial
996-7837	750	115	E40s	PS-150	Clear	C-7A	14,200	1,000	Any	225	300	Ceremonial - Ships Lighting	Commercial
996-7838	500	115	E27s	G-100	Clear	C-13		100	VBU	85	135	Epidiascope lamp E/3	Commercial
996-7839	1000	115	P28s	T-38	Clear	C-13	27,000	25	VBD	55.5	140	Projector lamp A1/59	Commercial
996-7841	500	220	E27s	G-100	Clear	C-13	10,300	100	VBD	85	145	Epidiascope lamp E/3	Commercial
996-7842	500	220	E40s	G-130	Clear	C-5	7,250	800	VBD	115	190	Projector, Class B1/2	Commercial

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-7843	500	220	E27s	G-100	Part Silvered	C-13		100	VBD	85	145	Epidiascope lamp E/3	Commercial
996-7844	750	230	P46s	T-38	Black Top	C-13D	18,000	25	VBD ±15°	59	135	Projector lamp A1/53	Commercial
996-7845	750	240	P46s	T-38	Black Top	C-13D	18,000	25	VBD ±15°	59	135	Projector lamp A1/53	Commercial
996-7846	500	240	E40s	PS-130	Clear	C-5	7,250	800	VBD ±135°	202	275	B2/1 Floodlighting	Commercial
996-7847	1000	240	E40s	PS-150	Clear	C-5	16,500	800	Any	225	309	B2/2 Floodlighting	Commercial
996-7848	1000	240	P40s	T-90	Clear	C-8	16,000	1,000	Horiz.	200	425	Horizon Lamp Floodlighting	Proprietary
996-7849	150	250	BA51s	T-25	Black Top	C-13	2,700	25	VBD ±15°	35	90	A1/167 Projector	Commercial
996-7850	150	210	E27s	R-125	Part Silvered	C-9	. . .	1,000	Any		178	Reflector Spot Light	Commercial
996-7851	150	240	E27s	R-125	Part Silvered	C-9	900	5,000	Any	112.5	179.5	Reflector Spot Light	Commercial
996-7852	150	250	E27s	R-125	Part Silvered	C-9	2,000cd	1,000	Any	110.5	181	Reflector Spot Light	Commercial
996-7853	300	240/250	BA15s	T-26	Black Top	CC-13	6,900	25	VBD	35	105	Projector lamp A1/37	Commercial
996-7854	400	105-150	E40s	T-48	Clear		45,600	5,000	VBU		330	MA/V Street Lighting	Commercial
996-7855	1500	220	P40s	T-80	Clear	C-13	36,000	100	VBD	84	255	Projector lamp A1/147	Commercial
996-7856	200	57.5	Special	BT-17.5	Clear Quartz		10,000	200	VBU ±20°		130	Mercury - Line Scan Equipment	RRE X5741
996-7857	250	220/240	E40s	ED-90	Phosphored		12,500	12,000	Any		227	MBF/U Mercury	BS 3677
996-7859	80	105-110/18.5	4-pin Valve	ST-78	Clear	S-1	600-710 / 118	1,000	Any	78	165	Ships Navigation	Proprietary
996-7860	750	115	P46s	T-38	Black Top	C-13	19,500	25	VBD	59	135	Projector lamp A1/53	Use 995-9841
996-7861	0.14	100/250	Wires	T-6	Clear			5,000	Any		17.5	Neon Indicator Ext Res 100K	Commercial
996-7862	35	70	BY22d	T-52	Clear		4,300	4,000	Horiz ±20°		310	SOX Low Pressure Sodium	BS 3767
996-7863	20		B22d	T-26	White		500	5,000	Horiz.		286	Magnifier, Circular Fluorescent mCFE/L	Commercial
996-7864	0.35mA	300	Special	T-18.2	Matt Black				Any		67.3	Linescan Neon Lamp	Proprietary
996-7870	500	100	R7s	T-11	Clear Quartz	C-8	10,500	2,000	Horiz.	60	117.5	Illumination	Commercial
996-7871	150	240/250	E27s	PAR-38	Diffuse	CC-6	2,600cd	2,000	Any		135	Sealed Beam Floodlight 33deg	Commercial
996-7873	200Joules	1700	Special	T-6.5	Clear Quartz			100,000	Any		137	XB Xenon Sight Laser Rangefinder	FV739725
996-7874	0.3	100/250	Wires	T-6	Green				Any		16	Green Neon Ext Res 100K	Commercial
996-7875	25	200/250	B15d	ST-28	Clear	C-7A	175	1,000	Any	48	62	Mains Indicator	Commercial
996-7876	0.45	110/240	Wires	T-5.75	Clear				Any		17	Neon Indicator Ext Res 100K	Commercial
996-7877	50	95	E27s	E-55	Phosphored		1,900	8,000	Any		130	MBF/U High Pressure Mercury	BS 3677
996-7878	80	220/240	B22d-3	E-70	Phosphored		3,650	12,000			156	MBF/U High Pressure Mercury	NES 2004
996-7879	275	200/250	E27s	R-125	Clear Front	CC-9	2,420	5,000	Any	112.5	179.5	IR Reflector (Hard Glass)	Commercial
996-7880	65 / 80		G13 x2	T-38	Blue		1,150	7,500	Any		1500	Operations Room Lighting	Commercial
996-7881	70	95	E27s	E-70	Diffusing		5,300	8,000	Any		154	SON-E High Pressure Sodium	Commercial
996-7882	200	200/250	G13 x2	T-39.5	Clear		27,500	6,000	Horiz ±20°		900	SLI/H (HO) Linear Sodium	BS 3767
996-7884	400	105	E40s	ED-120	Diffusing		45,000	12,000	Any		292	High Pressure Sodium	BS 6193
996-7886	120		Metal Cap	T-22	White		3,000	1,000	Any			Fluorescent Photographic Grid 356x368	Proprietary
996-7887	50	22	SFa x2	BT-9.5	Clear Quartz		1,300	200	Vert ±45°		53	UV Recorder & ARI 23296	Proprietary
996-7888	18	57	BY22d	T-54	Clear		1,750	8,000	VBU ±110°		216	SOX Low Pressure Sodium	Commercial
996-9201													
996-9202													
996-9203													
996-9204													
996-9205													
996-9206	5	220	Festoon	T-26	Clear				Any		79	Neon Indicator Int Res 9K	Commercial
996-9207													
996-9208													
996-9209	20		G13 x2	T-38	Natural		560	2,500	Any		600	Fluorescent Ships Lighting on DC	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-9210	20		G13 x2	T-38	Warm White		620	2,500	Any		600	Fluorescent Ships Lighting on DC	
996-9211	0.25	100/250	Wires	T-5.95	Clear			25,000	Any		21	Neon Indicator Ext Res 270K	Commercial
996-9212	0.25	220/250	Wires	T-5.95	Clear				Any		21.5	Neon Indicator Ext Res 150K	Commercial
996-9213	0.25	100/250	SX6s	T-5.95	Clear			50,000	Any		22.8	Neon Indicator Ext Res 330K	Commercial
996-9214	0.25	100/250	T7 Black	T-6.5	Clear				Any		44	Post Office Neon 36A, 270K	Commercial
996-9215	0.25	100/250	SX6s	T-5.95	Clear			50,000	Any		19.2	Neon Indicator Ext Res 470K	Commercial
996-9216	2.5	60	T7 Mauve	T-6.5	Clear	Any	4	300	Any		44.5	Telephone Indicator	Commercial
996-9218	0.04	100/250	Wires	T-5.95	Clear				Any		21.5	Neon Indicator Ext Res 270K	Commercial
996-9219	1.75mA	115	Wires	T-5.95	Orange Spot	Tritiated Neon			Any		7.5	Neon Indicator Ext Res 20K	Proprietary
996-9220	0.04	110/250	Wires	T-6.95	Clear				Any		21.5	Neon Indicator Ext Res 270K	Proprietary
996-9221	0.25	100/250	E10s	T-5.95	Clear				Any		27	Reduced Dark Effect, 270K	Commercial
996-9222	0.25	100/250	Wires	T-6.35	Clear				Any		38	Neon Indicator Ext Res 100K	Commercial
996-9223	0.25	200/260	B9s	T-10	Clear	Cylindrical			Any		30	Neon Indicator Ext Res 1MEG	Commercial
996-9224	0.25	100/250	Wires	T-6	Clear			10,000	Any		17.5	Neon Indicator Ext Res 270K	Commercial
996-9225	0.5	110/250	Wires	T-6	Clear				Any		19.2	Neon Indicator Ext Res 330K	Commercial
996-9226	1	110/220	SX3s	T-3.9	Clear				Any		9.5	Neon Indicator Ext Res 150K	Commercial
996-9228		110/220	SX3s	T-3.17	Clear				Any		9.1	Neon Indicator Ext Res 100K	Commercial
996-9229	0.25	100/250	Wires	T-4	Clear			50,000	Any		10	Neon Indicator Ext Res 560K	Commercial
996-9230	0.26	110/250	E10s	T-11	Clear				Any		30	Neon Indicator Ext Res 270K	Commercial
996-9231	60	240/250	B22d	T-25	Clear	C-8	345	1,000	Any		86	General Service	Commercial
996-9232	2	160-260	Wires	T-12.7	Red				Any		33.1	Neon Indicator Internal Res	Proprietary
996-9233	0.25	200/250	Wires	T-6.35	Clear				Any		20	Neon Indicator Ext Res 220K	Commercial
996-9301													
996-9401													
996-9402													
996-9403													
996-9404													
996-9405	40		G13 x2	T-38	Daylight		1,700	5,000	Any		1200	Fluorescent General Service	
996-9406	40		G13 x2	T-38	Warm White		1,700	5,000	Any		1200	Fluorescent General Service	
996-9408	30		G13 x2	T-38	Mellow		900	5,000	Any		900	Fluorescent General Service	
996-9410	85		G13 x2	T-38	Warm White		6,800 (min)	7,500	Any		2400	Fluorescent General Service	BS 1853
996-9411	65 / 80		G13 x2	T-38	Warm White		4,600 / 5,000	5,000	Any		1500	Fluorescent General Service	BS 1853
996-9501													
996-9502													
996-9601	80	17/105	4pin Valve	ST-78	Clear	S-1	770 / 125	1,000	VBD	78	165	Ships Navigation	
996-9602	80	35/215	4pin Valve	ST-78	Clear	S-1	750 / 120	1,000	VBD	78	165	Ships Navigation	Proprietary
996-9603	100 CP	220	E26d	PS-65	Clear	Pointolite	100 CP	500	VBD	84	114.5	Pointolite Tungsten arc	
996-9604	80	17/110	4pin Valve	ST-78	Clear	S-1	770 / 125	1,000	VBD	78	165	Ships Navigation	
996-9605	75	230	S12s x2	T-30	Opal	C-8	550	1,000	Any		610	Architectural Lamp	Commercial
996-9605	75	230	S12s x2	T-30	Opal	C-8		1,000	Any		610	Architectural lamp	
996-9606	60	230	S12s x2	T-30	Opal	C-8	. . .	1,000	Any		500	Architectural lamp	
996-9607	40		G13 x2	T-38	Mellow		1,300	5,000	Any		1200	Fluorescent General Service	
996-9607	75	240	S12s x2	T-30	Opal	C-8	670	1,000	Any		610	Architectural lamp	Commercial
996-9701	250	230	Special x2	T-57	Clear	Carbon		800	Any		270	Radar Indicator	
996-9702	250	250/230	Special x2	T-57	Clear	ZigZag Carbon		800	Any		272	Power Indicator High vacuum	
996-9703	300	110	B&H	T-32	Clear	C-13D	7,200	25	VBD	59	128	Projector lamp, Class A1	

## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-9704	150	230	S12s x2	T-30	Opal	C-8	. . .	1,000	Any		1220	Architectural lamp	
996-9705	150	240	S12s x2	T-30	Opal	C-8		1,000	Any		1220	Architectural lamp	Commercial
996-9706	250	41-49	5A Plugs	T-40	Clear		2,500	500	Horiz.		643	NE/H Neon Airfield Beacon	EL 1962
996-9708	60	240/250	S12s	T-30	Opal	C-8	450	1,000	Any		500	Architectural lamp	Commercial
996-9709	500	240	P28s	G-100	Clear	C-13	10,000	200	Any	55.5	140	T/1 Theatre Projector	Commercial
996-9710	53	240/250	S12s x2	T-30	Opal	C-8	340	1,000	Any		457	Architectural lamp	Commercial
996-9711	250	110/120	E27s	R-125	Silver Backed	C-9	55mw/sq.cm	5,000	Any		185	IR Reflector, power at 50cm	Proprietary
996-9712	250	230/250	E27s	R-125	Silver, Diffuse	CC-9		5,000	Any		183	IR Reflector	Commercial
996-9801													
996-9802	650	110	PF Block	T-64	Clear	C-13D	15,000	100	VBD	108	230	Signalling lamp	
996-9803	750	110	B&H	T-38	Black Top	C-13		25	VBD	59	128	Projector lamp, Class A1	
996-9804													
996-9805	750	115	B&H	T-38	Black Top	C-13D		25	VBD	59	128	Projector lamp, Class A1	
996-9806	750	120	B&H	T-38	Black Top	C-13D		25	VBD	59	128	Projector lamp, Class A1	
996-9807													
996-9808													
996-9809	1500	80	PF Block	T-80	Clear	C-13	38,000	100	VBD	108	225	Signalling lamp	DefStan 62-10 #115
996-9810													
996-9811	2000	110	G38	G-152.5	Clear	C-13	52,000	100	VBD	127	232	Studio Spotlight	
996-9812													
996-9813	3000	210	Special PF	GT-120	Clear	Special	67,500	100	VBD	113	339	Masthead Signalling	
996-9814	3000	230	G38	T-150	Clear	C-8	54,000	800	Horiz.		375	Airfield Floodlight	
996-9815	500	. . .	Special x2	T-11.5	Clear			1,000	Vert.		240	MB/V Skiatron lamp	
996-9816	500	200/250	P40s	T-65	Clear			500	Horiz.	120	260	ME/H Bombing Teacher	
996-9817	400	200/250	2x 5A Plug	BT-38/65	Clear			1,500	Horiz.		1500	Mobile Airfield Beacon	E&I 455
996-9818	380	230	Terminals	. . .	. . .		. . .	. . .	. . .	. . .	. . .	Mercury Horizontal Enlarger	
996-9819	1000	110	P46s	T-38	Black Top	C-13D	27,000	25	VBD	59	128	Projector lamp, Class A1/91	Commercial
996-9820	750	115	P39s	T-38	Clear	C-13D Offset	19,500	25	VBU	81	145	Projector lamp A1/52	Commercial
996-9821													
996-9822	2000	230	G38	G-152.5	Clear	C-13	50,000	100	VBD	127	232	Studio Spotlight CP/12	Commercial
996-9823	1000	70	Special	BT-55	Clear Quartz		18,000	500	VBD		265	MEX/D Xenon Photographic Display	RSRE 31217
996-9826	700	220/250	E40s	E-150	Phosphored		38,000	10,000	Any		368	MBF/U Mercury	BS 3677
996-9827	420	120	R7s	T-16	Clear Quartz	CC-8	11,500	100	Horiz. $\pm 4^\circ$		60.3	Overhead Projector A1/227	Commercial
996-9828	750	115	P39s	T-38	Clear	C-13	19,500	25	VBU	81	145	Projector lamp A1/52	Use 995-9820
996-9829	500	120	R7s-15	T-12	Clear Quartz	C-8	10,500	2,000	Horiz		114.2	Halogen Floodlighting K/1	Commercial
996-9830	200	115	B15s	T-25	Black Top	2CC-8	4,400	250	VBD	35	87	Projector lamp A1/26	Commercial
996-9831	750	240	P28s	T-38	Black Top	C-13D	18,000	25	VBD $\pm 15^\circ$	55.5	140	Projector lamp A1/9	Commercial
996-9832	500	240	G17q	T-32	Black Top	C-13D		25	VBD $\pm 15^\circ$	39.7	102.5	A1/205 Projector	Commercial
996-9833	750	240	R7s	T-12	Clear Quartz	C-8	15,000	2,000	Horiz. $\pm 15^\circ$		189	Halogen Floodlighting K/3	Commercial
996-9834	1000	240	R7s	T-11	Clear Quartz	C-8	22,000	2,000	Horiz. $\pm 4^\circ$		189	Hercules Simulator K./4	Commercial
996-9835	700	220/240	E40s	R-200	Phosphored		32,500	5,000	Any		312	MBFR/U Aircraft Trolley	Commercial
996-9836	1000	240	P28s	T-38	Black Top	C-13D	26,500	25	VBD $\pm 15^\circ$	55.5	140	Projector lamp A1/59	Commercial
996-9837	1000	250	P28s	T-64	Clear	C-13D	25,000	25	VBD $\pm 15^\circ$	55.5	140	Projector lamp A1/58	Commercial
996-9838	1000	200/250	E40s	R-220	Phosphored		48,000	12,000	Any		370	MBFR/U Mercury Reflector	Commercial
996-9839	6	240	2 Pin	U-6	Clear		. . .	100	. . .		52	Xenon Sptoboscope Flashlamp	Proprietary
996-9840	80	200/250	B22d-3	E-80	Pearl		2,480	5,000	Any		160	MB/U High Pressure Mercury	Commercial



## British Military Lamps - NATO Inter-Service Codes 6240-99-xxx-xxxx

Code	Watts	Volts	Cap	Bulb	Finish	Filament	Lumens	Life	Position	LCL	MOL	Primary Application	Specification
996-9841	75	1115	P46s	T-38	Black Top	C-13	19,500	15	VBD	59	135	Projector lamp A1/53	Commercial
996-9904	300Joules	2250	3-Pin	R-125	Diffuse		6/ minute	. . .	Any		140	Photographic Xenon Lamp	Commercial
996-9906	500	240	E40s	ED-120	Phosphored		14,000	6,000	Vert ±45°		292	MBTF/V Mercury Blended	Commercial
996-9907	250	220/250	E40s	R-165	Phosphored		12,000	10,000	Any		260	MBFR/U Mercury Reflector	Commercial
996-9908	400	220/240	E40s	R-185	Phosphored		18,000	10,000	Any		300	MBFR/U Mercury Reflector	Commercial
996-9909	700	220/240	E40s	R-200	Phosphored		34,000	10,000	Any		328	MBFR/U Mercury Reflector	Commercial
996-9910	1000	220/250	E40s	R-220	Phosphored		48,000	12,000	Any		380	MBFR/U Mercury Reflector	Commercial
996-9911	1500	230/250	R7s-15	T-11	Clear Quartz	C-8	33,000	2,000	Horiz.		254	Lighting Tower Trailer	Commercial
996-9912	400	105	E40s	ED-120	Diffusing		45,000	6,000	Any		280	SON-E Hangar Lighting	Proprietary