

Thorn Lighting - Class HH - Halogen Heat Lamps

Code	Thorn / GE Ref.	Watts	Volts	Cap 1	Cap 2	Bulb	Finish	Filament	Lumens	Efficacy	Life	Position	LL	MOL	Notes
HH/148		1500	220/240	Spade	Spade	T-10.5	Clear				7500	Horiz.	270	346	
HH/151		1000	20/220/24	Spade	Spade	T-10.5	Clear				7500	Horiz.	270	346	
HH/175	HH/599	500	20/220/24	Spade	Spade	T-20	Ruby Jacket				7500	Horiz.	160	216	Ruby Jacket linear lamp
HH/188	16-5154/5156/5157	500	20/220/24	Spade-23C	Spade-23C	T-10.5	Clear		2500	4-6	7500	Horiz.	135 5	216	
HH/210		500	20/220/24	Spade	Spade	T-20	Clear Jacket				7500	Horiz.	160	216	Clear Jacket linear lamp
HH/211		1000	20/220/24	Spade	Spade	T-20	Clear Jacket				7500	Horiz.	270	346	Clear Jacket linear lamp
HH/212		1500	220/240	Spade	Spade	T-20	Clear Jacket				7500	Horiz.	270	346	Clear Jacket linear lamp
HH/243	16-5139	450	220	Straight-11	Straight-17	T-10.5	Clear	CC-8	2250	4-6	5000	Horiz.	137 5	230	
HH/244	16-5144	450	240	Straight-17	Straight-11	T-10.5	Clear	CC-8	2250	4-6	5000	Horiz.	137 5	230	
HH/246	16-5140	450	220	Flag-140	Flag-220	T-10.5	Reflector	CC-8	2250	4-6	5000	Horiz.	137 5	230	140° bulb side coated with alumina reflector
HH/263	16-5146	450	240	Flag-220	Flag-140	T-10.5	Reflector	CC-8	2250	4-6	5000	Horiz.	137 5	230	140° bulb side coated with alumina reflector
HH/300	16-5613/5614/5615	500	20/220/24	Metal Strip	Metal Strip	T-10.5	Reflector	C/CC-8			5000	Horiz.	135 5	360	140° bulb side coated with alumina reflector
HH/301	16-5633/5634/5635	1000	120/240	Metal Strip	Metal Strip	T-10.5	Reflector	C-8			5000	Horiz.	265 5	485	140° bulb side coated with alumina reflector
HH/309		1000	240			T-10.5	Reflector					Horiz.			
HH/314	16-5181	600	240	Flag-185	Flag-75	T-10.5	Clear	CC-8	3000	4-6	5000	Horiz.	105 5	184	
HH/315	16-5182	600	240	Flag-230	Flag-140	T-10.5	Clear	CC-8	3000	4-6	5000	Horiz.	105 5	184	
HH/330	16-5205	675	240	Straight-36	Straight-36	T-10.5	Reflector	CC-8	3375	4-6	5000	Horiz.	135 5	211	140° bulb side coated with alumina reflector
HH/344	16-5128	400	160	Straight-3C	PBack-95	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/345	16-5173	600	160	PBack-31C	Straight-15	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/346	16-5157	500	160	Straight-15	Straight-10	T-10.5	Frosted	C-8	2500	4-6	5000	Horiz.	120 5	199	Black dipped ends
HH/347		600	147			T-10.5	Frosted					Horiz.			
HH/348	16-5172	600	160	Straight-11	Straight-15	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/350	16-5124	400	147	Straight-14	Straight-95	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/351	16-5123	400	147	Straight-30	Straight-95	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/352	16-5169	600	147	PBack-31C	Straight-15	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/359	16-5134	450	110	Straight-11	Straight-15	T-10.5	Frosted	C-8	2250	4-6	5000	Horiz.	126 5	215	Black dipped ends
HH/367	16-5147	450	240	Flag-220	Flag-140	T-10.5	Frosted	CC-8	2250	4-6	5000	Horiz.	137 5	230	Black dipped ends
HH/368	16-5165	550	240	Straight-15	Straight-15	T-10.5	Frosted	CC-8	2750	4-6	5000	Horiz.	120 5	199	Black dipped ends
HH/382	16-5141	450	220	Flag-140	Flag-220	T-10.5	Frosted	CC-8	2250	4-6	5000	Horiz.	137 5	230	Black dipped ends
HH/386	16-5136	450	110	Wire 30	Wire 30	T-10.5	Frosted	C-8	2250	4-6	5000	Horiz.	135 5	210	Black dipped ends
HH/394	16-5127	400	160	Straight-14	Straight-95	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/405	16-5668	2000	240	Eyelet-115	Eyelet-140	T-10.5	Clear	C-8	12000	6	5000	Universal	250 5	355	Dimpled bulb. May be branded as 2200W
HH/415	16-5202	675	220	Straight-19	Straight-85	T-10.5	Frosted	CC-8	3375	4-6	5000	Horiz.	120 5	199	Black dipped ends, opposing lead wires
HH/416	16-5149	450	220	Straight-14	Straight-14	T-10.5	Frosted	CC-8	2250	4-6	5000	Horiz.	137 5	227	Black dipped ends, opposing lead wires
HH/426	16-5176	600	220	Flag-185	Flag-75	T-10.5	Clear	CC-8	3000	4-6	5000	Horiz.	105 5	184	
HH/427	16-5177	600	220	Flag-230	Flag-140	T-10.5	Clear	CC-8	3000	4-6	5000	Horiz.	105 5	184	
HH/432	16-5201	675	220	Straight-36	Straight-36	T-10.5	Reflector	CC-8	3375	4-6	5000	Horiz.	135 5	211	140° bulb side coated with alumina reflector
HH/450	16-5630/5631/5632	1000	20/220/24	Spade-23C	Spade-23C	T-20	Ruby Jacket	C-8	7500	Horiz.	260 5	346	Ruby Jacket linear lamp
HH/451	16-5652/5653/5654	1500	20/220/24	Spade-23C	Spade-23C	T-20	Ruby Jacket	C-8	7500	Horiz.	260 5	346	Ruby Jacket linear lamp
HH/464	16-5670	2000	240	Spade-23C	Spade-23C	T-10.5	Clear	C-8	10000	4-6	5000	Universal	250 5	348	Dimpled bulb to support filament
HH/465	16-5669	2000	240	Eyelet-115	Eyelet-140	T-10.5	Clear	C-8	12000	6	5000	Universal	250 5	355	Dimpled bulb to support filament
HH/479		2000	240												Circular Cooker Lamp
HH/487	16-5120	300	240	Flag-105	Flag-75	T-10.5	Clear	CC-8	1500	4-6	5000	Horiz.	100 5	183	

Thorn Lighting - Class HH - Halogen Heat Lamps

Code	Thorn / GE Ref.	Watts	Volts	Cap 1	Cap 2	Bulb	Finish	Filament	Lumens	Efficacy	Life	Position	LL	MOL	Notes
HH/488	16-5135	450	110	Flag-130	straight-15	T-10.5	Frosted	C-8	2250	4-6	5000	Horiz.	126 5	214	Black dipped ends
HH/489	16-5125	400	147	Flag-105	straight-14	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/490	16-5138	450	120	Flag-135	Flag-170	T-10.5	Clear	C-8	2250	4-6	5000	Horiz.	148 5	215	Black dipped ends
HH/491	16-5148	450	240	Flag-135	Flag-170	T-10.5	Clear	C-8	2250	4-6	5000	Horiz.	148 5	215	Black dipped ends
HH/493	16-5122	400	147	Flag-145	Flag-146	T-10.5	Clear	CC-8	2000	4-6	5000	Horiz.	116 5	183	Black dipped ends
HH/494	16-5130	400	160	Flag-145	Flag-146	T-10.5	Clear	CC-8	2000	4-6	5000	Horiz.	116 5	183	Black dipped ends
HH/495	16-5132	400	253	Flag-145	Flag-146	T-10.5	Clear	CC-8	2000	4-6	5000	Horiz.	116 5	183	Black dipped ends
HH/498	16-5113	350	240	Flag-115	Flag-160	T-10.5	Clear	C-8	1750	4-6	5000	Horiz.	116 5	183	Black dipped ends
HH/499	16-5131	400	240	Flag-115	Flag-160	T-10.5	Clear		2000	4-6	5000	Horiz.	116 5	183	Black dipped ends
HH/504	16-5137	450	110	Flag-135	Flag-170	T-10.5	Clear	C-8	2250	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/506	16-5126	400	147	straight-14	Flag-160	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/508	16-5248	1000	240	Flag-250	Flag-295	T-10.5	Frosted	C-8	5000	4-6	5000	Horiz.	200 5	317	Black dipped ends
HH/518	16-5145	450	240	Flag-170	Flag-110	T-10.5	Clear	CC-8	2250	4-6	5000	Horiz.	137 5	230	
HH/519	16-5142	450	220	Flag-135	Flag-170	T-10.5	Clear	CC-8	2000	4-6	5000	Horiz.	148 5	215	Black dipped ends
HH/526		500	240			T-20	Ruby Jacket				7500			346	Ruby Jacket linear lamp
HH/528	16-5129	400	160	Flag-105	straight-14	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/529	16-5174	600	160	Flag-130	straight-15	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/535	16-5153	450	240	Flag-60	Flag-60	T-10.5	Clear	CC-8	2250	4-6	5000	Horiz.	137 5	230	
HH/546	16-5170	600	147	Flag-130	straight-15	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/550	16-5121	400	147	Flag-130	straight-14	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/551	16-5133	400	160	Flag-130	straight-14	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/552	16-5143	450	220	Flag-60	Flag-60	T-10.5	Clear	CC-8	2250	4-6	5000	Horiz.	137 5	230	
HH/560	16-5163	550	220	Flag-140	Flag-235	T-10.5	Frosted	CC-8	2500	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/561	16-5164	550	220	Flag-200	Flag-200	T-10.5	Frosted	CC-8	2750	4-6	5000	Horiz.	177 5	253	Black dipped ends
HH/563	16-5112	350	240	Flag-105	Flag-75	T-10.5	Clear	C-8	3850	10-12	5000	Horiz.	100 5	183	
HH/564	16-5166	550	240	Flag-140	Flag-235	T-10.5	Frosted	CC-8	2750	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/565	16-5167	550	240	Flag-200	Flag-200	T-10.5	Frosted	CC-8	2750	4-6	5000	Horiz.	177 5	256	Black dipped ends
HH/566	16-5159	500	160	straight-15	Flag-190	T-10.5	Frosted	C-8	2500	4-6	5000	Horiz.	120 5	199	Black dipped ends
HH/574	16-5658	1500	240	Spade-230	Spade-230	T-10.5	Ruby centre		5000	Horiz.	260 5	348	Central bulb area made from ruby quartz
HH/575	16-5642	1000	240	Spade-230	Spade-230	T-10.5	Ruby centre		5000	Horiz.	260 5	348	Central bulb area made from ruby quartz
HH/576	16-5175	600	160	straight-33	Flag-105	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/581	16-5158	500	160	straight-15	Flag-115	T-10.5	Frosted	C-8	2500	4-6	5000	Horiz.	120 5	199	Black dipped ends
HH/593	16-5150	450	110	Flag-130	Flag-130	T-10.5	Frosted	C-8	2250	4-6	5000	Horiz.	126 5	215	Black dipped ends
HH/596	16-5119	400	160	Flag-130	Flag-105	T-10.5	Frosted	CC-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/597	16-5171	600	160	Flag-130	Flag-130	T-10.5	Frosted	C-8	3000	4-6	5000	Horiz.	136 5	215	Black dipped ends
HH/599	16-5160/5161/5162	500	20/220/240	Spade-230	Spade-250	T-20	Ruby Jacket		7500	Horiz.	130 5	216	Ruby Jacket linear lamp
HH/600		1125	173												Circular Cooker Lamp
HH/601		830	240												Circular Cooker Lamp
HH/604		900	240												Circular Cooker Lamp
HH/609		900	173												Circular Cooker Lamp
HH/610		1200	160												Circular Cooker Lamp
HH/611	16-5578	800	150	Straight-95	Flag-115	T-8 Ring	Half frosted	C-8	4000	4-6	5000	Horiz.	ø 119	176	Circular Cooker Lamp
HH/612	16-5594	1060	132	straight-10	Flag-130	T-8 Ring	Half frosted	C-8	5300	4-6	5000	Horiz.	ø 156	211	Circular Cooker Lamp

Thorn Lighting - Class HH - Halogen Heat Lamps

Code	Thorn / GE Ref.	Watts	Volts	Cap 1	Cap 2	Bulb	Finish	Filament	Lumens	Efficacy	Life	Position	LL	MOL	Notes
HH/613	16-5595	1060	132	Straight-14	Straight-30	T-8 Ring	Half frosted	C-8	5300	4-6	5000	Horiz.	ø 156	211	Circular Cooker Lamp
HH/614		900	150												Circular Cooker Lamp
HH/617		900	173												Circular Cooker Lamp
HH/618		1200	133												Circular Cooker Lamp
HH/620		800	150												Circular Cooker Lamp
HH/621		1200	160												Circular Cooker Lamp
HH/622		800	260												Circular Cooker Lamp
HH/623		1200	260												Circular Cooker Lamp
HH/624		1000	240												Circular Cooker Lamp
HH/627		1100	140												Circular Cooker Lamp
HH/628		1200	260												Circular Cooker Lamp
HH/632		800	180												Circular Cooker Lamp
HH/638		1000	125												Circular Cooker Lamp
HH/640		1100	140												Circular Cooker Lamp
HH/641		1150	147												Circular Cooker Lamp
HH/653		1200	160												Circular Cooker Lamp
HH/668		800	150												Circular Cooker Lamp
HH/669		800	160												Circular Cooker Lamp
HH/670		1000	125												Circular Cooker Lamp
HH/671		1000	133												Circular Cooker Lamp
HH/677		900	173			T-8 Ring						Horiz.			Circular Cooker Lamp
HH/680		900	115												Circular Cooker Lamp
HH/685		1200	160			T-8 Ring						Horiz.			Circular Cooker Lamp
HH/697		800	260												Circular Cooker Lamp
HH/698		1000	217												Circular Cooker Lamp
HH/704	16-5151	450	110	PBack-15	PBack-115	T-10.5	Frosted		2000	4-5	5000	Horiz.	136 5	215	Black dipped ends
HH/705	16-5152	450	110	PBack-115	PBack-290	T-10.5	Frosted		2000	4-5	5000	Horiz.	136 5	215	Black dipped ends
HH/708	16-5117	400	147	PBack-10	PBack-100	T-10.5	Frosted	C-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/709	16-5118	400	147	Straight-10	Straight-25	T-10.5	Frosted	C-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends
HH/712	16-5116	400	180	Flag-130	Flag-105	T-10.5	Frosted	C-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends. Ceramaspeed
HH/724	16-5160	500	220	Flag-210	Flag-280	T-10.5	Clear		2500	4-6	5000	Horiz.	130 5	219	Black dipped ends
HH/729		1000	220/240	Spade	Spade	T-20	Ruby Jacket				7500	Horiz.	270	346	Ruby Jacket linear lamp
HH/730		1500	220/240	Spade	Spade	T-20	Ruby Jacket				7500	Horiz.		346	Ruby Jacket linear lamp
HH/731	16-5161	500	220	Flag-210	Flag-280	T-10.5	Clear		2500	4-6	5000	Horiz.	142 5	242	Black dipped ends
HH/738	16-5115	400	160	Straight-25	PBack-150	T-10.5	Frosted	C-8	2000	4-6	5000	Horiz.	105 5	183	Black dipped ends. Redring
HH/739	16-5178	600	160	Straight-35	PBack-150	T-10.5	Frosted		3000	4-6	5000	Horiz.	136 5	215	Black dipped ends. Redring
HH/753		600	147												
HH/757		400	147												
HH/758		600	147												
HH/772		400	160												
HH/778		1750	190	Eyelet-140	Eyelet-115	T-10.5	Clear	C-8			7500	Universal		340	Dimpled bulb
HH/779		450	220												
HH/781		2000	207	Eyelet-140	Eyelet-115	T-10.5	Clear	C-8			7500	Universal		340	Dimpled bulb

Thorn Lighting - Class HH - Halogen Heat Lamps

Code	Thorn / GE Ref.	Watts	Volts	Cap 1	Cap 2	Bulb	Finish	Filament	Lumens	Efficacy	Life	Position	LL	MOL	Notes
HH/782		675	135												
HH/783		450	220												
HH/795		450	240												
HH/798		100	147												
HH/799		600	147												
HH/804		2000	240	Spade	Spade	T-10.5	Clear				7500	Horiz.		346	
HH/824		400	160												
HH/825		600	160												
HH/829		400	135												
HH/830		600	135												
HH/832		400	160												
HH/834		600	240												
HH/835		450	240												
HH/839		420	240												
HH/863		1000	220				Reflector				7500	Horiz.		346	140° bulb side coated with alumina reflector
HH/864		1000	220				Refl. + Jacket				7500	Horiz.		346	140° bulb side coated with alumina reflector
HH/883		600	127												
HH/891		950	220												Circular Cooker Lamp
HH/900		1250	240												Circular Cooker Lamp
HH/902		1000	111												Circular Cooker Lamp
HH/903		800	160												Circular Cooker Lamp
HH/910		800	150												Circular Cooker Lamp
HH/911		1200	150												Circular Cooker Lamp
HH/938		1000	240												Circular Cooker Lamp
HH/939		1000	150												Circular Cooker Lamp
HH/941		1250	240												Circular Cooker Lamp
HH/954		1200	150												Circular Cooker Lamp
HH/957		1150	147												Circular Cooker Lamp
HH/958		800	133												Circular Cooker Lamp
HH/961		800	150												Circular Cooker Lamp
HH/965		1000	217												Circular Cooker Lamp
HH/971		1000	125												Circular Cooker Lamp
HH/973		800	100												Circular Cooker Lamp
HH/974		1000	111												Circular Cooker Lamp
HH/975		800	100												Circular Cooker Lamp
HH/985		1200	138												Circular Cooker Lamp
HH/991		1070	160												Circular Cooker Lamp
HH/994		1330	160												Circular Cooker Lamp
HH/995		765	98												Circular Cooker Lamp
HH/999		600	115												Circular Cooker Lamp
HH/1000		450	240												
HH/1004		500	180												Circular Cooker Lamp
HH/1011		600	160												

Thorn Lighting - Class HH - Halogen Heat Lamps

Code	Thorn / GE Ref.	Watts	Volts	Cap 1	Cap 2	Bulb	Finish	Filament	Lumens	Efficacy	Life	Position	LL	MOL	Notes
HH/1013		500	160												
HH/1021		500	160												
HH/1028		520	130												